


Recommended Selling Price list

For imported SKF bearings



EFFECTIVE
FROM
6th May, 2022





Rotating Equipment Performance (REP) solutions

Predictable performance in an unpredictable world

To achieve cash efficiency, improve top-line and sustainable growth, it is vital to capture predictable and enhanced performance from your manufacturing assets. SKF's Rotating Equipment Performance (REP) model combines our engineering expertise and products with new-age digital technologies that can help you enhance and predict your assets' performance and reduce your CapEx. investments.



Improved output



Safer operations



Performance risk sharing



Reduced costs



To know more about REP visit us at www.skf.com/in or scan the QR code



Ahmedabad plant



Bengaluru plant



Haridwar plant



Mysore plant



Global Technical Centre India



Pune plant

Building an Atmanirbhar Bharat

SKF has a long-standing presence in India, with operations in the country since 1923. As a manufacturer of an extensive product range comprising bearings, seals, power transmission, lubrication, maintenance products, as well as remote condition monitoring and services, SKF is committed to achieving self-reliance for the domestic industry by creating a strong manufacturing ecosystem. Today, SKF in India has a significant footprint comprising of 6 manufacturing facilities, 12 offices, over 300 distributors and an employee base of over 2400 dedicated professionals.

SKF's pan India presence has made it possible to serve its customers with high-performing and sustainable products and solutions that have set industry benchmarks as well as contributed to 'Atmanirbhar Bharat Abhiyan'.

With a rich global experience of over 110 years, SKF is continuously focused on developing innovative solutions for companies across automotive and industrial sectors. Over the years, SKF has evolved from being a pioneer in self-aligning ball bearing manufacturing company to a knowledge driven

engineering company helping customers achieve sustainable and competitive business excellence.



India Distribution Center

A milestone in our continued journey towards customer centricity

- Increased stock availability
- Online tracking facility
- Faster delivery turnarounds
- Cutting-edge infrastructure
- Error-free support and service
- LEED certified logistics centre





Condition monitoring solutions from SKF

It helps you determining the condition of machinery while in operation to reduce the possibility of catastrophic failure



Power transmission products and solutions from SKF

Helping your business reduce the total cost of ownership in the long-run

Bearings, units and housings from SKF

Expertise in manufacturing virtually every type of ball and roller bearing



Sealing solutions from SKF
Customized for your system performance



Maintenance products from SKF

Help your bearing achieve its maximum service life and increase your plant productivity and efficiency by applying the right maintenance practices and using the correct tools



Lubrication solutions from SKF

Help you realize the true potential of lubrication



SKF Cooper Split Bearings

Designed for today, tomorrow and the years after

New solutions from SKF

SKF SEALJET DD MACHINE

- High speed, flexibility and customer proximity with low investment
- Satisfy approximately 80% of standard industrial application demands




SKF Food Line ball bearing units – Blue Range

- Completely sealed
- Lubricated for life
- Corrosion resistant
- Food grade components



SKF ball bearing units – UC range

- Higher reliability through secure SKF locking system
- Widely available via the SKF distribution network
- Superior quality and long service life



VIBRACON – machinery mounting chock

- Eliminates the possibility of a soft foot in the production line
- Saves installation time
- Re-adjustable / re-useable



High performance INSOCOAT bearings

- Fully interchangeable design
- Stable electrical performance
- Robust during handling, storage and operation



SKF Agri Hub Disc Plough

This cost effective and ready-to-mount solution for Disc Plough applications comes with a robust sealing system to withstand highly contaminated environment and completes the competitive range of SKF Agri Hubs that are ready to mount and are virtually maintenance free



World-class quality for demanding applications

In response to market demand and our commitment towards 'Make in India' SKF has launched a new range of housing and accessories. The range covers a wide variety of industrial applications, delivering world-class quality and performance that you associate with the SKF brand.





Remote diagnostic services

Enabling world-class predictive maintenance for any industry, anywhere worldwide

Machine condition data is collected, either with an on-line system or with hand-held devices by skilled personnel – your own, a service partner or by SKF. Certified SKF analysts interpret and report on the data from Remote Diagnostic Centres using the most advanced, cloud-based technology and proprietary SKF signal analysis techniques. These subscription based services provide access to machine data and to expert SKF diagnostics from anywhere, any time.

Key benefits:



Cost savings
Avoid capital investments for hardware and software.



Global access
View reports or actual vibration data plots any time day or night from any location.



Data integrity
Automatic data uploading minimizes human error and establishes consistency and standardization throughout your organization.



Expert analysis
SKF knowledge enables us to apply 110 years of accumulated experience to diagnose collected data and make recommendations for actions.




Want to authenticate your product?

Do you think that you may have accidentally bought a counterfeit SKF product?

The SKF Authenticate app includes clear instructions on how to photograph the product and automatically submit a request, all in one process. Dedicated SKF experts then review the information, authenticate the product and reply through email.

How to use authenticate application



Scan to download the SKF Authenticate app



Google
Play Store



Apple
App Store

The new SKF Authenticate 2.0 comes with scan code feature for scanning QR code on SKF product carton and distributor certificates.

If you have any questions, contact SKF at genuine@skf.com

Contents

■ Bearings	10-42
■ Bearing housings and Accessories	43-47
■ Y-bearings and Y-bearing units	48-52
■ Sealing solutions	53-116
■ Power transmission products	117-154



Extreme temperature bearings



Roller bearings



Solid oil bearing




Ball bearings

Bearings



Plain bearings



Tough job?

Get a tough bearing.

New upgraded SKF Explorer self-aligning roller bearings can provide up to twice the service life as the original under tough operating conditions

Combining clean and homogenous high-quality steel with an improved heat treatment, new upgraded SKF Explorer bearings have a superior balance between hardness and toughness. This advancement gives upgraded SKF Explorer self-aligning roller bearings a higher degree of wear resistance, enabling as much as twice the service life as the original, in applications where there are high levels of contamination or poor lubrication conditions.

All standard SKF spherical roller bearings, CARB toroidal bearings and most spherical roller thrust bearings have now been upgraded to the SKF Explorer performance class.

For more information on the product and actual test results, download the brochure from www.skf.com/upgrade.



SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
1200 ETN9	1,683	1214 ETN9	■	1309 ETN9	4,204
1201 ETN9	1,783	1215	■	1309 ETN9/C3	4,204
1202 ETN9	1,614			1310 EKTN9	■
1203 ETN9	1,730	1215 K	■	1310 EKTN9/C3	■
		1215 K/C3	■		
1204 ETN9	1,683	1215/C3	■	1310 ETN9	■
1205 EKTN9	1,898	1216	■	1310 ETN9/C3	■
1205 EKTN9/C3	1,898			1311 EKTN9	■
1205 ETN9	1,820	1216 K	■	1311 EKTN9/C3	■
		1216 K/C3	■		
1205 ETN9/C3	1,820	1216/C3	■	1311 ETN9	■
1206 EKTN9	1,971	1217	11,441	1311 ETN9/C3	■
1206 EKTN9/C3	1,971			1312 EKTN9	■
1206 EM	12,563	1217 K	11,428	1312 EKTN9/C3	■
		1217 K/C3	11,428		
1206 ETN9	1,893	1217/C3	11,428	1312 ETN9	■
1206 ETN9/C3	1,893	1218	12,071	1312 ETN9/C3	■
1207 EKTN9	2,278			1313 EKTN9	■
1207 EKTN9/C3	2,278	1218 K	12,635	1313 EKTN9/C3	■
		1218 K/C3	12,635		
1207 ETN9	2,280	1218/C3	12,071	1313 ETN9	■
1207 ETN9/C3	2,280	1219	17,737	1313 ETN9/C3	
1208 EKTN9	2,598			1314	15,605
1208 EKTN9/C3	2,598	1219 K	17,724	1314/C3	15,605
		1219 K/C3	17,724		
1208 ETN9	2,714	1220	19,522	1315	17,863
1208 ETN9/C3	2,714	1220 K	18,689	1315 K	17,863
1209 EKTN9	2,797			1315 K/C3	17,863
1209 EKTN9/C3	2,797	1220 K/C3	18,689	1316	20,254
		1222	24,405		
1209 ETN9	2,797	1222 K	24,405	1316 K	20,237
1209 ETN9/C3	2,797	1222 K/C3	24,405	1316 K/C3	20,237
1210 EKTN9	2,808			1316/C3	20,254
1210 EKTN9/C3	2,808	1304 ETN9	2,220	1317 K	26,780
		1305 ETN9	2,404		
1210 ETN9	2,797	1305 ETN9/C3	2,404	1317 K/C3	26,780
1210 ETN9/C3	2,797	1306 EKTN9/C3	3,101	1318 K	27,723
1211 EKTN9	3,565			1319 K	41,464
1211 EKTN9/C3	3,565	1306 ETN9	3,104	1320 K	43,373
		1306 ETN9/C3	3,104		
1211 ETN9	3,565	1307 EKTN9/C3	3,576	1320 K/C3	43,373
1211 ETN9/C3	3,565	1307 ETN9	3,576	15101/15245	1,464
1212 EKTN9				16002-2Z	835
1212 EKTN9/C3		1307 ETN9/C3	3,576	16003	825
		1308 EKTN9	4,101		
1212 ETN9	■	1308 EKTN9/C3	4,101	16003/C3HD8	267
1212 ETN9/C3	■	1308 EM	20,644	16004	635
1213 EKTN9	■			16005	850
1213 EKTN9/C3	■	1308 ETN9	4,106	16006	1,071
		1308 ETN9/C3	4,106		
1213 ETN9	■	1309 EKTN9	4,199	16009	1,805
1213 ETN9/C3	■	1309 EKTN9/C3	4,199	16010	2,116

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
16011	3,248	21309 EK/C3	9,871	213-Z	10,901
16012	3,446	21309 EW	9,871	214	12,214
		21310 E	10,506		
16013	3,833	21310 E/C3	10,951	215	12,956
16014	4,624			216	16,761
16015	6,403	21310 EK	10,478	2201 ETN9	1,884
16020	9,954	21310 EK/C3	10,478	2202 E-2RS1TN9	2,714
		21311 E	13,364		
16022	15,044	21311 E/C3	13,364	2202 ETN9	1,919
16032	21,935			2203 E-2RS1TN9	2,691
16101-2RS1	1,093	21311 EK	12,820	2203 ETN9	2,001
207	4,296	21311 EK/C3	12,820	2204 E-2RS1TN9	2,744
		21312 E	14,589		
207 NR	4,965	21312 E/C3	14,589	2204 ETN9	2,018
207-2Z	5,202			2205 E-2RS1KTN9	3,126
208	4,367	21312 EK	13,983	2205 E-2RS1TN9	3,127
208-2Z	5,271	21312 EK/C3	13,983	2205 E-2RS1TN9/C3	3,127
		21313 E	17,328		
209	5,749	21313 E/C3	17,328	2205 ETN9	2,239
209/C3	5,736			2205 ETN9/C3	2,239
210	5,825	21313 EK	17,328	2206 E-2RS1KTN9	3,665
210 NR	7,029	21313 EK/C3	17,328	2206 E-2RS1KTN9/C3	3,665
		21314 E	20,195		
210-2Z	7,353	21314 E/C3	20,195	2206 E-2RS1TN9	3,520
210-Z	6,723			2206 E-2RS1TN9/C3	3,520
210-ZNR	7,662	21314 EK	20,192	2206 ETN9	2,510
211	6,910	21315 E	22,166	2206 ETN9/C3	2,510
		21315 E/C3	22,166		
211-2Z	8,366	21315 EK	21,264	2207 E-2RS1KTN9	4,221
211-ZNR	8,720			2207 E-2RS1KTN9/C3	4,221
212	8,519	21315 EK/C3	21,264	2207 E-2RS1TN9	4,221
212 NR	9,878	21316 E	24,619	2207 E-2RS1TN9/C3	4,221
		21316 E/C3	24,619		
212-2Z	10,307	21316 EK	24,619	2207 EKTN9	2,772
212-Z	9,420			2207 EKTN9/C3	2,772
213	9,848	21316 EK/C3	24,619	2207 ETN9	2,772
21305 CC	6,722	21317 E	26,767	2207 ETN9/C3	2,772
		21317 E/C3	26,767		
21305 CC/C3	6,722	21317 EK	26,760	2208 E-2RS1KTN9	5,131
21306 CC	7,563			2208 E-2RS1KTN9/C3	5,131
21306 CC/C3	7,411	21317 EK/C3	26,760	2208 E-2RS1TN9	5,134
21307 CC	8,116	21318 E	31,130	2208 EKTN9	3,154
		21318 E/C3	31,130		
21307 CC/C3	8,116	21318 EK	31,127	2208 EKTN9/C3	3,154
21308 E	8,729			2208 ETN9	3,154
21308 EKW	9,218	21318 EK/C3	31,127	2208 ETN9/C3	3,154
21308 EW	8,847	21319 E	43,092	2209 E-2RS1KTN9	5,774
		21319 E/C3	43,092		
21308 EW/C3	8,847	21319 EK	43,100	2209 E-2RS1KTN9/C3	5,774
21309 E	9,486			2209 E-2RS1TN9	5,774
21309 E/C3	9,486	21320 E	50,761	2209 EKTN9	3,565
21309 EK	9,871	21320 E/C3	50,761	2209 EKTN9/C3	3,565

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
2209 ETN9	3,565	2218	18,481	22211 EK/C4	9,943
2209 ETN9/C3	3,565	2218 K	18,478	22212 E	9,967
2210 E-2RS1KTN9	3,967			22212 E/C3	10,390
2210 E-2RS1KTN9/C3	3,967	2218 K/C3	18,478	22212 E/C4	10,510
		2218/C3	18,481		
2210 E-2RS1TN9	3,967	2219 KM	31,771	22212 EK	10,387
2210 EKTN9	3,967	2219 KM/P63	33,888	22212 EK/C3	9,964
2210 EKTN9/C3	3,967			22213 E	10,460
2210 ETN9	3,967	2220	28,810	22213 E/C3	10,460
		22205 E	6,419		
2210 ETN9/C3	3,967	22205 E/C2	6,419	22213 E/C4	11,032
2211 E-2RS1KTN9	4,751	22205 E/C3	6,419	22213 EK	10,457
2211 E-2RS1KTN9/C3	4,751			22213 EK/C3	10,027
2211 E-2RS1TN9	4,751	22205 EK	6,311	22213 EK/C4	10,580
		22205/20 E	10,229		
2211 EKTN9	4,745	22206 E	6,530	22214 E	11,739
2211 EKTN9/C3	4,745	22206 E/C3	6,530	22214 E/C3	11,739
2211 ETN9	4,751			22214 E/C4	11,871
2211 ETN9/C3	4,751	22206 EK	6,260	22214 EK	11,733
		22206 EK/C3	6,527		
2212 E-2RS1TN9	■	22207 E	6,808	22214 EK/C3	11,733
2212 EKTN9	■	22207 E/C3	7,099	22215 E	12,705
2212 EKTN9/C3	■			22215 E/C3	12,183
2212 ETN9	■	22207 E/C4	7,175	22215 E/C4	13,402
		22207 EK	7,096		
2212 ETN9/C3	■	22207 EK/C3	7,096	22215 EK	12,178
2213 E-2RS1KTN9	■	22208 E	7,468	22215 EK/C3	12,700
2213 E-2RS1KTN9/C3	■			22216 E	14,312
2213 E-2RS1TN9	■	22208 E/C3	7,468	22216 E/C3	14,312
		22208 E/C4	8,204		
2213 EKTN9	■	22208 EK	7,465	22216 E/C4	14,312
2213 EKTN9/C3	■	22208 EK/C3	7,465	22216 EK	14,307
2213 ETN9	■			22216 EK/C3	14,307
2213 ETN9/C3	■	22209 E	7,906	22216 EK/C4	14,464
		22209 E/C3	8,241		
2214	■	22209 E/C4	8,335	22217 E	17,669
2214 E-2RS1TN9	■	22209 EK	7,906	22217 E/C3	17,669
2214/C3	■			22217 E/C4	17,868
2215 EKTN9	■	22209 EK/C3	7,906	22217 EK	16,946
		22210 E	8,804		
2215 EKTN9/C3	■	22210 E/C2	8,804	22217 EK/C3	17,669
2215 ETN9	■	22210 E/C3	8,804	22218 E	19,851
2215 ETN9/C3	■			22218 E/C3	19,851
2216 EKTN9	■	22210 E/C4	9,279	22218 E/C4	20,940
		22210 EK	8,425		
2216 EKTN9/C3	■	22210 EK/C3	8,777	22218 EK	19,851
2216 ETN9	■	22211 E	9,442	22218 EK/C3	19,851
2216 ETN9/C3	■			22219 E	24,022
2217	14,305	22211 E/C3	9,442	22219 E/C3	24,022
		22211 E/C4	9,442		
2217 K	14,299	22211 EK	9,439	22219 EK	23,047
2217 K/C3	14,299	22211 EK/C3	9,060	22219 EK/C3	24,027

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
22220 E	25,514	22236 CCK/W33	■	22314 E	20,683
22220 E/C3	25,514	22240 CC/C3W33	■	22314 E/C3	20,683
		22240 CC/W33	■		
22220 EK	25,514	22240 CCK/C3W33	■	22314 E/C4	21,364
22220 EK/C3	25,514			22314 E/VA405	20,890
22222 E	32,911	22240 CCK/W33	■	22314 EK	19,830
22222 E/C3	32,911	22244 CC/C3W33	■	22314 EK/C3	20,683
		22244 CC/W33	■		
22222 EK	32,911	22244 CCK/C3W33		22314 EK/VA405	20,692
22222 EK/C3	31,573			22315 E	26,233
22222 EK/C4	33,279	22244 CCK/W33	■	22315 E/C3	26,233
22224 E	42,217	22308 E	9,009	22315 EJA/VA405	24,806
		22308 E/C3	9,009		
22224 E/C3	42,217	22308 E/VA405	8,531	22315 EK	26,233
22224 E/C4	44,474			22315 EK/C3	25,169
22224 EK	42,217	22308 EK	9,369	22316 E	29,720
22224 EK/C3	42,217	22308 EK/C3	9,369	22316 E/C3	28,512
		22309 E	10,865		
22226 E	48,636	22309 E/C3	11,325	22316 E/C4	30,052
22226 E/C3	50,714			22316 EK	28,512
22226 EK	50,660	22309 E/VA405	8,148	22316 EK/C3	29,720
22226 EK/C3	48,580	22309 EK	10,845	22317 E	35,992
		22309 EK/C3	10,845		
22228 CC/C3W33	■	22310 E	12,750	22317 E/C3	34,509
22228 CC/C4W33	■			22317 EJA/VA405	39,557
22228 CC/W33	■	22310 E/C3	12,233	22317 EK	35,248
22228 CCK/C3W33	■	22310 E/C4	13,441	22317 EK/C3	35,988
		22310 E/VA405	12,652		
22228 CCK/C4W33	■	22310 EK	12,202	22318 E	37,168
22228 CCK/W33	■			22318 E/C3	37,168
22230 CC/C3W33	■	22310 EK/C3	12,721	22318 EJA/VA405	33,704
22230 CC/W33	■	22311 E	15,030	22318 EK	35,666
		22311 E/C3	15,030		
22230 CCK/C3W33	■	22311 E/VA405	14,326	22318 EK/C3	37,168
22230 CCK/C4W33	■			22319 E	45,624
22230 CCK/W33	■	22311 EK	14,416	22319 E/C3	45,624
22232 CC/C3W33	■	22311 EK/C3	15,030	22319 EK	45,627
		22312 E	17,752		
22232 CC/W33	■	22312 E/C3	17,752	22320 E	54,834
22232 CCK/C3W33	■			22320 E/C3	52,605
22232 CCK/C4W33	■	22312 E/C4	18,721	22320 EK	54,828
22232 CCK/W33	■	22312 E/VA405	16,867	22320 EK/C3	54,828
		22312 EK	17,021		
22234 CC/C3W33	■	22312 EK/C3	17,021	22322 E	70,375
22234 CC/W33	■			22322 E/C3	70,375
22234 CCK/C3W33	■	22313 E	18,707	22322 EK	70,398
22234 CCK/W33	■	22313 E/C3	17,939	22322 EK/C3	67,490
		22313 E/C4	18,919		
22236 CC/C3W33	■	22313 E/VA405	18,123	22324 CC/C3W33	85,692
22236 CC/C4W33	■			22324 CC/W33	85,692
22236 CC/W33	■	22313 EK	18,698	22324 CCK/C3W33	82,153
22236 CCK/C3W33	■	22313 EK/C3	17,930	22324 CCK/W33	85,628

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products
(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
22326 CC/C3W33	■	23034 CC/W33	76,879	23060 CC/W33	■
22326 CC/W33	■	23034 CCK/C3W33	76,885	23060 CCK/C3W33	■
22326 CCJA/W33VA405	■			23060 CCK/W33	■
22326 CCK/W33	■	23034 CCK/W33	76,885	23064 CC/C3W33	■
		23036 CC/C3W33	86,642		
22328 CC/C3W33	■	23036 CC/W33	86,676	23064 CC/W33	■
22328 CC/C4W33	■	23036 CCK/C3W33	86,675	2307 E-2RS1TN9	7,224
22328 CC/W33	■			2307 E-2RS1TN9/C3	7,224
22328 CCJA/W33VA405	■	23036 CCK/W33	86,675	2307 EKTN9	5,080
		23038 CC/C3W33	■		
22328 CCK/C3W33	■	23038 CC/W33	■	2307 EKTN9/C3	5,080
22328 CCK/C4W33	■	23038 CCK/C3W33	■	2307 EM	19,762
22328 CCK/W33	■			2307 ETN9	5,081
22330 CC/C3W33	■	23038 CCK/W33	■	2307 ETN9/C3	5,081
		2304 E-2RS1TN9	4,207		
22330 CC/W33	■	2304 TN9	4,023	2308 E-2RS1TN9	6,060
22330 CCJA/W33VA405	■	23040 CC/C3W33	■	2308 EKTN9	6,060
22330 CCK/C3W33	■			2308 EKTN9/C3	6,060
23022 CC/C3W33	30,295	23040 CC/C4W33	■	2308 EM	19,003
		23040 CC/C5W33	■		
23022 CC/C4W33	30,295	23040 CC/W33	■	2308 EM/C3	19,003
23022 CC/CNLW33	30,295	23040 CCK/C3W33	■	2308 ETN9	6,066
23022 CC/W33	30,295			2308 ETN9/C3	6,066
23022 CCK/C3W33	30,295	23040 CCK/C4W33	■	2308 M/VQ335	18,548
		23040 CCK/W33	■		
23022 CCK/W33	30,295	23044 CC/C3W33	■	2309 E-2RS1TN9	10,427
23022-2RS/VT143	30,639	23044 CC/C4W33	■	2309 EKTN9	7,356
23024 CC/C3W33	31,591			2309 EKTN9/C3	7,356
23024 CC/C4W33	33,914	23044 CC/W33	■	2309 EM	16,950
		23044 CCK/C3W33	■		
23024 CC/W33	31,591	23044 CCK/C4W33	■	2309 EM/C3	16,950
23024 CCK/C3W33	32,975	23044 CCK/W33	■	2309 ETN9	7,360
23024 CCK/W33	32,975			2309 ETN9/C3	7,360
23024-2RS5/VT143	31,576	23048 CC/C3W33	■	2310	■
		23048 CC/W33	■		
23024-2RS5/VT143B	19,699	23048 CCK/C3W33	■	2310 E-2RS1TN9	■
23026 CC/C3W33	44,632	23048 CCK/C4W33	■	2310 K	■
23026 CC/W33	44,633			2310 K/C3	■
23026 CCK/W33	44,678	23048 CCK/W33	■	2310 M	■
		2305 E-2RS1TN9	4,866		
23030 CC/C3W33	55,587	2305 E-2RS1TN9/C3	4,866	2310 M/C3	■
23030 CC/W33	57,951	2305 ETN9	3,735	2310/C3	■
23030 CCK/W33	57,947			2311	■
23032 CC/C3W33		2305 ETN9/C3	3,735	2311 K	■
		2305 M	12,652		
23032 CC/W33	■	2305 M/P6	12,652	2311 M/C3	■
23032 CCK/C3W33	■	2306	4,532	2311/C3	■
23032 CCK/C4W33	■			2312	14,092
23032 CCK/C5W33	■	2306 E-2RS1TN9	6,563	2312 K	14,087
		2306 M	14,785		
23032 CCK/W33	■	2306/C3	4,724	2312 K/C3	14,087
23034 CC/C3W33	76,894	23060 CC/C3W33	■	2312 M/C3	24,429

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
2312/C3	13,493	23136 CCK/W33	■	23218 CC/C4W33	33,675
23120 CC/C3W33	29,357	23138 CC/C3W33	1,49,523	23218 CC/W33	32,112
		23138 CC/W33	1,55,919		
23120 CC/C4W33	29,357	23138 CCK/C3W33	1,55,919	23218 CCK/C3W33	32,126
23120 CC/W33	29,357			23218 CCK/W33	32,126
23120 CCK/C3W33	29,357	23138 CCK/W33	1,55,919	23220 CC/C3W33	39,108
23120 CCK/W33	29,357	2314	21,970	23220 CC/C4W33	39,540
		2314/C3	21,970		
23120-2RS5/VT143	32,162	23140 CC/W33	■	23220 CC/W33	37,542
23120-2RS5/VT143B	32,162			23220 CCK/C2W33	41,121
23120-2RS5W/C3GEM9	31,967	23140 CCK/C3W33	■	23220 CCK/C3W33	39,112
23122 CC/C3W33	38,408	23140 CCK/W33	■	23220 CCK/W33	39,112
		23144 CC/C3W33	■		
23122 CC/W33	38,863	23144 CC/W33	■	23220-2RS/VT143	39,112
23122 CCK/C3W33	37,241			23222 CC/C3W33	48,511
23122 CCK/W33	37,286	23144 CCK/C3W33	■	23222 CC/W33	48,511
23122-2CS5K/VT143	41,306	23144 CCK/C4W33	■	23222 CCK/C3W33	48,503
		23144 CCK/W33	■		
23124 CC/C3W33	44,405	23148 CC/C3W33	■	23222 CCK/W33	46,478
23124 CC/W33	44,405			23224 CC/C3W33	58,644
23124 CCK/W33	44,423	23148 CC/W33	■	23224 CC/W33	58,644
23126 CC/W33	56,012	23148 CCK/C3W33	■	23224 CCK/C3W33	56,246
		23148 CCK/C4W33	■		
23126 CCK/W33	56,001	23148 CCK/W33	■	23224 CCK/W33	58,719
23128 CC/C3W33	63,057			23226 CC/C3W33	69,031
23128 CC/W33	63,183	2315	27,278	23226 CC/W33	66,158
23128 CCK/C3W33	63,164	2315 K	27,278	23226 CCK/C3W33	69,020
		2315 K/C3	27,278		
23128 CCK/W33	63,164	2315 KM/C3	27,278	23226 CCK/W33	69,020
2313	16,937			23228 CC/C3W33	84,224
2313 K	17,674	2315/C3	27,634	23228 CC/W33	87,795
2313 K/C3	17,674	23152 CC/C3W33	■	23228 CCK/C3W33	87,577
		23152 CC/W33	■		
2313/C3	17,677	23152 CCK/C3W33	■	23228 CCK/W33	87,577
23130 CC/C3W33	79,168			23230 CC/C3W33	1,13,763
23130 CC/W33	79,168	23152 CCK/W33	■	23230 CC/W33	1,13,763
23130 CCK/C3W33	79,155	23156 CC/C3W33	■	23230 CCK/W33	1,08,944
		23156 CC/W33	■		
23130 CCK/W33	79,155	23156 CCK/C3W33	■	23232 CC/C3W33	1,38,758
23132 CC/C3W33	99,678			23232 CC/W33	1,38,758
23132 CC/C4W33	1,05,060	23156 CCK/W33		23232 CCK/C3W33	1,32,806
23132 CC/W33	99,681	2316	31,199	23232 CCK/W33	1,35,757
		2316 K	31,188		
23132 CCK/C3W33	99,662	2316 K/C3	31,188	23234 CC/C3W33	1,82,037
23132 CCK/W33	95,602			23234 CC/W33	1,82,037
23134 CC/C3W33	■	2316 KM/C3	41,654	23234 CCK/C3W33	1,74,692
23134 CC/W33	■	2316 M/C3	41,654	23234 CCK/W33	1,82,054
		2316/C3	31,199		
23134 CCK/C3W33	■	23160 CC/C3W33	■	23236 CC/C3W33	2,02,087
23134 CCK/W33	■			23236 CC/W33	2,02,087
23136 CC/W33	■	23160 CC/W33	■	23236 CCK/W33	2,02,104
23136 CCK/C3W33	■	23218 CC/C3W33	30,830	23238 CC/C3W33	2,14,872

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
23238 CC/W33	2,23,909	24038 CC/W33	1,60,408	29328 E	1,24,151
23238 CCK/W33	2,14,872	24040 CC/C3W33	■	29330 E	1,32,415
23240 CC/C3W33	2,74,128			29332 E	1,59,521
23240 CC/W33	2,63,129	24040 CC/W33	■	29334 E	1,80,097
		24040 CCK30/C3W33	■		
23240 CCK/C3W33	2,74,136	24040 CCK30/W33	■	29336 E	2,09,269
23240 CCK/W33	2,74,136	24076 CC/W33	■	29338 E	2,33,825
23244 CC/C3W33	■			29340 E	2,57,030
23244 CC/C4W33	■	24092 ECA/W33	■	29412 E	51,946
		241/500 ECA/W33	■		
23244 CC/W33	■	24120 CC/C3W33	41,579	29414 E	65,322
23244 CCK/C3W33	■	24120 CC/W33	41,579	29415 E	71,702
23244 CCK/W33	■			29416 E	73,824
239/530 CA/W33	■	24122 CC/C3W33	58,278	29417 E	79,116
		24124 CC/C3W33	70,681		
23992 CA/W33	■	24124 CC/W33	70,681	29418 E	84,740
240/600 ECA/W33	■	24126 CC/C3W33	92,007	29420 E	1,06,568
24015 CC/C3W33	27,520			29422 E	1,25,469
24015 CC/C4S3W33	52,810	24126 CC/W33	92,018	29424 E	1,45,190
		24126 CCK30/C2LW33VG004	94,464		
24015 CC/W33	33,336	24126 CCK30/W33	92,016	29426 E	1,67,874
24020 CC/C3W33	42,101	24128 CC/C3W33	1,07,713	29428 E	1,98,883
24020 CC/C4W33	42,563			29430 E	2,34,175
24020 CC/W33	40,414	24128 CC/W33	1,07,713	29432 E	2,65,656
		24128-2CS5/VT143	1,37,770		
24020-2RS5/VT143B	34,100	24128-2CS5/VT143CW513	1,10,186	29434 E	3,29,518
24022 CC/C3W33	47,081	24130 CC/C3W33	1,15,400	29436 E	3,91,658
24022/C4W33VA9B1	39,095			29438 E	4,53,948
24024 CC/C3W33	53,178	24130 CC/C3W33VG004	1,38,856	29440 E	5,37,035
		24130 CC/W33	1,20,308		
24024 CC/C4W33	56,086	24130 CCK30/C2LW33VG004	1,61,298	29444 E	5,85,406
24024 CC/W33	53,178	24132 CC/C3W33	1,50,866	30203	1,171
24026 CC/C3W33	66,427			30204 J2/Q	■
24026 CC/W33	63,699	24132 CC/W33	1,50,866	30205 J2/Q	■
		24132 CCK30/C3W33	1,44,791		
24028 CC/C3W33	75,788	24132 CCK30/W33	1,50,888	30206	1,207
24028 CC/W33	79,025	24132-2CS5/VT143CW513	1,57,161	30207 J2/Q	■
24030 CC/C4W33	■			30208	2,195
24030 CC/W33	■	24148 CC/C3W33	4,06,954	30211	2,530
		24148 CC/W33	3,90,612		
24030 CCK30/C3W33	■	24148 CCK30/W33	4,06,973	30212	5,040
24030 CCK30/W33	■	24188 ECA/W33	■	30213	5,949
24030-2CS5/VT143	1,14,384			30215	6,762
24032 CC/C3W33	■	29240 E	3,42,908	30218	13,098
		29248	4,38,781		
24032 CC/W33	■	29317 E	71,066	30222 J2	24,557
24032 CCK30/C3W33	■	29318 E	71,288	30302 J2	1,455
24032 CCK30/W33	■			30302 J2/VE197	1,685
24034 CC/W33	1,11,481	29320 E	75,550	30303	1,683
		29322 E	87,045		
24034 CCK30/W33	1,13,812	29324 E	88,303	30304	1,666
24036 CC/W33	1,36,861	29326 E	98,507	30305	1,289

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
30306	2,243			3203 A-2RS1TN9	3,696
30308	3,475	31309 J2/QCL7C	5,107	3203 A-2RS1TN9/C3	3,696
		31310	4,337	3203 A-2RS1TN9/MT33	3,696
30312 J2/QVB018	2,799	31310 J2/QCL7C	6,314		
30313	10,691	31311	7,629	3203 A-2ZTN9	3,361
30314	11,320			3203 A-2ZTN9/C3	3,361
30315	14,737	31311 J2/Q	7,701	3203 A-2ZTN9/MT33	3,361
		31312	7,941	3203 ATN9	2,871
30319	36,605	31313/CL7C	7,434		
305	4,482	31314/CL7A	13,997	3203 ATN9/C3	2,871
305 NR	5,224			32038 X/DF	4,15,461
305283 D	1,57,881	31315	18,997	3204 A	4,754
		31316 J1/QCL7A	23,065	3204 A/C3	4,754
305-2Z	5,486	313-2Z	14,907		
305701 C-2Z	4,327	314-Z	17,005	3204 A-2RS1	4,931
305800 C-2Z	4,513			3204 A-2RS1/MT33	4,970
305804 C-2Z	5,528	320/22 X	5,063	3204 A-2RS1TN9/MT33	4,296
		3200 A-2RS1TN9	3,690	3204 A-2Z	4,860
305805 C-2Z	6,268	3200 A-2RS1TN9/MT33	3,690		
305806 C-2Z	7,720	3200 A-2ZTN9	3,286	3204 A-2Z/C3MT33	4,896
305807 C-2Z	8,295			3204 A-2Z/MT33	4,896
306	4,987	3200 A-2ZTN9/MT33	3,286	3204 A-2ZTN9/MT33	4,034
		3200 ATN9	2,454	3204 ATN9	3,003
306 NR	5,753	3200 ATN9/C3	2,454		
306775 B	7,531	32005 X/Q	1,624	3204 ATN9/C3	3,003
306842	1,67,288			3205 A	4,847
307	5,028	32007 J2/Q	1,971	3205 A/C3	4,847
		32008 X/Q		3205 A-2RS1	4,764
307438 A	16,386	32009 X	2,026		
307-ZNR	6,329	32009 X/Q	2,307	3205 A-2RS1/C3	4,796
308	5,344			3205 A-2RS1/MT33	4,796
308 N	5,668	32009 X/QVK210	2,260	3205 A-2RS1TN9/MT33	4,629
		3201 A-2RS1TN9/MT33	3,404	3205 A-2Z	4,958
308 NR	5,945	3201 A-2ZTN9	2,887		
308 TN9/C3	5,631	3201 A-2ZTN9/C3	2,887	3205 A-2Z/C3	4,958
308-2Z	6,204			3205 A-2Z/C3MT33	4,958
309	5,420	3201 A-2ZTN9/MT33	3,363	3205 A-2Z/MT33	4,958
		3201 ATN9	2,615	3205 A-2ZTN9/MT33	4,296
309 NR	6,032	32012 X	3,637		
309-2Z	6,231	32013 X	4,333	3205 ATN9	3,072
310	6,255			3205 ATN9/C2	3,226
310 NR	7,253	32014 T63X/QDB21C180	2,690	3205 ATN9/C3	3,226
		32015 X	6,326	32052 X	3,48,770
310-2Z	7,590	32017 X	7,767		
311	7,909	3202 A-2RS1TN9	3,389	32056 X/DF	8,35,149
312	10,573			3206 A	5,895
312-Z	11,634	3202 A-2RS1TN9/MT33	3,574	3206 A/C3	5,895
		3202 A-2ZTN9	3,364	3206 A-2RS1	5,641
313	12,758	3202 A-2ZTN9/MT33	3,364		
313 NR	14,213	3202 ATN9	2,752	3206 A-2RS1/C3	5,641
31307	3,270			3206 A-2RS1/MT33	6,926
31308/CL7C	3,863	3202 ATN9/C3	2,752	3206 A-2RS1TN9/C3MT33	4,984

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
3206 A-2RS1TN9/MT33	4,984	3209 A-2RS1	9,239	3213 A/C3	14,975
3206 A-2Z	5,780	3209 A-2RS1/MT33	9,008	3213 A-2Z/C3	18,382
3206 A-2Z/C3	5,780	3209 A-2RS1TN9/MT33	9,121	3214 A	18,078
3206 A-2Z/C3MT33	6,417	3209 A-2Z	8,379	3214 A/C3	18,078
3206 A-2Z/MT33	6,417	3209 A-2Z/C3	8,379	3214 A-2Z	19,721
3206 A-2ZTN9/C3MT33	4,982	3209 A-2Z/C3MT33	8,967	3214 A-2Z/MT33	21,821
3206 A-2ZTN9/MT33	4,656	3209 A-2ZTN9/MT33	8,178	3215 A	18,947
3206 ATN9	3,786	3209 ATN9	6,408	3215 A/C3	19,775
3206 ATN9/C3	3,786	3209 ATN9/C3	6,408	3215 A-2RS1	22,376
3207 A	5,927	3210 A	9,621	3215 A-2Z/C3MT33	21,953
3207 A/C3	5,927	3210 A/C3	9,621	3216 A	22,475
3207 A-2RS1	6,358	3210 A-2RS1	12,874	3216 A/C3	22,475
3207 A-2RS1/C3	6,358	3210 A-2RS1/C3	12,874	3217 A	26,313
3207 A-2RS1/MT33	6,943	3210 A-2RS1/MT33	14,436	3218 A	31,446
3207 A-2RS1TN9/MT33	6,405	3210 A-2RS1TN9/C3MT33	10,701	3218 A/C3	31,446
3207 A-2Z	5,981	3210 A-2RS1TN9/MT33	10,701	3219 A	41,204
3207 A-2Z/C3	5,981	3210 A-2Z	9,374	3219 A/C3	39,620
3207 A-2Z/C3MT33	6,887	3210 A-2Z/C3	9,374	322/28 B	2,680
3207 A-2Z/MT33	6,887	3210 A-2ZTN9/MT33	9,702	3220 A	44,160
3207 A-2ZTN9/C3MT33	5,981	3210 ATN9	7,617	3220 A/C3	44,160
3207 A-2ZTN9/MT33	5,981	3210 ATN9/C3	7,617	32205 BJ2/Q	
3207 ATN9	4,479	3211 A	10,612	32206 BJ2/QCL7CVA606	2,601
3207 ATN9/C2	4,479	3211 A/C3	10,612	32207	1,884
3207 ATN9/C3	4,479	3211 A-2RS1	13,125	32208	2,349
3208 A	6,976	3211 A-2RS1/C3	13,125	32210	3,248
3208 A/C3	6,976	3211 A-2RS1/MT33	14,946	32211 J2/Q	■
3208 A-2RS1	7,593	3211 A-2Z	11,950	32215	7,309
3208 A-2RS1/C3	7,593	3211 A-2Z/C3	11,950	32217	8,043
3208 A-2RS1/MT33	8,120	3211 A-2Z/C3MT33	13,405	32219/VE141	12,839
3208 A-2RS1TN9/C3MT33	7,872	3211 A-2Z/MT33	13,405	3222 A	77,534
3208 A-2RS1TN9/MT33	7,872	3211 ATN9	10,221	32303	2,498
3208 A-2Z	7,145	3212 A	13,160	32304	2,545
3208 A-2Z/C3	7,145	3212 A/C3	13,160	32309	4,992
3208 A-2Z/C3MT33	8,487	3212 A-2RS1	16,525	32309 B/CL7C	9,189
3208 A-2Z/MT33	8,487	3212 A-2RS1/C3	16,525	32310	5,675
3208 A-2ZTN9/MT33	7,047	3212 A-2RS1/MT33	18,475	32310 B/CL7C	5,822
3208 ATN9	5,753	3212 A-2RS1TN9/MT33	16,180	32311	8,112
3208 ATN9/C3	5,753	3212 A-2Z/C3	16,180	32312	10,860
3208 A-Z/C3	8,000	3212 A-2Z/C3MT33	16,625	32314	14,421
3209 A	8,435	3212 A-2Z/MT33	16,625	32315 B/CL7C	10,535
3209 A/C3	8,435	3212 ATN9	13,417	32316 J2	25,582
		3213 A	14,975	32317 BJ2	42,637

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
32317 J2	32,093	3306 A-2Z	7,155	3309 A-2Z/C3MT33	14,738
32322	1,17,756	3306 A-2Z/C3	7,155	3309 ANR	13,527
33012	7,492	3306 A-2Z/C3MT33	8,639	3309 ANR/C3	13,527
33013	7,536	3306 A-2ZTN9/MT33	7,683	3309 ATN9	12,398
33014	8,190	3306 ANR	5,795	3309 ATN9/C3	12,398
33015	9,427	3306 ANR/C3	5,795	3309 A-Z/C3	12,018
33016	10,767	3306 ATN9	5,825	3309 DMA	26,949
33017	10,566	3306 ATN9/C3	5,825	3309 DNRCBM	39,379
33018	13,028	330632 C/Q		3309 E/C3	15,585
3302 A-2RS1TN9/MT33	4,969	3307 A	8,621	3310 A	15,007
3302 ATN9	3,657	3307 A/C3	8,621	3310 A/C3	15,644
33021	14,860	3307 A-2RS1	8,938	3310 A-2RS1	17,833
33024	24,355	3307 A-2RS1/C3	8,938	3310 A-2RS1/C3	17,833
3304 A	5,702	3307 A-2RS1TN9/C3MT33	9,339	3310 A-2RS1/C3MT33	20,890
3304 A/C3	5,702	3307 A-2RS1TN9/MT33	9,339	3310 A-2Z	15,763
3304 A-2RS1/MT33	4,948	3307 A-2Z/C3	8,061	3310 A-2Z/C3	15,763
3304 A-2RS1TN9/C3MT33	5,923	3307 A-2Z/C3MT33	8,639	3310 A-2Z/C3MT33	18,737
3304 A-2RS1TN9/MT33	5,923	3307 A-2ZTN9/MT33	8,230	3310 ANR	17,975
3304 A-2Z/C3	4,928	3307 ATN9	6,799	3310 ANR/C3	17,057
3304 A-2Z/C3MT33	4,913	3307 ATN9/C3	6,799	3310 ATN9	14,975
3304 A-2ZTN9/MT33	5,227	3308 A	10,887	3310 ATN9/C3	14,975
3304 ATN9	4,146	3308 A/C3	10,887	3310 E	22,186
3304 ATN9/C3	4,146	3308 A-2RS1/C3	12,526	3310 E/C3	22,186
3305 A	6,169	3308 A-2RS1TN9/MT33	12,361	33108	3,917
3305 A/C3	6,169	3308 A-2Z	10,133	3311 A	17,794
3305 A-2RS1/C3	6,753	3308 A-2Z/C3	10,133	3311 A/C3	17,794
3305 A-2RS1TN9/C3MT33	6,706	3308 A-2Z/C3MT33	10,257	3311 A-2RS1/C3	25,712
3305 A-2RS1TN9/MT33	6,706	3308 A-2ZTN9/C3VT113	10,892	3311 A-2RS1/C3MT33	25,147
3305 A-2Z	5,895	3308 A-2ZTN9/MT33	10,892	3311 A-2Z/C3MT33	23,559
3305 A-2Z/C3	5,895	3308 ANR	9,106	3311 A-2ZTN9/C3VT113	16,447
3305 A-2Z/C3MT33	7,194	3308 ANR/C3	9,106	3311 ANR	20,588
3305 A-2ZTN9/MT33	5,907	3308 ATN9	8,602	3311 ATN9/C3	11,896
3305 ANR	5,038	3308 ATN9/C3	8,602	3311 E	24,627
3305 ANR/C3	5,038	3308 DMA	26,352	3311 E/C3	24,627
3305 ATN9	4,879	3308 E/C3	13,976	3311 ENR/C3	26,148
3305 ATN9/C3	4,879	3309 A	12,964	33110	4,740
3306 A	7,390	3309 A/C3	12,964	33112	6,583
3306 A/C3	7,390	3309 A-2RS1	16,226	33115	8,788
3306 A-2RS1	7,602	3309 A-2RS1/C3MT33	17,370	33116	8,962
3306 A-2RS1/C3	7,602	3309 A-2RS1/MT33	17,370	33117	11,823
3306 A-2RS1TN9/MT33	8,377	3309 A-2Z	12,935	33118	12,374
		3309 A-2Z/C3	12,935		

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
3312 A	20,390	361206 R	5,809		
3312 A/C3	20,390	361207 R	5,934	51106	1,249
3312 A-2Z/C3	25,627			51107	1,325
3312 A-2Z/C3MT33	28,838	3780	4,168	51108	1,616
		3782/Q	1,457	51109	1,845
33122	32,827	39520/Q	691		
3313 A	25,429	39580/Q	1,898	51110	2,033
3313 A/C3	25,429			51111	2,718
3313 A-2Z/C3	25,598	39590/39520/Q	2,589	51112	3,008
		39590/Q	1,891	51113	3,214
3313 A-2Z/C3MT33	32,549	4200 ATN9	2,140		
3313 ANR/C3	27,915	4201 ATN9	2,140	51114	3,497
3314 A	31,143			51115	4,691
3314 A/C3	31,143	4202 ATN9	2,221	51116	5,302
		4203 ATN9	2,332	51117	5,689
3314 A-2Z/C3	30,155	4204 ATN9	2,439		
3314 A-2ZTN9/C3VT113	34,141	4205 ATN9	2,587	51118	7,127
3314 ANR	27,373			51120	10,845
3314 ANR/C3	27,373	4206 ATN9	4,188	51122	12,019
		4207 ATN9	4,124	51124	14,012
331480 G	9,51,176	4208 ATN9	4,614		
3315 A	43,149	4209 ATN9	5,744	51126	18,186
3315 A/C3	43,149			51128	20,914
3315 ANR/C3	37,670	4210 ATN9	5,978	51156 M	1,60,344
		4211 ATN9	9,861	51204	1,507
3316 A	44,859	4212 ATN9	11,413		
3316 A/C3	44,859	4213 ATN9	16,123	51205	1,622
3317 A	59,733			51206	1,874
3318 A	71,039	4214 ATN9	16,543	51207	2,325
		4215 ATN9	19,357	51208	3,067
331933/Q	11,340	4301 ATN9	3,372		
331958/Q	11,566	4302 ATN9	3,610	51209	3,552
33206	2,925			51210	3,931
33208	4,330	4303 ATN9	3,671	51211	5,384
		4304 ATN9	3,919	51212	5,869
33211	6,532	4305 ATN9	4,718		
33212	7,461	4306 ATN9	5,523	51213	6,486
33214	8,426			51214	7,046
3322 A	1,68,060	4307 ATN9	6,316	51215	7,544
		4308 ATN9	7,081	51216	8,421
33220	52,327	4309 ATN9	15,484		
332330 B/Q	11,284	4310 ATN9	16,623	51217	11,333
350980 C	4,73,066			51218	13,397
351019 C	4,22,936	4311 ATN9	20,119	51220	17,863
		4312 ATN9	24,899	51222	22,636
353162	4,61,825	51100	1,044		
360278	1,39,018	51101	1,070	51308	4,446
361200 R	1,102			51309	5,420
361202 R	1,237	51102	1,092	51310	7,233
		51103	1,112	51312	11,029
361204 R	1,531	51104	1,134		
361205 R	2,116	51105	1,161	51313	13,425

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products
(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
51314	16,385	6002-2Z/C3GJN	412	6006-Z	■
51316	21,904			6006-Z/C3	625
51317	26,322	6002-2Z/C3LHT23	387	6007	■
		6002-RSH	345	6007 NR/C3	2,471
51318	29,460	6002-Z	■		
51320	39,086	6002-Z/C3	■	6007/C3	■
51330 M	2,16,328			6007-2RS1/C3	■
51410	13,890	6003 TN9/C3	485	6007-2RS1/C3GJN	1,274
		6003-2RSH/C3GJN	534	6007-2RS1/C3WT	739
51420 M	1,60,594	6003-2Z/C3			
5211M	12,562	6003-2Z/C3GJN	412	6007-2RS1/C4	1,249
5408 A	35,865			6007-2Z	■
5408 A/C3	35,865	6003-2Z/C3LHT23	412	6007-2Z/C3	823
		6003-2Z/LHT23	407	6007-2Z/C3GJN	1,139
563/Q	1,063	6003-RSH	394		
6000	■	6003-Z	■	6007-2Z/C3WT	1,217
6000/C3	■			6007-Z/C3	728
6000-2RSH/C3GJN	456	6004	■	6008	894
		6004 TN9/C3	652	6008 NR	1,529
6000-2RSLTN9/C3	412	6004/C3			
6000-2RSLTN9/C3VT162	358	6004-2RZ/LHT23	372	6008/C3	894
6000-2Z/C2	275			6008-2RS1	1,100
6000-2Z/C3	■	6004-2Z/C3	■	6008-2RS1/C3	1,374
		6004-2Z/C3LHT23	517	6008-2RS1NR/C3	1,675
6000-2Z/C3GJN	346	6004-2Z/VA208	7,880		
6000-RSH	193	6004-RSH	397	6008-2Z	1,102
6000-Z	■			6008-2Z/C3	1,092
6000-Z/C3	■	6004-Z	■	6008-2Z/VA208	13,527
		6004-Z/C3	■	6008-RS1	1,171
6000-ZTN9	507	6004-ZTN9/C3MTVC528	294		
6000-ZTN9/LT	504	6005	■	6008-RS1/C3	1,092
6001	■			6008-Z	1,048
6001 TN9/C3	166	6005 TN9/C3	735	6008-Z/C3	1,049
		6005/C3	■	6009	1,242
6001/C3	■	6005-2RS1/C3GJN	373		
6001-2Z/C2	370	6005-2RSLTN9/C3VT162	375	6009 NR	2,143
6001-2Z/C3	■			6009/C2	1,614
6001-2Z/C3LHT23	358	6005-2RZTN9/C3VT162	580	6009-2RS1	1,634
		6005-2Z/C3	■	6009-2RS1/C3GJN	2,276
6001-2Z/C3LHT23VQ077	218	6005-2Z/C3WT	612		
6001-2Z/C3WT	402	6005-2Z/VA201	4,823	6009-2RS1/C4	2,190
6001-2Z/LHT23	215			6009-2RS1/LT10	2,525
6001-RSH	279	6005-RSH	412	6009-2Z	1,404
		6006	■	6009-2Z/C3	1,462
6001-RSH/C3	235	6006/C3	■		
6001-Z	■	6006-2RS1/C3GJN	865	6009-2Z/C3GJN	1,962
6002	■			6009-Z	1,389
6002 TN9/C3	458	6006-2RS1NR	1,093	6009-Z/C3	1,389
		6006-2Z/C3GJN	769	6010	■
6002-2RSH/C3GJN	472	6006-2Z/VA208	9,383		
6002-2RSH/GFJ	270	6006-RS1	531	6010 NR	2,260
6002-2Z/C3	■			6010/C3	■

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
6010-2RS1	■	6015	3,350	6020-RS1	9,241
6010-2RS1/C3GJN	2,601	6015 M	16,283	6020-Z	7,725
6010-2Z		6015 M/C3	16,283	6021 M/C4S0	19,464
6010-RS1/C3	1,519	6015 M/C3S0	22,835	6021/C4	13,410
6010-Z	1,452	6015 NR	6,084	6022 M/C4	21,439
6010-Z/C3	1,452	6015/C4	4,909	6022-Z	15,316
6011	1,783	6015-2RS1	4,967	6024 NR	23,310
6011 NR	2,986	6015-2Z	4,090	6024/C4	17,319
6011-2RS1	2,584	6015-2Z/C3GJN	4,489	6024-RS1	17,312
6011-2RS1/C3GJN	4,091	6015-RS1	4,279	6024-Z	16,902
6011-2Z	2,104	6015-Z	3,914	6024-Z/C3	16,249
6011-2Z/C3	2,104	6016	4,041	6026 M/C3S0	29,340
6011-2Z/C3GJN	2,408	6016 NR/C3	8,359	6026/C4	20,686
6011-RS1	2,091	6016/C4	5,225	6026-2Z/C3	23,542
6011-RS1/C3	2,091	6016-2RS1	6,121	6028 M/C3	45,998
6011-Z	2,102	6016-2Z	4,798	6028 M/C4	32,730
6012 NR	3,360	6016-Z	4,423	6030 M/C3	47,962
6012-2RS1	2,839	6017	4,691	6030-2RS1/C3	28,514
6012-2RZ	4,708	6017 NR	8,100	6030-2Z	34,375
6012-2Z	2,401	6017-2RS1	7,465	6030-2Z/C3	34,375
6012-2Z/C3	2,401	6017-2Z	5,552	6030-Z	28,720
6012-2Z/C3GJN	3,382	6017-2Z/C3	5,790	6032	36,507
6012-RS1	2,266	6017-Z	4,913	6032 M/C3	59,155
6012-Z	2,155	6018	5,552	6032/C3	28,056
6013	2,393	6018 M/C4S0	12,455	6032-2RS1	53,130
6013 NR	4,198	6018 NR	9,660	6032-2Z	45,976
6013 NR/C3	5,246	6018/C4	7,488	6034 M/C3	74,032
6013/C3	2,393	6018-2Z	6,873	6034 M/C4	48,244
6013-2RS1	3,603	6018-Z	6,206	6036 M/C3	75,337
6013-2Z	2,971	6019	6,265	6040 M/C3	1,12,559
6013-2Z/C3	2,971	6019/C4	8,100	6048 MA/C3	2,31,520
6014	2,785	6019-2Z	7,968	6056 M	3,46,851
6014 M	14,275	6020	7,210	607-2RSH	303
6014 M/C3	14,581	6020 M/C4	17,919	607-2Z	243
6014 M/C3S0	21,544	6020 NR	12,492	607-2Z/C3LHT23	254
6014/C3	2,907	6020/C3	7,210	607-2Z/LHT23	287
6014-2RS1	4,051	6020/C4	9,675	607-Z	226
6014-2Z	3,478	6020-2RS1	11,301	608/C3	230
6014-2Z/C3	3,478	6020-2Z	8,900	608-2RSH	324
6014-2Z/C3GJN	3,696	6020-2Z/C3	8,900	608-2RSL/C3	203
6014-RS1	3,316	6020-2Z/C4S1GJN	13,064	608-2RSLTN9/LHT23	238
6014-Z	3,316			608-2Z	174

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
608-2Z/C3	174	61818/C3	6,246	61904-2RS1	1,151
608-2Z/C3GJN	346	61818-2RZ	17,422	61905-2RS1	1,360
608-2Z/C3LHT23	346	61819-2RS1	12,665	61905-2RZ	1,408
608-2Z/C3WT	294	61819-2RS1/C3	12,665	61906-2RS1	1,653
608-2Z/LHT23	154	61820-2RS1	19,670	61907	2,420
608-RSH	274	61820-2RZ	8,278	61907/C3	2,420
608-Z	254	61821	15,785	61908	3,857
609-2RSH	367	61821-2RZ	21,848	61908/C3	3,857
609-2RSH/LHT23	341	61822	17,522	61908-2RS1	5,200
609-2Z	275	61822/C3	17,522	61908-2RS1/C3GJN	7,022
609-2Z/C3LHT23	289	61822-2RZ	23,339	61909	4,517
609-Z	257	61824	20,726	61909-2RS1	6,067
61800-2RS1	1,029	61824/C3	20,726	61910/C3	5,246
61800-2Z	965	61824-2RZ	28,159	61910-2RS1	6,359
61801-2Z	965	61826	22,533	61910-2RZ	9,008
61802-2Z	1,002	61826/C3	22,533	61911	5,234
61803-2Z	1,203	61826-2RS1	31,889	61911-2RS1	7,806
61804-2RS1	1,308	61826-2RZ	34,173	61912	6,027
61805 TN9	706	61828	26,658	61912-2RS1	8,053
61805/C3	727	61828/C3	26,658	61913	6,608
61805-2RS1	1,573	61828-2RZ	40,721	61913/C3	7,281
61805-2RZ	1,937	61830	36,911	61914	7,715
61807-2RS1	2,253	61830/C3	36,911	61915	9,091
61808-2RZ	3,733	61832	38,689	61916	9,185
61810-2RS1	4,389	61832/C3	38,689	61916/C3	8,252
61812-2RS1	5,984	61834/C3	40,562	61916-2RS1	12,874
61812-2RZ	7,135	61836	48,988	61916-2RZ	8,766
61813	6,839	61838/C3	36,778	61917	12,934
61813-2RS1	6,839	61848 MA	1,18,432	61918	15,198
61814	5,354	61900	745	61922	26,320
61814-2RZ	7,808	61900-2RS1	951	61926	46,304
61815	6,032	61900-2Z	913	61952 MA/C4	2,92,377
61815/C3	6,294	61901-2RS1	916	62/22	1,682
61815-2RZ	9,175	61901-2RS1/C3GJN	916	62/22/23	2,474
61816	10,647	61901-2Z	931	62/22/C3	1,682
61816-2RS1	10,647	61902-2RS1	1,033	62/28	2,961
61816-2RZ	9,858	61902-2RS1/C3	544	62/28/C3	2,961
61817	8,556	61902-2Z	931	6200	■
61817-2RS1	13,297	61902-2Z/C3	931	6200/C3	375
61817-2RZ	13,297	61903-2RS1	1,126	6200-2RSH/C3GJN	321
61818	9,430	61903-2Z	1,115	6200-2Z/C3GJN	309
		61904/C3	894	6200-2Z/C3LHT23	

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
6200-RSH	267	6202-ZTN9/LT	526	6205 TN9/C4	1,034
6200-Z/MT	235	6203 TN9	456	6205/C3	■
6200-ZTN9/LHT23	456	6203 TN9/C3	485	6205/C3VC104	387
6201 TN9/C3	394	6203/C4	309	6205/D8VK285	397
6201/C3	■	6203-2RS1/C3LLHT23	275	6205/HN3C3	404
6201/HN3C3	147	6203-2RSH	407	6205/VA201	2,390
6201-2RSH	362	6203-2RSH/C3WT	517	6205-2RS2/C3GJN	1,274
6201-2RSH/C3GJN	372	6203-2RSL/C3GJN	451	6205-2RSH	652
6201-2RSH/C3LHT23	372	6203-2RSLTN9/C3VT162	478	6205-2RSH/C3	652
6201-2RSH/GJN	328	6203-2Z/C3LHT23	401	6205-2RSH/C3LHT23	723
6201-2RSL/C3GJN	340	6203-2Z/C3WT	475	6205-2RSH/C3WT	816
6201-2RSL/C3LHT23	367	6203-2Z/LHT23	407	6205-2RSHK	1,470
6201-2Z/C2	335	6203-2Z/VA228	6,336	6205-2RSL/C3GJN	767
6201-2Z/C3GJN	346	6203-2Z/VC4862	259	6205-2Z/C3GJN	684
6201-2Z/C3LHT23	335	6203-2ZTN9/C3LHT23	646	6205-2Z/C3HTF7	619
6201-2Z/GJN7	184	6203-RSH	335	6205-2Z/C3LHT23	674
6201-2Z/VA201	3,855	6203-Z	■	6205-2Z/C3WT	759
6201-2Z/VA228	7,372	6203-Z/C3	■	6205-2Z/C4	657
6201-RSH	269	6204 TN9/C4	725	6205-2Z/VA201	4,374
6201-Z	■	6204/HN3C3VC1171	365	6205-2Z/VA228	7,296
6201-Z/C3	■	6204/VA201	2,320	6205-RSH	500
6201-ZTN9	450	6204-2RSH/C3GJN	625	6205-Z/C3	■
6202/16-2RSH	3,067	6204-2RSH/C3LHT23	617	6206 ETN9	3,764
6202/C3	■	6204-2RSH/C3WT	382	6206 ETN9/C3	3,764
6202/HN3C3L	257	6204-2RSH/GJNVC4862	480	6206 JEM	1,369
6202/VA201	2,067	6204-2RSHNR	798	6206 N	■
6202-2RSH/C2	431	6204-2RSLTN9/C3VT162	678	6206 N/C3	■
6202-2RSH/C3WT	475	6204-2Z/C2EMTF7	441	6206 NR	1,193
6202-2RSH/GFJ	275	6204-2Z/C3WT	573	6206 NRJEM	1,430
6202-2RSLTN9/C3VT162	564	6204-2Z/C4	473	6206 TN9/C3	1,317
6202-2Z	■	6204-2Z/C4WT	679	6206/C2	967
6202-2Z/C2	357	6204-2Z/MT33F9	380	6206/C3	■
6202-2Z/C3GJN	362	6204-2Z/VA201	2,958	6206/C4	967
6202-2Z/C3WT	412	6204-2Z/VA228	6,540	6206/VA201	3,008
6202-2Z/GJN7	221	6204-RSH	407	6206-2RS1/C3GJN	1,131
6202-2Z/VA201	3,272	6204-RSH/C3	407	6206-2RS1/C3WT	1,320
6202-2Z/VA228	6,060	6204-Z	■	6206-2RS1K	1,749
6202-RSH	297	6204-Z/C3	■	6206-2RS1NR	1,425
6202-Z	■	6205 ETN9	1,340	6206-2RS1NR/C3	1,965
6202-Z/C3	■	6205 ETN9/C3	1,340	6206-2RS2/C3GJN	1,688
6202-ZTN9	463	6205 NR/C3	■	6206-2RS2/C3HT	2,006
		6205 TN9/C3	884		

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
6206-2RZ	1,298	6208-2Z/C3GJN	1,514	6210-2RS1K	6,040
6206-2RZTN9/C3VT162	2,113	6208-2Z/C3LHT23	1,453	6210-2RS1NR	3,647
6206-2Z/C3GJN	1,009			6210-2Z	■
6206-2Z/C3HT	1,274	6208-2Z/C3WT	1,704	6210-2Z/C3GJN	2,003
		6208-2Z/C4	2,594		
6206-2Z/C3LHT23	1,012	6208-2Z/VA201	8,136	6210-2Z/C3WT	2,265
6206-2Z/C3WT	1,181	6208-2Z/VA208	10,534	6210-2Z/C4	2,305
6206-2Z/VA201	3,674			6210-2Z/VA208	11,587
6206-2Z/VA208	9,288	6208-2Z/VA228	13,388	6210-2Z/VA228	15,894
		6208-2ZNR	1,965		
6206-2Z/VA228	10,983	6208-RS1	■	6210-2ZNR	2,620
6206-2ZK/C3	2,104	6208-Z/C3	■	6210-RS1	1,788
6206-2ZNR	1,330			6210-ZNR	2,346
6206-RS1		6208-ZNR	1,725	6211 JEM	3,421
		6208-ZTN9/C3	1,901		
6206-Z	■	6209		6211 M	12,356
6206-Z/C3	■	6209 2ZNRJEM	1,497	6211 N	2,652
6206-Z/C4	921			6211/C4	2,070
6206-ZNR	1,154	6209 NR	1,888	6211/VA201	6,459
		6209 TN9W/C4H	2,620		
6207 N	■	6209/C3	■	6211-2RS1	3,383
6207 NR	■	6209/C4	1,477	6211-2RS1NR	4,751
6207 NR/C3	■			6211-2Z	■
6207/VA201	3,350	6209/VA201	4,242	6211-2Z/C3	■
		6209-2RS1/C3	■		
6207-2RS1	■	6209-2RS1/C3GJN	2,518	6211-2Z/C3GJN	2,584
6207-2RS1/C3	■	6209-2RS1/C3WT	2,919	6211-2Z/VA208	14,668
6207-2RS1K	3,554			6211-Z/C3	1,798
6207-2Z/C3GJN	1,066	6209-2RS1/C4	2,836	6212 2ZJEM	2,547
		6209-2RS1K	3,956		
6207-2Z/C3WT	1,202	6209-2RS1NR	3,225	6212 M/C3	13,471
6207-2Z/VA208	9,841	6209-2Z	■	6212 NR/C3	4,242
6207-2Z/VA228	11,862			6212/C4	2,824
6207-RS1	■	6209-2Z/C3HT	2,138	6212/P52	9,131
		6209-2Z/C3WT	2,069		
6208	■	6209-2Z/C4HT	2,102	6212/VA201	7,681
6208 N	■	6209-2Z/VA208	11,291	6212-2RS1	■
6208 NR	■			6212-2RS1/C3WT	5,139
6208 NR/C3	■	6209-RS1	1,551	6212-2Z	■
		6209-Z	■		
6208/C3	■	6209-Z/C3	■	6212-2Z/C3	■
6208/C4	1,411	6209-Z/C4	1,829	6212-2Z/C3GJN	3,039
6208/VA201	3,870			6212-2Z/C3WT	2,518
6208-2RS1	■	6209-ZNR	2,036	6212-2Z/C4	3,591
		6210	■		
6208-2RS1/C3GJN	2,030	6210 MA/C3	31,742	6212-2Z/VA208	16,087
6208-2RS1/C3LTF9	2,254	6210 NR/C3	2,991	6212-2ZNR	3,848
6208-2RS1/C3WT	2,275			6212-RS1	2,611
6208-2RS1/C4	2,021	6210/C4	1,852	6212-RS1/C3	3,039
		6210/VA201	4,827		
6208-2RS1K	3,034	6210-2RS1/C3	2,510	6212-Z	3,214
6208-2RS1NR	2,582	6210-2RS1/C3GJN	■		

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
6212-Z/C3	■	6215-2Z/C3WT	3,615	6218-Z	9,743
6212-Z/C4	4,257			6218-Z/C3	9,743
6212-ZNR	4,695	6215-2Z/C4	4,999	6219	10,079
		6215-2Z/C4HT	5,787	6219 M/C3	23,824
6213	■	6215-RS1	5,612		
6213 2ZJEM	4,754	6215-Z	5,411	6219/C3	10,079
6213 2ZNRJEM	4,762			6219/C4	10,740
6213 M	14,003	6215-Z/C3	5,411	6219-2Z	11,703
		6216	5,295	6219-2Z/C3	11,703
6213 M/C3	14,003	6216 2ZJEM	10,725		
6213 NR/C3	6,243	6216 M/C4	24,921	6219-Z	11,703
6213/C3	■			6220	11,925
6213/C4	3,034	6216 MA/C3B20	29,098	6220 2ZJEM	20,469
		6216/C3	5,295	6220 M/C3	25,779
6213/VA201	8,580	6216/C4	5,878		
6213-2RS1	5,269	6216-2RS1	8,127	6220 MA/C3B20	27,206
6213-2Z	■			6220/C3	11,925
6213-2Z/C3GJN	5,114	6216-2RS1/C3	7,794	62201-2RS1	1,347
		6216-2Z	6,632	62202-2RS1	1,369
6213-2Z/C4	4,370	6216-2Z/C3	6,632		
6213-Z	3,995	6216-RS1	6,812	6220-2Z	15,509
6213-Z/C3	4,335			6220-2Z/C3	15,509
6213-ZNR	6,780	6216-Z	6,338	62203-2RS1	1,396
		6216-Z/C3	6,471	62204-2RS1	1,646
6214	3,786	6216-ZNR	10,630		
6214 M/C3	14,351	6217	6,601	62205-2RS1	1,644
6214/C3	3,786			62206-2RS1	2,124
6214/C4	4,211	6217 2ZJEM	14,625	62207-2RS1	2,988
		6217 M/C3	18,688	6220-Z	13,380
6214-2RS1	5,367	6217 NR/C3	13,728		
6214-2RS1/C3	5,149	6217/C3	6,601	62211-2RS1	7,602
6214-2Z	4,443			62213-2RS1	12,251
6214-2Z/C3	4,632	6217/C4	7,338	62214-2RS1	14,446
		6217-2Z	7,402	6222 M/C3	30,454
6214-2Z/VA208	18,695	6217-2Z/C3	7,725		
6214-RS1	4,737	6217-Z	7,686	6222/C4	23,361
6214-Z	4,514			6222-2Z/C3	24,897
6214-Z/C3	4,328	6217-Z/C3	7,686	6222-Z	20,048
		6218	8,584	6222-Z/C3	20,048
6215	4,467	6218 JEM	14,446		
6215 2ZJEM	5,303	6218 M/C3	20,667	6224 M/C3	34,647
6215 M/C3	16,800			6224 M/C4	35,799
6215 NR/C3	9,312	6218 M/C4	30,570	6224/C4	29,896
		6218 NR	12,758	6224-2RS1/C3	23,256
6215/C3	4,467	6218/C3	8,584		
6215/C4	4,751	6218/C4	9,516	6226 M/C3	43,117
6215/VA201	14,106			6226 M/C4	45,023
6215-2RS1	7,389	6218-2RS1	12,917	6226-2Z/C3	16,729
		6218-2RS2/C3HSOVT486	19,269	6228 MA/C3	80,187
6215-2Z	5,709	6218-2Z	10,025		
6215-2Z/C3	5,709	6218-2Z/C3	10,025	6228 MA/C4S1	39,786
6215-2Z/C3GJN	6,125			623	306

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
62303-2RS1	1,930			6304-Z	■
62304-2RS1	2,300	63001-2RS1	1,389	6305	■
		63002-2RS1	1,480	6305 ETN9	2,283
62306-2RS1	4,086	6300-2RSH	429		
62310-2RS1	10,191	63005-2RS1	1,911	6305 ETN9/C3	2,283
62311-2RS1	21,624			6305 N	■
62312-2RS1	22,800	63006-2RS1/C4	2,091	6305 NR	1,017
		63007-2RS1	2,390	6305/C3	■
62314-2RS1	29,898	6301	■	6305/C5	995
623-2RS1	473	6301/C3	■	6305-2RS1	■
623-2Z	375			6305-2RS1/C3GJN	1,082
623-2Z/C3	368	6301-2Z/C3		6305-2RS1/C3WT	1,235
		6301-2Z/C3WT	198		
6234/C3	1,36,462	6301-RS1/MT33F7	407	6305-2RS1/C4	1,131
624	269	6301-RSH	309	6305-2RS1/GJN	1,043
624-2RS1	407			6305-2Z/C3WT	989
624-2Z	404	6301-Z	■	6305-2Z/VA208	7,331
		6301-Z/C3VC513F9	279		
624-2Z/C3	401	6302	■	6305-2Z/VA228	11,014
625	289	6302/C3	■	6305-ZNR	931
625-2RS1	412			6306 N	■
625-2Z	309	6302-2RSH/C3GJN	541	6306 NR	■
		6302-2Z/C3GJN	461		
625-2Z/C3	313	6302-RSH	431	6306/C4	914
625-2Z/LHT23	456	6302-Z	■	6306-2LS2/C5/246560 AA	1,763
625-RZTN9/CNHVT105B	473			6306-2RS1	■
625-Z	248	6303	■	6306-2RS1/C3	■
		6303 TN9/C3	793		
626-2RSH	450	6303/C3	■	6306-2RS1/C3GJN	1,398
626-2Z	257	6303/C4	492	6306-2RS1/C3WT	1,573
626-2Z/C3GJN	243			6306-2RS1/GJN	1,408
626-2Z/GFJ	181	6303-2Z	■	6306-2Z/C3GJN	1,065
		6303-2Z/C3	■		
626-2Z/LHT23	340	6303-2Z/C3GJN	608	6306-2Z/C3WT	1,144
626-Z	257	6303-2Z/GJN7	402	6306-2Z/C4	973
627-2RSH	507			6306-2Z/VA208	7,575
627-2Z	270	6304	■	6307	■
		6304/C3	■		
627-2Z/LHT23	348	6304/C3D8VK285	421	6307 M/C3	7,421
627-Z	257	6304/C3VC104	421	6307 N	■
627-ZTN9/LT	463			6307 NR	■
628/8-2RS1	1,269	6304/D8	395	6307/C3	■
		6304/D8VK315	421		
628/8-2Z	1,178	6304/VA201	3,688	6307/C4	1,442
629-2RSH	478	6304-2Z	■	6307-2RS1	■
629-2RSLTN9/C3LT	287			6307-2RS1/C3GJN	1,874
629-2Z/C3	■	6304-2Z/C3	■	6307-2Z/VA208	9,888
		6304-2Z/C3WT	777		
63/22	3,311	6304-2Z/GJN7	352	6307-RS1	1,264
63/28/HN3CNP	962	6304-2Z/VA208	7,133	6307-Z	■
630/8-2RS1	1,949			6307-Z/C3	■
63000-2RS1	1,330	6304-RSH	739		

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
6307-ZNR	1,729	6310-2RS1/C3GJN	4,602	6312-RS1Z/C4GJN4	7,635
6308	■	6310-2Z/C3GJN	3,522	6312-Z	■
6308 JEM	2,755	6310-2Z/C4	3,987	6312-Z/C3	■
6308 NR	■	6310-2Z/VA208	15,989	6312-ZNR	7,259
6308 NR/C3	■	6310-2ZNR	4,389	6313	■
6308 NRJEM	1,971	6310-RS1	3,079	6313 2RSJEM	6,934
6308/C3	■	6310-RS1Z/C3S0GJN6	5,536	6313 M/C3	20,077
6308-2RS1	2,587	6310-Z	■	6313 M/C3VQ335	17,759
6308-2RS1/C3	2,723	6310-Z/C3	2,479	6313 NR	12,296
6308-2RS1/C3GJN	2,988	6310-ZNR	4,286	6313 NR/C3	12,467
6308-2RS1/C3WT	3,216	6311	■	6313/C4	6,125
6308-2Z	■	6311 N	5,219	6313/VA201	18,906
6308-2Z/C3WT	2,474	6311 NR/C3	6,711	6313-2RS1	■
6308-2Z/C4	2,204	6311/C3	■	6313-2RS1/C3	■
6308-2Z/VA208	14,194	6311/C4	4,345	6313-2Z	■
6308-RS1	1,993	6311-2RS1	■	6313-Z	■
6308-Z	■	6311-2RS1/C3	5,650	6313-Z/C3	■
6308-Z/C3	■	6311-2RS1/C3GJN	6,466	6313-ZNR	9,038
6308-ZNR	■	6311-2RS1/C3WT	7,308	6314	6,304
6309 2ZJEM	2,768	6311-2RS1/GJN	4,761	6314 M/C3	18,414
6309 NR	■	6311-2Z	■	6314 MA/C3	25,142
6309/C4	2,307	6311-2Z/C3	■	6314 N/C3	8,889
6309/C5	2,466	6311-2Z/C3GJN	5,514	6314 NR	12,133
6309/VA201	5,802	6311-2Z/C3HTF7	2,768	6314 NR/C3	12,133
6309-2RS1	■	6311-RS1	4,264	6314/C3	6,304
6309-2RS1/C3GJN	3,610	6311-Z	■	6314/C4	7,304
6309-2Z/C3GJN	3,013	6311-Z/C3	■	6314-2RS1	10,691
6309-2Z/C3HTF7	1,889	6311-ZNR	6,204	6314-2RS1/C3	10,257
6309-2Z/C3WT	3,412	6312	■	6314-2Z	9,036
6309-2Z/C5	3,042	6312 M/C3	16,567	6314-2Z/C3	9,036
6309-RS1	■	6312 NR	6,515	6314-2Z/C3GJN	10,148
6309-RS1/C3	■	6312 NR/C3	9,418	6314-Z	7,629
6310	■	6312/C4	5,286	6314-Z/C3	7,629
6310 M/C3	12,183	6312-2RS1	■	6314-ZNR	10,860
6310 N/C3	■	6312-2RS1/C3	■	6315	8,633
6310 NR	■	6312-2RS1/C3GJN	8,386	6315 M/C3	23,217
6310 NR/C3	■	6312-2RS1/C3HT	10,056	6315 M/C4	23,217
6310/C3	■	6312-2Z/C3GJN	6,021	6315/C3	8,633
6310/C4	3,808	6312-2Z/C3HT	5,278	6315/C4	9,466
6310-2RS1	■	6312-2Z/C3WT	6,895	6315-2Z	11,223
6310-2RS1/C3	■	6312-2Z/C4	5,241	6315-2Z/C3	11,223
		6312-RS1	5,344	6315-2Z/C3WT	15,443

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
6315-Z/C3	9,249	6320/C3	22,913	6413/C3	16,003
6316	9,483	6320/C4	24,033	6413/C4	23,668
6316 M/C3	26,807	6320-2RS1	26,251	6414	21,586
6316 M/C4	34,135	6320-2RS1/C3	26,251	6414/C3	20,655
6316/C3S1	18,891	6320-2Z	32,080	6414/C4	23,035
6316/C4	11,337	6320-Z/C3	33,482	6415	31,089
6316-2RS1	16,687	6322/C4	42,715	6415/C3	31,089
6316-2Z	13,868	6326	72,364	6415/C4	33,102
6316-2Z/C3	13,868	6328/C3	92,707	6416	34,755
6316-2Z/C3GJN	14,786	6330 M/C4	1,94,409	6418	56,669
6316-Z/C3	11,337	634-2Z	510	6535/Q	7,490
6317	12,072	635-2Z	461	6580/Q	4,553
6317 2ZJEM	23,239	639058 A/Q	2,243	663	7,024
6317 M/C3	37,540	639062	5,518	7200 BECBP	3,191
6317/C3	12,072	639174	1,932	7200 BEP	1,724
6317/C4	13,211	6403-2RS1	2,652	7201 BECBP	3,191
6317-2Z	14,872	6403-2RS1/C3	2,652	7201 BEGAP	3,191
6317-2Z/C3	15,506	6404	4,428	7201 BEP	1,785
6317-Z	13,407	6405	2,733	7202 BE-2RZP	2,500
6317-Z/C3	13,407	6405/C3	2,733	7202 BECBP	3,285
6318	15,386	6406	3,279	7202 BEGAP	3,285
6318 M/C3	39,622	6406/C3	3,279	7202 BEGBP	3,285
6318/C4	16,822	6407	4,264	7202 BEP	1,763
6318-2RS1	26,570	6407 NR	6,359	7203 BE-2RZP	3,294
6318-2RS1/C3	25,509	6407/C3	4,264	7203 BECBM	5,580
6318-2Z	20,185	6408	5,651	7203 BECBP	3,485
6318-2Z/C3	20,185	6408/C3	5,651	7203 BEGAP	3,485
6318-2Z/C3GJN	23,023	6409	6,753	7203 BEP	1,783
6318-Z	16,528	6409 NR	10,152	7204 BE-2RZP	3,170
6318-Z/C3	16,528	6409/C3	7,047	7204 BECBJ	3,977
6319	19,217	6410	8,212	7204 BECBM	6,613
6319 M/C3	43,501	6410 NR	11,729	7204 BECBP	3,689
6319 M/C4	46,720	6410/C3	8,212	7204 BECBY	3,294
6319 M/P64	47,061	6410/C4	9,087	7204 BEGAP	4,085
6319/C3	19,202	6411	9,957	7204 BEP	2,067
6319/C4	20,998	6411 NR	14,296	7205 BE-2RZP	2,821
6319-2Z	25,580	6411/C3	9,957	7205 BECBM	7,220
6319-2Z/C3	25,580	6412	11,309	7205 BECBP	3,850
6319-2Z/C3GJN	27,973	6412/C3	11,805	7205 BECBY	7,384
6319-Z/C3	21,318	6413	15,763	7205 BEGAP	4,632
6320	22,913	6413 NR	22,252	7205 BEP	2,256
		6413 NR/C3	22,252		

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
7206 BE-2RZP	3,505	7212 BECBM	16,283	7218 BEP	19,401
7206 BECBM	7,297	7212 BECBP	9,606	7219 BECBM	38,821
7206 BECBP	4,391			7219 BECBP	25,607
7206 BECBY	6,730	7212 BECBY	12,136	7219 BEGAM	38,821
		7212 BEGAP	9,618		
7206 BEGAP	3,934	7212 BEP	6,890		
7206 BEGBP	3,934	7213 BECBJ	14,274	7219 BEP	23,334
7206 BEP	2,581			7220 BECBM	40,175
7207 BE-2RZP	2,072	7213 BECBM	18,451	7220 BECBP	30,920
		7213 BECBP	11,315	7220 BEP	26,928
7207 BECBM	8,256	7213 BECBY	13,349		
7207 BECBP	5,016	7213 BEGAP	11,315	7221 BECBM	44,106
7207 BECBY	7,690			7221 BECBP	33,906
7207 BEGAP	5,016	7213 BEP	8,455	7221 BEP	32,156
		7214 BECBJ	18,991	7222 BECBM	55,040
7207 BEGBP	5,016	7214 BECBM	20,253		
7207 BEP	3,218	7214 BECBP	12,944	7222 BECBP	38,760
7208 BE-2RZP	2,297			7222 BECBY	44,513
7208 BECBJ	7,098	7214 BECBY	14,688	7222 BEP	36,785
		7214 BEGAP	9,650	7224 BGAM	67,466
7208 BECBM	8,879	7214 BEP	9,947		
7208 BECBP	5,655	7215 BECBJ	19,836	7244 BCBM	7,12,174
7208 BECBY	8,132			7301 BEP	3,268
7208 BEGAP	5,700	7215 BECBM	22,044	7302 BE-2RZP	3,390
		7215 BECBP	14,117	7302 BECBP	4,195
7208 BEP	3,786	7215 BECBY	13,446		
7209 BE-2RZP	2,942	7215 BEGAP	11,200	7302 BEGAP	4,195
7209 BECBJ	8,193			7302 BEP	2,209
7209 BECBM	10,282	7215 BEGAY	13,446	7303 BE-2RZP	3,120
		7215 BEP	11,303	7303 BECBP	4,512
7209 BECBP	6,243	7216 BECBJ	23,158		
7209 BEGAP	5,722	7216 BECBM	24,689	7303 BEP	2,221
7209 BEP	4,161			7304 BE-2RZP	2,859
7210 BE-2RZP	3,201	7216 BECBP	16,489	7304 BECBM	6,632
		7216 BECBY	14,054	7304 BECBP	4,521
7210 BECBJ	8,560	7216 BEGAF	23,025		
7210 BECBM	10,965	7216 BEGAP	12,273	7304 BECBY	5,959
7210 BECBP	6,794			7304 BEGAP	3,515
7210 BECBY	8,739	7216 BEP	13,207	7304 BEP	2,320
		7217 BECBJ	26,624	7305 BE-2RZP	3,760
7210 BEGAP	6,794	7217 BECBM	28,509		
7210 BEP	4,708	7217 BECBP	19,881	7305 BECBM	8,377
7211 BE-2RZP	3,588			7305 BECBP	4,771
7211 BECBJ	10,547	7217 BECBY	19,014	7305 BECBY	4,061
		7217 BEP	16,305	7305 BEGAP	4,771
7211 BECBM	12,281	7218 BECBJ	30,178		
7211 BECBP	8,049	7218 BECBM	33,425	7305 BEP	2,439
7211 BECBY	10,857			7306 BE-2RZP	4,632
7211 BEGAP	6,978	7218 BECBP	24,157	7306 BECBM	9,158
		7218 BECBY	30,214	7306 BECBP	5,430
7211 BEP	5,580	7218 BEGAF	38,344		
7212 BECBJ	12,127	7218 BEGAP	24,157	7306 BECBY	7,210

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
7306 BEGAM	5,531	7311 BECBP	12,724	7315 BEP	21,404
7306 BEGAP	5,430			7316 BECBJ	40,328
7306 BEGBP	5,430	7311 BECBY	14,199	7316 BECBM	44,854
		7311 BECCM	22,139	7316 BECBP	33,100
7306 BEGBY	8,038	7311 BEGAM	22,139		
7306 BEP	3,052	7311 BEGAP	12,724	7316 BEGAM	39,338
7307 BE-2RZP	3,924			7316 BEGAP	33,100
7307 BECBM	10,145	7311 BEGAY	14,199	7316 BEP	26,525
		7311 BEP	8,830	7317 BECBJ	49,933
7307 BECBP	6,003	7312 BECBJ	19,836		
7307 BECBY	7,990	7312 BECBM	27,341	7317 BECBM	46,147
7307 BEGAP	6,003			7317 BECBP	39,433
7307 BEGBP	6,003	7312 BECBP	15,690	7317 BECCM	46,323
		7312 BECBY	21,210	7317 BEGAM	46,323
7307 BEP	3,671	7312 BECCM	27,341		
7308 BE-2RZP	5,976	7312 BEGAM	27,341	7317 BEGAP	39,433
7308 BECBJ	8,562			7317 BEP	31,454
7308 BECBM	13,094	7312 BEGAP	15,690	7318 BECBJ	60,663
		7312 BEGBY	21,210	7318 BECBM	54,433
7308 BECBP	7,448	7312 BEP	10,887		
7308 BECBY	9,636	7313 BECBJ	23,792	7318 BECBP	45,934
7308 BEGAM	13,094			7318 BECBY	44,550
7308 BEGAP	7,448	7313 BECBM	28,931	7318 BEGAP	45,934
		7313 BECBP	19,653	7318 BEP	41,745
7308 BEGBP	7,448	7313 BECBY	15,442		
7308 BEP	4,771	7313 BECCM	28,931	7319 BECBM	69,138
7309 BE-2RZP	3,485			7319 BEP	48,474
7309 BECBJ	10,214	7313 BEGAF	30,325	7320 BECBP	64,974
		7313 BEGAM	28,931	7320 BEP	59,050
7309 BECBM	15,531	7313 BEGAP	19,653		
7309 BECBP	9,214	7313 BEGBM	28,931	7322 BEP	83,167
7309 BECBY	10,517			7338 BCBM	6,47,020
7309 BEGAP	9,214	7313 BEGBY	15,442	7340 BCBM	7,08,458
		7313 BEP	14,231	7405 BCBM	13,490
7309 BEP	5,662	7314 BECBJ	28,154		
7310 BE-2RZP	3,963	7314 BECBM	34,273	7406 BCBM	15,044
7310 BECBJ	13,101			7407 BCBM	17,054
7310 BECBM	18,139	7314 BECBP	23,246	7408 BCBM	18,451
		7314 BECBY	19,070	7409 BCBM	42,385
7310 BECBP	10,791	7314 BEGAM	34,273		
7310 BECBY	12,658	7314 BEGAP	23,246	7409 BGM	40,425
7310 BEGAF	18,029			7410 BCBM	25,769
7310 BEGAM	18,139	7314 BEGAY	19,070	7411 BCBM	43,460
		7314 BEP	16,626	7411 BGM	43,460
7310 BEGAP	10,791	7315 BECBJ	36,391		
7310 BEGAY	12,658	7315 BECBM	38,816	742	10,137
7310 BEGBP	10,791			749	10,652
7310 BEP	7,155	7315 BECBP	28,647	752	11,186
		7315 BECBY	31,113	759	11,746
7311 BEC86P	12,724	7315 BEGAM	44,494		
7311 BECBJ	14,673	7315 BEGAP	28,647	9220/CL7C	5,403
7311 BECBM	22,139			9285/CL7C	10,554

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
AL-BC2-0153	5,324			HJ 216 EC	19,697
ALS 28 ABP	32,990	E2.6309-2Z/C3	2,662	HJ 218 EC	20,696
		E2.6310-2Z/C3	3,084	HJ 219 EC/VA301	25,788
AMS 22 ABP	34,373	E2.6312-2Z/C3	5,859		
BA 3	1,987	FPXA 200	25,110	HJ 220 EC	22,504
BA 4	2,001			HJ 222 EC	24,552
BA 5	2,004	FPXA 208	25,938	HJ 2228 EC	11,309
		FPXA 300	27,141	HJ 224 EC	24,924
BA 6	2,013	FPXA 308	29,240		
BA 7	2,096	GE 100 ES	25,438	HJ 2311 EC	18,362
BA 8	2,358			HJ 308 EC	6,317
BA 9	2,628	GE 100 ES-2RS	26,989	HJ 310 EC	7,740
		GE 110 ES	32,465	HJ 311 EC	8,528
BA2B 309609 AD	3,451	GE 110 ES-2RS	34,398		
BA2B 475813	11,472	GE 120 ES	38,794	HJ 312 EC/VA301	9,026
BAHB 636035 A	4,240			HJ 314 EC/VA301	12,614
BB1-0282 AB	1,673	GE 120 ES-2RS	44,613	HJ 315 EC	13,162
		GE 140 ES	64,933	HJ 315 EC/VA301	13,471
BB1B 420205		GE 140 ES-2RS	70,853		
BC1-0058 C	10,650	GE 160 ES-2RS	1,17,012	HJ 318 EC/VA301	17,475
BC1-0125 D	12,739			HJ 320 EC/VA301	25,468
BC1-0547 B	9,212	GE 160 TXA-2RS	1,55,232	HJ 324 EC/VA301	28,264
		GE 180 ES	1,26,539	HJ 326 EC/VA301	40,766
BC1B 320308 A	10,755	GE 180 ES-2RS	1,68,645		
BC1B 320811	21,054	GE 25 ES	1,879	HK 0810	308
BC1B 327270 B	13,478			HM 218248/W/2A	3,470
BC1B 635251	7,651	GE 260 TXA-2RS	5,98,934	HM 220149/110	12,075
		GE 280 ES-2RS	4,76,572	HM 803149/2/110/2/CL7C	4,015
BCAB 326332 B	564	GE 30 ES	1,900		
BS2-2206-2RS/VT143	6,872	GE 300 ES-2RS	6,97,250	L 68149/111/Q	1,119
BS2-2208-2RS/VT143	8,185			LBC4-0103	34,660
BS2-2209-2RS/VT143	8,000	GE 300 TXA-2RS	8,75,929	LBC4-0108	34,660
		GE 40 ES	2,799	LBC4-0114	40,692
BS2-2209-2RSK/VT143	9,410	GE 40 ES-2RS	3,537		
BS2-2211-2RS/VT143	8,866	GE 50 ES	4,227	LBT1-0433	1,120
BS2-2211-2RSK/VT143	10,404			LM 11949/910	639
BS2-2212-2RS/VT143	10,648	GE 50 ES-2RS	4,837	LM 11949/910/Q	
		GE 60 ES	6,263	LM 501349/310/Q	
BS2-2216-2RS/VT143	16,881	GE 60 ES-2RS	7,419		
BT4-0021 G/HA1	12,48,704	GE 70 ES-2RS	10,341	N 203 ECP	4,446
C 4020 V/C3	44,300			N 204 ECP	4,624
C 4022 V/C3	71,178	GE 80 ES	12,602	N 205 ECP	4,773
		GE 80 ES-2RS	14,529	N 206 ECP	5,827
C 4024 V/C3	65,248	GE 90 ES-2RS	16,995		
C 4026 V/C3	70,640	GEC 340 DS/C3	14,79,529	N 207 ECP	6,209
C 4030 V/C3	1,08,253			N 208 ECP	8,344
C 5915 V/C4S3	20,580	GEC 340 TXA-2RS	15,48,850	N 209 ECP	7,559
		GEC 380 DS/C3	18,00,418	N 210 ECP	7,495
C 5918-CS5V/C3	55,458	GEC 380 TXA-2RS	24,35,123		
C 6915-CS5V/C3	38,165	GEZ 308 ES	40,450	N 211 ECP	13,283
E2.6204-2Z/C3	461			N 212 ECP	13,283
E2.6308-2Z/C3	2,102	HJ 208 EC	5,068	N 213 ECP	18,179

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
N 214 ECP	18,931	N 318 ECP/C3	35,598	NJ 206 ECP	3,921
N 215 ECP	20,299	N 319 ECP	45,422	NJ 206 ECP/C3	3,921
N 215 ECP/C3	20,299	N 319 ECP/C3	45,422	NJ 207 ECJ	5,869
N 216 ECP	20,517	N 321 ECP	65,569	NJ 207 ECP	4,664
N 216 ECP/C3	20,517	N 321 ECP/C3	68,438	NJ 208 ECJ	6,388
N 217 ECP	23,047	NA 4836	73,321	NJ 208 ECP	5,033
N 217 ECP/C3	22,063	NA 4908	3,928	NJ 208 ECP/C3	5,033
N 218 ECP	35,292	NA 6910	9,520	NJ 209 ECJ	6,757
N 218 ECP/C3	35,292	NA 6912	12,983	NJ 209 ECJ/C3	6,476
N 219 ECP	38,884	NA 6914	18,137	NJ 209 ECP	5,863
N 220 ECP	33,966	NA 6915	20,539	NJ 209 ECP/C3	6,109
N 222 ECP	45,628	NA 6915/S3VS001	18,397	NJ 210 ECJ	7,204
N 222 ECP/C3	45,628	NCF 2914 CV	26,467	NJ 210 ECJ/C3	7,512
N 226 ECP	81,123	NCF 2916 CV	27,359	NJ 210 ECP	6,180
N 304 ECP	5,901	NCF 2920 CV	43,670	NJ 210 ECP/C3	6,180
N 305 ECP	5,910	NCF 2928 CV/C3	94,953	NJ 211 ECJ	8,497
N 306 ECP	6,402	NCF 2930 CV	35,760	NJ 212 ECP	8,230
N 307 ECP	6,141	NCF 2932 CV	38,704	NJ 212 ECP/C3	8,230
N 308 ECP	8,124	NCF 2934 CV	42,735	NJ 213 ECJ/C3	11,266
N 309 ECP	9,638	NCF 2936 CV		NJ 213 ECP	10,551
N 310 ECP	12,252	NCF 2948 CV		NJ 214 ECJ	12,592
N 311 ECP	14,064	NCF 2952 CV	1,85,533	NJ 214 ECJ/C4	10,159
N 312 ECJ/C3	31,782	NCF 2956 CV	1,83,524	NJ 214 ECM/C3	19,111
N 312 ECM	36,337	NCF 2956 CV/C3	1,83,524	NJ 214 ECP	11,254
N 312 ECM/C3	36,337	NCF 3004 CV	5,859	NJ 214 ECP/C3	11,254
N 312 ECP	20,706	NCF 3006 CV	6,463	NJ 215 ECJ	15,568
N 312 ECP/C3	20,706	NCF 3008 CV	16,596	NJ 215 ECML/C3	25,938
N 312 M/P63	34,064	NCF 3010 CV	17,304	NJ 215 ECP	13,669
N 313 ECM	42,382	NCF 3011 CV/C3	17,436	NJ 216 ECJ	17,167
N 313 ECP	19,543	NCF 3013 CV/C3	20,207	NJ 216 ECJ/C3	16,810
N 313 ECP/C3	19,543	NCF 3014 CV/C3	18,318	NJ 216 ECML/C3	27,878
N 314 ECM	47,405	NCF 3020 CV/C3	30,961	NJ 216 ECP	14,341
N 314 ECP	22,289	NJ 1009 ECP	6,076	NJ 217 ECJ	22,930
N 314 ECP/C3	22,289	NJ 2004 EV/C3	8,712	NJ 217 ECM	29,327
N 315 ECP	26,193	NJ 202 ECP	2,883	NJ 217 ECML/C3	29,585
N 315 ECP/C3	27,032	NJ 202 ECP/C3	2,787	NJ 217 ECP	17,752
N 316 ECP	33,097	NJ 203 ECP/C3	2,912	NJ 217 ECP/C3	17,025
N 316 ECP/C3	33,097	NJ 204 ECP	3,235	NJ 218 ECJ	28,652
N 317 ECP	32,321	NJ 204 ECP/C3	3,099	NJ 218 ECJ/C3	26,197
N 317 ECP/C3	32,321	NJ 205 ECJ	4,538	NJ 218 ECM	42,331
N 318 ECP	34,096	NJ 205 ECP	3,194	NJ 218 ECML/C3	42,331
		NJ 206 ECJ	4,933	NJ 218 ECP	19,393

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products
(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
NJ 219 ECJ	36,899	NJ 2216 ECJ	22,242	NJ 2309 ECP	12,356
NJ 219 ECJ/C3	36,899	NJ 2216 ECJ/C3	22,242	NJ 2309 ECP/C3	12,356
NJ 219 ECML/C3	42,945	NJ 2216 ECM/C3	36,703	NJ 2309 ECP/C4	13,659
NJ 220 ECJ	37,166	NJ 2216 ECML/C3	24,214	NJ 2310 ECML	26,567
NJ 220 ECJ/C3	37,166	NJ 2216 ECP	20,018	NJ 2310 ECML/C3	26,567
NJ 220 ECP	24,748	NJ 2216 ECP/C3	20,018	NJ 2310 ECML/C4	34,836
NJ 220 ECP/C3	24,748	NJ 2217 ECJ	41,773	NJ 2310 ECP	14,539
NJ 2203 ECP	3,809	NJ 2217 ECML/C3	43,637	NJ 2310 ECP/C3	15,154
NJ 2204 ECP	3,895	NJ 2217 ECP	22,222	NJ 2311 ECML/C3	31,480
NJ 2204 ECP/C3	3,895	NJ 2218 ECP	27,691	NJ 2311 ECML/C4	35,049
NJ 2205 ECP/C3	4,500	NJ 2218 ECP/C3	26,574	NJ 2311 ECP	18,022
NJ 2206 ECJ	6,277	NJ 2219 ECP	34,697	NJ 2311 ECP/C3	18,022
NJ 2206 ECP	5,097	NJ 222 ECJ	38,373	NJ 2312 ECML	34,133
NJ 2206 ECP/C3	5,313	NJ 222 ECJ/C3	38,373	NJ 2312 ECML/C3	35,591
NJ 2207 ECJ	6,963	NJ 222 ECP	37,444	NJ 2312 ECML/C4	29,296
NJ 2207 ECML/C3	14,918	NJ 222 ECP/C3	37,444	NJ 2312 ECP	21,828
NJ 2208 ECJ	8,404	NJ 2220 ECJ/C3	44,334	NJ 2312 ECP/C3	21,828
NJ 2208 ECJ/C3	8,404	NJ 2220 ECP	37,856	NJ 2312 ECP/C4	25,352
NJ 2208 ECP	6,845	NJ 2220 ECP/C3	37,856	NJ 2313 ECML	25,352
NJ 2208 ECP/C3	6,845	NJ 224 ECJ	45,517	NJ 2313 ECML/C3	25,352
NJ 2208 ECP/C4	7,980	NJ 224 ECP	40,134	NJ 2313 ECP	25,666
NJ 2209 ECJ	8,580	NJ 226 ECP	47,884	NJ 2313 ECP/C3	25,666
NJ 2209 ECJ/C3	8,580	NJ 228 ECML/C3	48,229	NJ 2313 ECP/C4	29,825
NJ 2209 ECP	7,902	NJ 230 ECJ	87,459	NJ 2314 ECML/C4	46,558
NJ 2209 ECP/C3	7,902	NJ 2304 ECP	5,558	NJ 2314 ECP	30,998
NJ 221 ECP	31,826	NJ 2305 ECML/C3	21,999	NJ 2314 ECP/C3	30,998
NJ 2210 ECP	7,847	NJ 2305 ECP	5,704	NJ 2314 ECP/C4	34,488
NJ 2210 ECP/C3	7,847	NJ 2305 ECP/C3	5,704	NJ 2315 ECML/C3	62,429
NJ 2210 ECPH/C4	11,891	NJ 2305 ECP/C4	6,681	NJ 2315 ECP	39,947
NJ 2211 ECJ	9,305	NJ 2306 ECML/C3	14,769	NJ 2315 ECP/C3	39,947
NJ 2211 ECML/C3	17,319	NJ 2306 ECP	7,017	NJ 2315 ECP/C4	48,713
NJ 2211 ECP	9,018	NJ 2306 ECP/C3	7,017	NJ 2316 ECP	46,894
NJ 2211 ECP/C3	9,018	NJ 2307 ECP	8,741	NJ 2316 ECP/C3	46,894
NJ 2212 ECJ	14,275	NJ 2307 ECP/C3	8,741	NJ 2317 ECP	48,496
NJ 2212 ECP	11,161	NJ 2308 ECJ	11,301	NJ 2317 ECP/C3	48,496
NJ 2212 ECP/C3	11,161	NJ 2308 ECJ/C3	11,301	NJ 2318 ECML/C3	■
NJ 2213 ECP/C3	13,304	NJ 2308 ECML	16,447	NJ 2318 ECML/C4	■
NJ 2214 ECM/C3	24,284	NJ 2308 ECML/C3	16,447	NJ 2324 ECML	■
NJ 2214 ECP	14,811	NJ 2308 ECP	10,243	NJ 2324 ECML/C3	■
NJ 2215 ECJ	17,975	NJ 2308 ECP/C3	10,241	NJ 2330 ECML	2,02,459
NJ 2215 ECP/C3	15,641	NJ 2308 ECP/C4	12,432	NJ 303 ECP	3,659
		NJ 2309 ECML/C3	22,144		

Note: ■ Domestically available, subject to availability.

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
NJ 304 ECP	3,895	NJ 312 ECP/C4	16,766	NKIS 40	7,409
NJ 304 ECP/C3	3,895	NJ 313 ECJ	19,318	NKX 25 Z	5,122
NJ 305 ECP	3,928			NNF 5004 ADB-2LSV	14,637
NJ 305 ECP/C3	3,928	NJ 313 ECJ/C3	19,318	NNF 5005 ADB-2LSV	15,180
		NJ 313 ECM	36,044		
NJ 305 ECP/C4	4,602	NJ 313 ECM/C3	36,044	NNF 5006 ADB-2LSV	15,627
NJ 306 ECJ	7,248	NJ 313 ECM/C4	15,550	NNF 5007 ADB-2LSV	17,529
NJ 306 ECJ/C3	6,944			NNF 5008 ADB-2LSV	17,126
NJ 306 ECP	5,345	NJ 313 ECP	17,262	NNF 5009 ADB-2LSV	20,463
		NJ 313 ECP/C3	17,262		
NJ 306 ECP/C3	5,344	NJ 313 ECP/C4	20,997	NNF 5010 ADB-2LSV	20,463
NJ 307 ECJ	7,642	NJ 314 ECJ	22,463	NNF 5011 ADB-2LSV	21,218
NJ 307 ECM	19,246			NNF 5012 ADB-2LSV	29,540
NJ 307 ECP	5,596	NJ 314 ECJ/C3	22,463	NNF 5013 ADB-2LSV	29,540
		NJ 314 ECM	40,719		
NJ 307 ECP/C3	5,596	NJ 314 ECM/C3	40,719	NNF 5014 ADB-2LSV	29,540
NJ 308 ECJ	7,958	NJ 314 ECP	20,441	NNF 5015 ADB-2LSV	29,889
NJ 308 ECM	17,093			NNF 5016 ADA-2LSV	39,404
NJ 308 ECP	6,469	NJ 314 ECP/C3	20,441	NNF 5028 ADA-2LSV	1,43,980
		NJ 314 ECP/C4	24,863		
NJ 308 ECP/C3	6,466	NJ 315 ECJ	26,374	NNU 4930 B/SPC3W33	1,67,623
NJ 309 ECJ	9,111	NJ 315 ECJ/C3	26,374	NNU 4932 B/SPW33	2,09,922
NJ 309 ECJ/C3	9,506			NNU 4934 B/SPW33	2,44,328
NJ 309 ECP	7,512	NJ 315 ECM	34,293	NNU 4956 B/SPC3W33	13,35,695
		NJ 315 ECM/C3	34,293		
NJ 309 ECP/C3	7,512	NJ 315 ECP	23,858	NNU 4960 B/SPC3W33	13,35,695
NJ 309 ECP/C4	8,791	NJ 315 ECP/C3	23,858	NU 1005	5,117
NJ 310 ECJ	11,443			NU 1006	5,548
NJ 310 ECJ/C3	11,443	NJ 315 ECP/C4	27,826	NU 1008 ML	10,348
		NJ 316 ECJ	33,051		
NJ 310 ECM	24,050	NJ 316 ECJ/C3	33,051	NU 1009 ECP	9,314
NJ 310 ECM/C3	24,050	NJ 316 ECP	26,920	NU 1009 ECP/C3	9,314
NJ 310 ECM/C4	29,183			NU 1010 ECP	12,950
NJ 310 ECP	9,085	NJ 316 ECP/C3	26,920	NU 1010 ML	12,665
		NJ 316 ECP/C4	32,772		
NJ 310 ECP/C3	9,085	NJ 317 ECP	31,307	NU 1010 ML/C3	12,665
NJ 310 ECP/C4	11,056	NJ 318 ECJ	40,033	NU 1011 ECML/P63L	19,844
NJ 311 ECJ	13,454			NU 1011 ECP	11,651
NJ 311 ECJ/C3	13,454	NJ 318 ECJ/C3	40,033	NU 1012 ML	16,136
		NJ 318 ECP	34,863		
NJ 311 ECM	24,245	NJ 319 ECJ	45,998	NU 1013 ML	19,100
NJ 311 ECM/C3	23,256	NJ 319 ECJ/C3	45,998	NU 1014 ML	20,334
NJ 311 ECP	12,394			NU 1015 ML	20,596
NJ 311 ECP/C3	12,394	NJ 319 ECP	40,989	NU 1016	21,529
		NJ 320 ECJ	58,219		
NJ 312 ECJ	16,305	NJ 320 ECM/P64VA3091	2,05,196	NU 1016 ECML	32,632
NJ 312 ECJ/C3	16,305	NJG 2308 VH	32,037	NU 1017 ML	34,224
NJ 312 ECM	23,545			NU 1018 M/C4VA301	31,921
NJ 312 ECM/C4VA301	35,760	NJG 2308 VH/C3	32,333	NU 1018 ML	26,251
		NK 22/16	1,362		
NJ 312 ECP	14,355	NKIB 5903	3,897	NU 1019 ML	27,621
NJ 312 ECP/C3	14,355	NKIB 5904	4,260		

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
NU 1020 M/C3	41,092	NU 208 ECP/C3	4,495	NU 214 ECM	26,197
NU 1020 ML	30,466			NU 214 ECM/C3	26,197
NU 1020 ML/C3	30,466	NU 209 ECJ	6,554	NU 214 ECP	9,816
		NU 209 ECJ/C3	6,836	NU 215 ECJ	13,272
NU 1021 ML	37,692	NU 209 ECM	19,384		
NU 1021 ML/C3	37,692	NU 209 ECML/C3LVQ412	10,906	NU 215 ECJ/C3	13,272
NU 1022 M/C3	41,723			NU 215 ECM	25,602
NU 1022 ML	36,007	NU 209 ECNP	10,160	NU 215 ECM/C3	26,683
		NU 209 ECP	5,109	NU 215 ECML/C4	32,854
NU 1022 ML/C3	36,007	NU 209 ECP/C3	5,109		
NU 1024 M/C3	38,429	NU 210 ECJ	6,936	NU 215 ECML/P63H	28,573
NU 1024 ML	38,395			NU 215 ECP	12,004
NU 1024 ML/C3	38,395	NU 210 ECJ/C3	7,232	NU 215 ECP/C3	12,004
		NU 210 ECKP/C3	8,959	NU 215 ECP/CNM	16,647
NU 1026 ML/C3	51,873	NU 210 ECM	20,777		
NU 1030 M/C3	36,921	NU 210 ECP	5,809	NU 216 ECJ	14,926
NU 1032 ML	83,334			NU 216 ECJ/C3	14,926
NU 1044 ML	1,53,516	NU 210 ECP/C3	6,040	NU 216 ECM	27,402
		NU 211 ECJ	7,902	NU 216 ECM/C3	27,402
NU 202 ECP	2,417	NU 211 ECJ/C3	7,902		
NU 202 ECP/C3	2,417	NU 211 ECM	20,603	NU 216 ECML/C4	12,895
NU 203 ECP	2,609			NU 216 ECNML/C3B20	34,319
NU 203 ECP/C3	2,669	NU 211 ECM/C3	20,603	NU 216 ECP	12,638
		NU 211 ECML/C3L	15,443	NU 216 ECP/C3	12,638
NU 204 ECP	2,736	NU 211 ECML/P63H	22,288		
NU 205 ECJ/C3M	4,568	NU 211 ECP	6,385	NU 217 ECJ	18,135
NU 205 ECML/C3	17,481			NU 217 ECJ/C3	21,335
NU 205 ECML/C3LVQ412	5,634	NU 211 ECP/C3	6,385	NU 217 ECM	27,506
		NU 212 ECJ	9,560	NU 217 ECM/C3	28,078
NU 205 ECP	2,895	NU 212 ECM	21,191		
NU 205 ECP/C3	2,895	NU 212 ECM/C3	21,240	NU 217 ECP	16,126
NU 206 ECJ	4,742			NU 217 ECP/C3	16,126
NU 206 ECJ/C3	4,947	NU 212 ECM/C4	22,518	NU 218 ECJ	21,698
		NU 212 ECML/P54S1	9,785	NU 218 ECJ/C3	21,698
NU 206 ECKP/C3	5,070	NU 212 ECNML/C3B20	33,857		
NU 206 ECML/P63L	9,256	NU 212 ECP	7,382	NU 218 ECM	46,669
NU 206 ECP	3,439			NU 218 ECM/C3	46,669
NU 207 ECJ	5,155	NU 212 ECP/C3	7,382	NU 218 ECP	19,288
		NU 213 ECJ	11,293	NU 218 ECP/C3	19,288
NU 207 ECJ/C3	5,155	NU 213 ECJ/C3	11,293		
NU 207 ECKP/C3	5,929	NU 213 ECM	21,639	NU 219 ECJ	24,566
NU 207 ECM	10,326			NU 219 ECJ/C3	24,566
NU 207 ECML/C3	10,977	NU 213 ECM/C3	21,639	NU 219 ECM	44,508
		NU 213 ECM/C4	25,252	NU 219 ECM/C3	44,508
NU 207 ECP	4,151	NU 213 ECML/P63	23,045		
NU 207 ECP/C3	4,151	NU 213 ECML/P63L	23,261	NU 219 ECP	22,305
NU 208 ECJ	5,741			NU 219 ECP/C3	22,305
NU 208 ECKP/C3	6,419	NU 213 ECP	8,879	NU 220 ECJ	29,565
		NU 213 ECP/C3	8,879	NU 220 ECJ/C3	29,565
NU 208 ECM	19,790	NU 214 ECJ	11,749		
NU 208 ECML/P63H	21,816	NU 214 ECJ/C3	11,749	NU 220 ECM	50,839
NU 208 ECP	4,310			NU 220 ECM/C3	50,839

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
NU 220 ECML/C3	49,193			NU 2222 ECP	49,973
NU 220 ECP	22,448	NU 2214 ECJ	22,609	NU 2232 ECML	1,58,585
		NU 2214 ECML/C3	35,140	NU 2234 ECML	2,12,840
NU 220 ECP/C3	22,448	NU 2214 ECML/C4	22,117		
NU 2203 ECP	3,674	NU 2214 ECP	13,843	NU 2236 ECMRD/C4VA301	2,01,144
NU 2204 ECP	4,081			NU 2238 ECML/C3	3,09,248
NU 2205 ECML/C3L	7,762	NU 2214 ECP/C3	13,843	NU 224 ECJ	43,714
		NU 2215 ECJ	22,237	NU 224 ECJ/C3	43,714
NU 2205 ECP	4,159	NU 2215 ECJ/C3	22,237		
NU 2205 ECP/C3	4,159	NU 2215 ECML/C3		NU 224 ECM	■
NU 2206 ECJ	11,370			NU 224 ECM/C3	■
NU 2206 ECP	4,761	NU 2215 ECML/C4	22,746	NU 224 ECML/C3	43,700
		NU 2215 ECP		NU 224 ECP	■
NU 2206 ECP/C3	4,761	NU 2215 ECP/C3			
NU 2207 ECJ/C3	7,203	NU 2216 ECJ	23,454	NU 224 ECP/C3	31,113
NU 2207 ECP	5,584			NU 226 ECJ	54,849
NU 2207 ECP/C3	5,584	NU 2216 ECJ/C3	23,454	NU 226 ECJ/C3	54,849
		NU 2216 ECML/C3	22,078	NU 226 ECP	47,783
NU 2208 ECJ	5,771	NU 2216 ECML/P63	38,497		
NU 2208 ECJ/C3	5,771	NU 2216 ECP	18,595	NU 226 ECP/C3	47,783
NU 2208 ECP	6,654			NU 228 ECJ/C3	72,036
NU 2208 ECP/C3	6,385	NU 2217 ECJ	24,610	NU 230 ECJ	■
		NU 2217 ECJ/C3	24,610	NU 230 ECM	■
NU 2209 ECJ	11,629	NU 2217 ECML	32,992		
NU 2209 ECP	7,145	NU 2217 ECML/C3	32,992	NU 230 ECM/C3	■
NU 2209 ECP/C3	7,147			NU 230 ECML/C3	■
NU 221 ECJ	38,157	NU 2217 ECP	21,733	NU 2304 ECP	8,896
		NU 2217 ECP/C3	21,733	NU 2305 ECJ	15,085
NU 221 ECJ/C3	38,157	NU 2218 ECJ/C3	26,496		
NU 221 ECP	28,282	NU 2218 ECM	29,543	NU 2305 ECP	5,599
NU 221 ECP/C3	28,282			NU 2305 ECP/C3	5,599
NU 2210 ECJ	3,983	NU 2218 ECM/C3	29,543	NU 2306 ECP	6,542
		NU 2218 ECML/C3	36,867	NU 2306 ECP/C3	6,542
NU 2210 ECM	27,216	NU 2218 ECP/C3	25,435		
NU 2210 ECML/C3	8,602	NU 2219 ECJ	35,211	NU 2307 ECP/C3	7,929
NU 2210 ECP	8,141			NU 2308 ECJ	10,808
NU 2210 ECP/C3	8,141	NU 2219 ECJ/C3	35,211	NU 2308 ECML	23,697
		NU 2219 ECP	28,265	NU 2308 ECML/C3	23,697
NU 2211 ECJ	11,186	NU 2219 ECP/C3	28,265		
NU 2211 ECJ/C3	11,186	NU 222 ECJ	36,103	NU 2308 ECP	9,706
NU 2211 ECML/C3	26,574			NU 2308 ECP/C3	9,704
NU 2211 ECP	8,710	NU 222 ECJ/C3	37,660	NU 2309 ECML	22,942
		NU 222 ECM/C3	71,054	NU 2309 ECML/C3	22,942
NU 2211 ECP/C3	8,710	NU 222 ECP	29,837		
NU 2212 ECJ	12,636	NU 222 ECP/C3	29,837	NU 2309 ECP	11,369
NU 2212 ECJ/C3	12,636			NU 2309 ECP/C3	11,849
NU 2212 ECML/C3	27,653	NU 2220 ECML/C3	63,417	NU 2310 ECML	25,014
		NU 2220 ECP	35,152	NU 2310 ECML/C3	25,014
NU 2212 ECP	11,127	NU 2220 ECP/C3	35,152		
NU 2212 ECP/C3	11,127	NU 2222 ECJ/C3	58,586	NU 2310 ECP	11,600
NU 2213 ECJ	15,213			NU 2310 ECP/C3	12,095
NU 2213 ECP	12,296	NU 2222 ECML/C3	85,306	NU 2311 ECML	32,494

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
NU 2311 ECML/C3	32,494	NU 306 ECM	13,023	NU 313 ECJ/C3	14,101
NU 2311 ECP	15,136	NU 306 ECML/C3B20	19,660	NU 313 ECM	29,852
NU 2311 ECP/C3	15,136	NU 306 ECP	4,146	NU 313 ECM/C3	29,852
NU 2312 ECM	43,318	NU 306 ECP/C3	4,124	NU 313 ECML/P63R	34,806
NU 2312 ECP	20,801	NU 307 ECJ	6,089	NU 313 ECP	13,542
NU 2312 ECP/C3	20,801	NU 307 ECJ/C3	6,089	NU 313 ECP/C3	13,542
NU 2313 ECML	47,521	NU 307 ECM	15,698	NU 314 ECJ	16,768
NU 2313 ECML/C3	47,521	NU 307 ECML/P63R	17,128	NU 314 ECJ/C3	16,768
NU 2313 ECML/C4	33,988	NU 307 ECP	5,063	NU 314 ECM	29,954
NU 2313 ECP	20,971	NU 307 ECP/C3	5,063	NU 314 ECM/C3	29,954
NU 2313 ECP/C3	21,864	NU 308 ECJ	5,939	NU 314 ECM/C4VA301	41,746
NU 2314 ECP	28,431	NU 308 ECJ/C3	5,937	NU 314 ECP	16,243
NU 2314 ECP/C3	28,431	NU 308 ECM	12,797	NU 314 ECP/C3	16,243
NU 2315 ECJ	43,739	NU 308 ECM/C3	12,264	NU 315 ECJ	21,676
NU 2315 ECJ/C3	43,739	NU 308 ECP	5,675	NU 315 ECJ/C3	21,676
NU 2315 ECP	34,179	NU 309 ECJ	8,578	NU 315 ECM	■
NU 2315 ECP/C3	34,179	NU 309 ECJ/C3	8,578	NU 315 ECM/C3	■
NU 2316 ECP	40,175	NU 309 ECM	19,283	NU 315 ECP	■
NU 2316 ECP/C3	40,175	NU 309 ECM/C3	19,283	NU 315 ECP/C3	■
NU 2317 ECP	47,045	NU 309 ECML/P63R	10,615	NU 316 ECJ	■
NU 2318 ECJ	59,875	NU 309 ECP	6,894	NU 316 ECJ/C3	■
NU 2318 ECP	51,962	NU 309 ECP/C3	7,189	NU 316 ECM	■
NU 2319 ECJ	69,562	NU 310 ECJ	8,883	NU 316 ECM/C3	■
NU 2319 ECP/C3	34,888	NU 310 ECJ/C3	8,883	NU 316 ECML/C3	36,580
NU 2320 ECJ	83,574	NU 310 ECM	19,690	NU 316 ECP	■
NU 2324 ECML	1,52,043	NU 310 ECM/C4	22,972	NU 316 ECP/C3	■
NU 2334 ECML	2,79,538	NU 310 ECP	8,198	NU 317 ECJ	25,257
NU 2338 ECML	6,25,797	NU 310 ECP/C3	8,198	NU 317 ECJ/C3	26,369
NU 236 ECM	1,46,694	NU 311 ECJ	10,246	NU 317 ECM	■
NU 240 ECM	1,88,787	NU 311 ECJ/C3	10,246	NU 317 ECM/C3	■
NU 244 ECML	2,27,413	NU 311 ECM	22,511	NU 317 ECP	■
NU 244 ECML/C3	2,39,581	NU 311 ECM/C3	22,511	NU 317 ECP/C3	■
NU 303 ECP	3,564	NU 311 ECML/P63R	26,325	NU 318 ECJ	■
NU 304 ECP	3,564	NU 311 ECP	9,802	NU 318 ECJ/C3	■
NU 304 ECP/C3	3,564	NU 311 ECP/C3	9,802	NU 318 ECM	■
NU 305 ECJ	5,090	NU 312 ECJ	11,862	NU 318 ECM/C3	■
NU 305 ECML/P63R	10,424	NU 312 ECJ/C3	11,862	NU 318 ECP	■
NU 305 ECP	4,115	NU 312 ECM	22,780	NU 318 ECP/C3	■
NU 305 ECP/C3	4,115	NU 312 ECM/C3	22,780	NU 319 ECJ	■
NU 306 ECJ	5,127	NU 312 ECP	11,619	NU 319 ECM	■
NU 306 ECJ/C3	5,121	NU 312 ECP/C3	11,619	NU 319 ECM/C3	■
		NU 313 ECJ	14,101	NU 319 ECP	■

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
NU 319 ECP/C3	■	NUP 209 ECJ/C3	9,317	NUP 2312 ECP	25,296
NU 320 ECJ	41,293	NUP 210 ECJ	11,247	NUP 2314 ECP	36,546
NU 320 ECJ/C3	41,293	NUP 210 ECP	7,558	NUP 244 ECML	3,51,687
NU 320 ECML/C3	69,804	NUP 211 ECJ/C3	13,738	NUP 304 ECP	4,822
NU 320 ECP	44,925	NUP 212 ECJ	15,998	NUP 305 ECP	5,095
NU 320 ECP/C3	43,090	NUP 213 ECJ	17,759	NUP 306 ECP	6,185
NU 321 ECJ	54,051	NUP 213 ECP	13,437	NUP 307 ECJ	10,343
NU 321 ECJ/C3	54,051	NUP 213 ECP/C3	13,437	NUP 307 ECP	7,110
NU 321 ECP/C3	47,212	NUP 214 ECP	14,419	NUP 308 ECP	8,649
NU 322 ECJ	62,234	NUP 215 ECP	15,945	NUP 309 ECJ	11,210
NU 322 ECJ/C3	64,891	NUP 216 ECP	19,241	NUP 309 ECJ/C3	10,753
NU 322 ECM	■	NUP 216 ECP/C3	18,456	NUP 310 ECJ	13,125
NU 322 ECM/C3	■	NUP 218 ECP	23,489	NUP 310 ECP	12,014
NU 322 ECP	■	NUP 220 ECP	31,571	NUP 310 ECP/C3	12,014
NU 322 ECP/C3	■	NUP 2203 ECP	4,713	NUP 311 ECJ	23,178
NU 324 ECJ	75,778	NUP 2205 ECP	4,860	NUP 311 ECM	16,303
NU 324 ECJ/C3	79,053	NUP 2206 ECP	6,082	NUP 311 ECP	12,736
NU 324 ECM	■	NUP 2206 ECP/C3	6,082	NUP 312 ECJ	25,798
NU 324 ECM/C3	■	NUP 2207 ECP	6,926	NUP 312 ECP	17,289
NU 324 ECP	■	NUP 2208 ECP	8,540	NUP 312 ECP/C3	17,289
NU 324 ECP/C3	■	NUP 2208 ECP/C3	8,195	NUP 313 ECJ	26,683
NU 326 ECJ	96,080	NUP 2209 ECP	9,170	NUP 313 ECP	19,482
NU 326 ECJ/C3	96,080	NUP 2210 ECJ	11,288	NUP 314 ECP	24,495
NU 326 ECM	■	NUP 2211 ECP	11,413	NUP 315 ECP	31,850
NU 326 ECM/C3	■	NUP 2212 ECJ	15,359	NUP 316 ECP	33,906
NU 328 ECJ	1,17,261	NUP 2212 ECP	13,588	NUP 317 ECP	36,801
NU 328 ECJ/C3	1,17,261	NUP 2212 ECP/C3	13,588	PCM 9095100 E	5,354
NU 330 ECM	■	NUP 2214 ECP	16,816	PWM 10011580	12,898
NU 330 ECM/C3	■	NUP 2215 ECJ	27,814	PWM 708070	7,639
NU 336 ECM/C3	4,12,201	NUP 2215 ECML/C3	40,944	QJ 203 N2MA/C2L	9,483
NU 340 ECML/C3	4,32,304	NUP 2215 ECP	19,070	QJ 205 N2MA/C2L	13,785
NUB 215 ECJ	21,358	NUP 2216 ECP	22,070	QJ 206 MA	6,888
NUP 203 ECP	4,117	NUP 2217 ECP	32,080	QJ 206 N2MA/C2L	10,965
NUP 204 ECP	4,517	NUP 2218 ECP	34,277	QJ 207 MA/C2LS1	11,516
NUP 205 ECP	4,595	NUP 222 ECP	40,470	QJ 207 N2MA/C2L	11,928
NUP 206 ECP	4,549	NUP 2304 ECP	8,548	QJ 208 MA	8,068
NUP 206 ECP/C3	4,549	NUP 2305 ECP	9,175	QJ 209 MA	8,710
NUP 207 ECJ	8,234	NUP 2306 ECP	9,942	QJ 210 MA	9,848
NUP 207 ECP/C3	5,536	NUP 2307 ECP	9,942	QJ 210 MA/C3	9,848
NUP 208 ECJ	8,805	NUP 2308 ECP	11,835	QJ 211 MA	12,741
NUP 208 ECP/C3	5,812	NUP 2309 ECP	13,637	QJ 211 MA/C3	12,741
		NUP 2311 ECP	24,782		

Note: ■ Domestically available, subject to availability.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
QJ 211 N2MA/C2L	14,493	QJ 308 N2MA/C2L	17,515	RLS 9-2Z	6,963
QJ 212	9,349	QJ 309 MA	13,831	RMS 10	5,324
QJ 212 MA	15,903			RMS 13	8,308
QJ 212 MA/C2	15,903	QJ 309 MA/C2L	13,831	RMS 7	4,031
		QJ 309 MA/C3	13,831		
QJ 212 MA/C2L	15,903	QJ 309 N2MA/C2L	19,634	RMS 8	3,380
QJ 212 N2MA/C3	16,229	QJ 309/C2	4,576	RMS 9	4,881
QJ 212 N2PHAS/C2L	17,361			RNU 1007 ECP	6,459
QJ 213 MA	18,215	QJ 310 MA	16,053	RNU 1009 ECP	4,193
		QJ 310 MA/C2L	16,053		
QJ 213 MA/C2L	18,215	QJ 310 PHAS/C3	17,525	RNU 203 ECP	3,030
QJ 213 MA/C3	18,215	QJ 311 MA	20,904	RNU 204 ECP	3,130
QJ 214 MA/C3	23,369			RNU 205 ECP	3,223
QJ 214 N2MA	24,757	QJ 311 N2MA/C2L	20,309	RNU 206 ECP	3,873
		QJ 311 N2MA/C3	20,309		
QJ 214 N2MA/C3	19,858	QJ 312 MA	25,494	RNU 2205 ECP	2,515
QJ 214 N2MA/C4B20	23,924	QJ 312 MA/C3	25,494	RNU 305	5,623
QJ 214 N2PHAS/C2L	20,555			RNU 306	5,854
QJ 215 MA	21,852	QJ 312 N2MA/C2L	28,426	RNU 307 ECP	5,197
		QJ 313 MA	29,131		
QJ 215 MA/C2L	21,852	QJ 313 MA/C2L	29,131	RNU 308 ECP	6,197
QJ 215 N2MA/C3	22,205	QJ 314 MA	35,411	SA 20 C	5,665
QJ 215 N2MA/C4B20	27,364			SA 20 ES	5,286
QJ 216 MA	26,824	QJ 314 N2MA/C2L	38,355	SA 30 ES-2RS	12,224
		QJ 314 N2MA/C3	38,355		
QJ 216 MA/C2L	26,824	QJ 315 N2MA	34,490	SAL 20 C	5,974
QJ 216 N2MA	27,285	QJ 336 N2MA	3,92,080	SIL 40 ES-2RS	23,205
QJ 216 N2MA/C3	27,285			SIR 60 ES	36,068
QJ 216 N2MA/C4B20	27,701	R 30206/27 TN9/QU2VE090	652	T2ED 045	9,746
		R 32007 X/Q	595		
QJ 217 MA	33,300	RBT1-0429	1,764	T2EE 060	9,746
QJ 217 N2MA	33,264	RBT1-0433	3,811	T4CB 100	7,884
QJ 217 N2MA/C3	33,264			T4EE 160/VB406	78,462
QJ 218 N2MA	38,047	RLS 10	4,717	T7FC 075/CL7C	24,573
		RLS 10-2RS1	6,123		
QJ 218 N2MA/C3	38,047	RLS 10-2Z	7,542	VKLA 10040 I	3,579
QJ 218 N2MA/C4B20	38,047	RLS 11	4,752	W 6205-2Z	4,377
QJ 219 N2MA	42,292				
QJ 220 N2MA	51,613	RLS 12	4,977		
		RLS 4	3,703		
QJ 224 N2MA	78,507	RLS 4-2Z	3,710		
QJ 226 N2MA	91,267				
QJ 303 N2MA/P62H	20,422	RLS 5	3,703		
QJ 304 MA	6,246	RLS 5-2RS1	2,212		
		RLS 5-2Z	2,148		
QJ 305 MA/C2L	9,609	RLS 7	3,711		
QJ 306 MA	7,869				
QJ 307 MA	9,770	RLS 7-2RS1	6,586		
QJ 307 N2MA/C2L	14,977	RLS 8	3,792		
		RLS 8-2RS1	6,797		
QJ 308 MA	11,017	RLS 8-2Z	6,336		
QJ 308 MA/C3	11,017				

Note: ■ Domestically available, subject to availability.



Bearing housings and accessories



SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products
(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Product image
-------------	----------	---------------

SKF grease lubricated housings, SNL series

SNL 5 series housings for taper bore bearing

SNL 505	11,072
SNL 506-605	11,002
SNL 507-606	11,157
SNL 508-607	4,948
SNL 509	6,202
SNL 510-608	6,441
SNL 511-609	6,752
SNL 512-610	7,176
SNL 513-611	8,407
SNL 515-612	8,859
SNL 516-613	12,036
SNL 517	12,884
SNL 518-615	13,921
SNL 519-616	21,167
SNL 520-617	21,852
SNL 522-619	24,342
SNL 524-620	32,328
SNL 526	49,926
SNL 528	55,533
SNL 530	69,170
SNL 532	72,635



SNL 2 series housings for straight bore bearing

SNL 205	9,768
SNL 206-305	11,095
SNL 207	9,788
SNL 209	9,987
SNL 210	10,892
SNL 211	13,046
SNL 212	13,475
SNL 213	14,821
SNL 215	15,037
SNL 216	18,387
SNL 217	21,144
SNL 218	21,925



Designation	RSP (₹)	Product image
-------------	----------	---------------

SNL 30 series housings for taper bore bearing

SNL 3036	119,991
SNL 3038	140,679
SNL 3040	207,508
SNL 3044	239,251
SNL 3048	238,339
SNL 3052	322,956
SNL 3056	350,700
SNL 3060	349,713



SNL 3 series housings for taper bore bearing

SNL 3134	102,149
SNL 3136	122,044
SNL 3138	175,894
SNL 3140	186,462
SNL 3144	194,458
SNL 3148	259,628
SNL 3152	282,739
SNL 3156	309,603
SNL 3160	685,749
SNL 3164	988,582



SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Product image
-------------	----------	---------------

Seals for SKF grease lubricated housings

Four lip seals for SNL 5 and SNH 5 series housings

TSN 507 L	473
TSN 508 L	483
TSN 509 L	496
TSN 510 L	511
TSN 511 L	521
TSN 512 L	574
TSN 513 L	585
TSN 515 L	675
TSN 516 L	703
TSN 517 L	716
TSN 518 L	880
TSN 519 L	1,186
TSN 520 L	1,242
TSN 522 L	1,356
TSN 524 L	1,879
TSN 526 L	2,455
TSN 528 L	2,503
TSN 530 L	2,842
TSN 532 L	3,056



Four lip seals for SNL 2 and SNH 2 series housings

TSN 218 L	1,513
TSN 220 L	1,688
TSN 222 L	1,769
TSN 224 L	1,820
TSN 226 L	1,969
TSN 228 L	2,019
TSN 230 L	2,188



Labyrinth seals for SNL 5 and SNH 5 series housings

TSN 505 S	17,911
TSN 506 S	13,955
TSN 507 S	5,793
TSN 508 S	6,137
TSN 509 S	5,994
TSN 510 S	6,067
TSN 511 S	4,005
TSN 512 S	4,489

Designation	RSP (₹)	Product image
-------------	----------	---------------

TSN 513 S	5,845
TSN 515 S	6,152
TSN 516 S	6,416
TSN 517 S	6,650
TSN 518 S	6,708
TSN 519 S	8,088
TSN 520 S	7,139
TSN 522 S	7,181
TSN 524 S	8,515
TSN 526 S	9,666
TSN 528 S	10,124
TSN 530 S	10,584
TSN 532 S	11,045



Labyrinth seal for SNL 31 and SD 31 series housings

TS 34	11,914
TS 36	11,743
TS 38	12,405
TS 40	12,442
TS 44	13,829
TS 48	15,185
TS 52	17,695
TS 56	20,594
TS 60	21,401



Labyrinth seals for SNL 2 and SNH 2 series housings

TSN 207 S	9,486
TSN 209 S	20,569
TSN 210 S	8,764
TSN 211 S	16,169
TSN 212 S	11,812
TSN 213 S	10,817
TSN 215 S	10,656
TSN 216 S	14,564
TSN 217 S	16,000
TSN 218 S	12,094
TSN 220 S	12,211
TSN 222 S	12,697
TSN 224 S	15,331
TSN 226 S	18,408
TSN 228 S	18,413
TSN 230 S	20,107
TSN 232 S	18,569



SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Product image
-------------	-----------	---------------

End cover for SKF grease lubricated housings

End cover for SNL 5 and SNH 5 series housings

ASNH 505	326
ASNH 506-605	235
ASNH 507-606	249
ASNH 508-607	261
ASNH 509	277
ASNH 510-608	281
ASNH 511-609	304
ASNH 512-610	312
ASNH 513-611	322
ASNH 515-612	329
ASNH 516-613	332
ASNH 517	369
ASNH 518-615	428
ASNH 519-616	533
ASNH 520-617	543
ASNH 522-619	561
ASNH 524-620	579
ASNH 526	671
ASNH 528	740
ASNH 530	865
ASNH 532	972



Designation	RSP (₹)	Product image
-------------	-----------	---------------

End cover for SNL 31 and SD 31 series housings

ETS 34	11,855
ETS 36	11,862
ETS 38	12,961
ETS 40	14,294
ETS 44	14,738
ETS 48	20,862
ETS 52	21,825
ETS 56	33,787
ETS 60	37,366
ETS 64	36,520
ETS 68	36,922
ETS 72	41,479
ETS 80	58,188



SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Product image
-------------	----------	---------------

SKF oil lubricated housings, SONL series

SONL oil lubricated housings

SONL 217-517	180,076
SONL 218-518	184,054
SONL 220-520	193,102
SONL 222-522	197,586
SONL 224-524	209,660
SONL 226-526	227,770
SONL 228-528	241,237
SONL 230-530	252,671
SONL 232-532	277,880



Designation	RSP (₹)	Product image
-------------	----------	---------------

End cover for SONL housings

ECO 217-517	39,594
ECO 218-518	33,988
ECO 220-520	34,678
ECO 222-522	37,420
ECO 224-524	37,490
ECO 226-526	53,701
ECO 228-528	55,317
ECO 230-530	55,586
ECO 232-532	59,268

Seals for SKF oil lubricated housings

Labyrinth seals for SONL housings

TSO 217	104,595
TSO 218	112,912
TSO 220	113,737
TSO 222	111,068
TSO 224	102,675
TSO 226	148,017
TSO 228	159,645
TSO 230	184,540
TSO 232	196,848
TSO 517	81,434
TSO 518	94,773
TSO 520	103,011
TSO 522	112,660
TSO 524	105,915
TSO 526	141,624
TSO 528	122,204
TSO 530	192,020
TSO 532	200,275



Y– bearings and Y-bearing units

Except for the cage and seals, SKF Y-bearings (ball bearings) for high temperatures correspond in design to standard Y-bearings with grub screws in the YAR 2-2F series. The bearings have a shield and a flinger on both sides to prevent the ingress of solid contaminants into the bearing. The radial internal clearance is a multiple of C5 to prevent the bearings from seizing, even when they cool rapidly.

The entire surface of the bearing and the shields and flingers are manganese phosphated to enhance adhesion of the lubricant to the metal, thus improving the running-in properties of the bearing.



SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Product image
-------------	----------	---------------

Ball Bearing Units - ISO Series

ISO Series- Pillow Block Unit

SY 1. TF	2,136
SY 1.1/2 TF	3,734
SY 1.1/4 TF	3,093
SY 1.1/8 TF	2,677
SY 1.15/16 TF	5,635
SY 1.3/4 TF	4,431
SY 1.3/8 TF	3,300
SY 1.5/16 TF	3,253
SY 1.5/8 TF	4,469
SY 1.7/16 TF	3,442
SY 12 TF	2,730
SY 15 TF	2,645
SY 17 TF	2,440
SY 2. TF	6,136
SY 2.1/2 TF	11,249
SY 2.1/4 TF	8,667
SY 2.3/16 TF	5,853
SY 2.7/16 TF	9,419
SY 20 TF	1,984
SY 25 TF	2,194
SY 3/4 TF	2,111
SY 30 TF	2,578
SY 35 TF	3,188
SY 40 TF	3,869
SY 45 TF	4,775
SY 50 TF	5,842
SY 55 TF	7,133
SY 60 TF	9,474
SY 65 TF	11,229



ISO Series- Take Up Unit

TU 1. TF	2,690
TU 1.1/2 TF	4,447
TU 1.1/4 TF	3,803
TU 1.15/16 TF	5,877
TU 1.3/4 TF	5,135
TU 1.3/8 TF	3,530
TU 1.7/16 TF	3,530
TU 2. TF	7,993
TU 20 TF	2,650
TU 25 TF	2,801
TU 30 TF	3,246
TU 35 TF	3,654
TU 40 TF	4,656
TU 45 TF	5,291
TU 50 TF	5,760
TU 55 TF	8,300



Designation	RSP (₹)	Product image
-------------	----------	---------------

ISO Series- Four Bolt Square Flange Unit

FY 1. TF	2,136
FY 1.1/2 TF	3,903
FY 1.1/4 TF	3,248
FY 1.1/8 TF	2,704
FY 1.15/16 TF	4,970
FY 1.3/16 TF	2,585
FY 1.3/4 TF	4,083
FY 1.3/8 TF	3,001
FY 1.5/16 TF	3,257
FY 1.5/8 TF	3,878
FY 1.7/16 TF	3,135
FY 12 TF	2,854
FY 15 TF	2,582
FY 17 TF	2,589
FY 2.1/2 TF	9,858
FY 2.1/4 TF	8,327
FY 2.7/16 TF	8,093
FY 20 TF	1,999
FY 25 TF	2,219
FY 30 TF	2,884
FY 35 TF	3,251
FY 40 TF	3,914
FY 45 TF	4,225
FY 5/8 TF	2,313
FY 50 TF	5,394
FY 55 TF	6,269
FY 60 TF	8,784
FY 65 TF	9,449



ISO Series- Two Bolt Oval Flange Unit

FYTB 1. TF	2,432
FYTB 1.1/2 TF	4,056
FYTB 1.1/4 TF	3,654
FYTB 1.3/4 TF	4,840
FYTB 12 TF	2,907
FYTB 15 TF	3,116
FYTB 17 TF	3,128
FYTB 20 TF	2,201
FYTB 25 TF	2,540
FYTB 3/4 TF	2,188
FYTB 30 TF	3,019
FYTB 35 TF	3,699
FYTB 40 TF	4,275
FYTB 45 TF	4,883
FYTB 50 TF	5,930
FYTB 55 TF	8,731



SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Product image
-------------	----------	---------------

Ball Bearing Units - JIS Series

JIS Series- Short Base Pillow Block

SYF 20 TF	3,084
SYF 25 TF	3,479
SYF 30 TF	4,472
SYF 35 TF	5,190
SYF 40 TF	5,837
SYF 45 TF	6,810
SYF 50 TF	7,692



JIS Series- Pillow Block Unit

SYJ 20 TF	1,668
SYJ 25 KF	2,635
SYJ 25 TF	1,732
SYJ 30 KF	3,308
SYJ 30 TF	2,124
SYJ 35 KF	3,724
SYJ 35 TF	2,635
SYJ 40 KF	4,457
SYJ 45 KF	5,441
SYJ 45 TF	3,550
SYJ 50 KF	5,930
SYJ 50 TF	3,879
SYJ 55 KF	7,375
SYJ 55 TF	6,892
SYJ 60 KF	10,279
SYJ 60 TF	6,755
SYJ 65 KF	11,892
SYJ 65 TF	10,559
SYJ 70 TF	13,585
SYJ 75 TF	20,675
SYJ 80 TF	26,553
SYJ 90 TF	33,624
SYJ 100 TF	34,060



JIS Series- Four Bolt Square Flange Unit

FYJ 20 TF	1,695
FYJ 25 TF	1,728
FYJ 30 KF	2,445
FYJ 30 TF	2,124
FYJ 35 KF	2,789
FYJ 35 TF	2,512
FYJ 40 TF	2,904
FYJ 45 TF	3,492
FYJ 50 TF	4,152
FYJ 55 KF	7,784
FYJ 55 TF	5,753
FYJ 60 KF	10,496
FYJ 60 TF	6,900
FYJ 65 KF	12,062
FYJ 65 TF	11,288
FYJ 70 TF	22,199
FYJ 75 TF	25,469



Designation	RSP (₹)	Product image
-------------	----------	---------------

FYJ 80 TF	30,464
FYJ 90 TF	36,874
FYJ 100 TF	27,799

JIS Series- Two Bolt Oval Flange Unit

FYTJ 20 TF	2,315
FYTJ 25 TF	1,748
FYTJ 30 TF	2,149
FYTJ 35 TF	2,480
FYTJ 40 TF	2,919
FYTJ 45 TF	3,302
FYTJ 50 TF	3,921

JIS Series- Four Bolt Circular Flange Unit

FYC 20 TF	2,146
FYC 25 TF	2,238
FYC 30 TF	2,897
FYC 35 TF	3,135
FYC 40 TF	3,776
FYC 45 TF	4,716
FYC 50 TF	5,997
FYC 55 TF	7,024
FYC 60 TF	8,921
FYC 65 TF	11,065



JIS Series- Take Up Unit

TUJ 20 TF	2,856
TUJ 25 TF	2,565
TUJ 30 TF	3,009
TUJ 35 TF	3,420
TUJ 40 TF	4,648
TUJ 45 TF	5,109
TUJ 50 TF	5,351
TUJ 55 TF	8,861
TUJ 60 TF	11,673



Insert Bearing

Two Grub Screw locking Insert Bearing

YAR 203/12-2F	1,617
YAR 203/15-2F	1,513
YAR 203-010-2F	1,488
YAR 203-2F	1,523
YAR 204-012-2F	974
YAR 204-2F	1,015
YAR 205-014-2F	1,550
YAR 205-015-2F	1,556
YAR 205-100-2F	1,062
YAR 205-2F	1,101
YAR 206-102-2F	1,244
YAR 206-103-2F	2,024
YAR 206-104-2F	1,964
YAR 206-2F	1,271
YAR 207-104-2F	1,463
YAR 207-105-2F	2,295





SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Product image	Designation	RSP (₹)	Product image	
YAR 207-106-2F	2,408		YET 204-012	2,019		
YAR 207-107-2F	2,512		YET 205	2,154		
YAR 207-2F	1,528		YET 205-014	2,123		
YAR 208-108-2F	2,679		YET 205-100	2,156		
YAR 208-2F	1,915		YET 206	2,214		
YAR 209-110-2F	3,163		YET 206-102	2,188		
YAR 209-111-2F	3,160		YET 206-103	2,206		
YAR 209-112-2F	2,219		YET 206-104	2,104		
YAR 209-2F	2,233		YET 207	2,742		
YAR 210-115-2F	3,634		YET 207-104	2,735		
YAR 210-2F	2,667		YET 207-106	2,650		
YAR 211-200-2F	5,438		YET 207-107	2,655		
YAR 211-203-2F	4,698		YET 208	3,308		
YAR 211-2F	3,390		YET 208-108	3,290		
YAR 212-204-2F	5,648		YET 209	4,041		
YAR 212-207-2F	6,530		YET 209-112	3,884		
YAR 212-2F	4,130		YET 210	4,593		
YAR 213-208-2F	5,135		YET 210-115	4,113		
YAR 213-2F	5,124		YET 211	5,282		
YAR 214-2F	8,692		YET 211-200	4,259		
YAR 215-2F	14,988		YET 212	9,805		
YAT 204	1,575		Adapter Sleeve locking Insert Bearing			
YAT 204-012	1,576		YSA 205-2FK	1,847		
YAT 205	1,668		YSA 206-2FK	2,238		
YAT 205-100	1,613		YSA 207-2FK	2,502		
YAT 206	2,403		YSA 208-2FK	3,420		
YAT 206-103	1,984		YSA 209-2FK	3,951		
YAT 207	2,781		YSA 210-2FK	4,417		
YAT 208	3,282		YSA 211-2FK	5,675		
YAT 210	4,147		YSA 212-2FK	7,390		
			YSA 213-2FK	8,153		
			End Cover			
Excentric Locking collar Insert Bearing			ECY 204	207		
YEL 204-012-2F	2,136		ECY 205	240		
YEL 204-2F	2,219		ECY 206	254		
YEL 205-100-2F	1,576		ECY 207	282		
YEL 205-2F	1,638		ECY 208	307		
YEL 206-104-2F	2,163		ECY 209	347		
YEL 206-2F	2,249		ECY 210	362		
YEL 207-104-2F	2,191					
YEL 207-106-2F	3,006					
YEL 207-107-2F	3,141					
YEL 207-2F	2,206					
YEL 208-108-2F	3,069					
YEL 208-2F	3,200					
YEL 209-2F	3,567					
YEL 210-115-2F	4,711					
YEL 210-2F	4,516					
YEL 211-200-2F	6,231					
YEL 211-2F	6,461					
YEL 212-2F	10,513					
YET 203	1,829					
YET 203/15	1,809					
YET 204	1,947					

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Product image
-------------	----------	---------------

Ball Bearing Units - Blue Line

Blue Line Range - Two Bolt Oval Flange Unit

F2BC 20M-TPSS	6,461
F2BC 25M-TPSS	7,081
F2BC 30M-TPSS	8,437
F2BC 40M-TPSS	13,582
F2BSS 20M-YTPSS	10,304
F2BSS 25M-YTPSS	***
F2BSS 30M-YTPSS	***
F2BSS 35M-YTPSS	***



Blue Line Range - Three Bolt Bracket Flange unit

F3BBC 20M-TPSS	7,121
F3BBC 35M-TPSS	10,990
F3BBC 40M-TPSS	13,828



Blue Line Range -Four Bolt Square Flange Unit

F4BC 25M-TPSS	7,533
F4BC 30M-TPSS	8,641
F4BC 30M-TPZM	5,721
F4BC 35M-TPSS	10,783
F4BC 40M-TPSS	13,459
F4BC 50M-TPZM	9,631
F4BSS 20M-YTPSS	12,019
F4BSS 25M-YTPSS	14,280
F4BSS 30M-YTPSS	***
F4BSS 35M-YTPSS	18,497
F4BSS 40M-YTPSS	23,124



Blue Line Range - Take Up Unit

WSTUC 20M-TPSS	7,655
WSTUC 25M-TPSS	7,986
WSTUC 30M-TPSS	9,591
WSTUC 30M-TPZM	4,940
WSTUC 35M-TPSS	10,538
WSTUC 40M-TPSS	14,529



Designation	RSP (₹)	Product image
-------------	----------	---------------

Blue Line Range - Pillow Block

P2BC 20M-TPSS	7,203
P2BC 40M-CPSS-DFH	14,571
P2BC 40M-TPSS	13,582
P2BC 40M-TPZM	9,385
P2BC 50M-TPSS	15,643
P2BC 50M-TPZM	9,385
P2BSS 100-YTPSS	***
P2BSS 20M-YTPSS	11,874
P2BSS 25M-YTPSS	13,115
P2BSS 30M-YTPSS	15,957
P2BSS 35M-YTPSS	17,446
P2BSS 40M-YTPSS	***





Seals for general industrial applications



Fluid power sealing systems

Sealing solutions

Being the world's only bearing company with seal manufacturing capabilities, SKF supplies a wide range of sealing solutions for rotating, reciprocating and static applications to industries worldwide. Innovative SKF sealing solutions help customers to increase productivity and process reliability as well as to reduce Total Cost of Ownership (TCO).

Based on extensive knowledge and experience in material technology, design and manufacturing processes, SKF offers standard seals and custom engineered sealing solutions in a broad range of elastomers, thermoplastics and thermoplastic elastomers. Our dedicated local teams of experts are there to solve your challenging application demands.

For more information about SKF sealing solutions, please contact your local SKF representative, or visit www.skf.com/seals.



V-ring seals



Large diameter seals

Sealing solutions

Machined seals

SKF is the global market and technology leader in high quality custom engineered sealing solutions offering a comprehensive range of machined seals for many industries.

The innovative production system - SKF SEALJET - reduces manufacturing and dispatch time to a minimum. Virtually any kind of seal for any conceivable application, in any dimension and design, can be produced.

SKF offers machined sealing solutions for fluid power, fluid handling and power transmission applications including special large diameter seals with a virtually unlimited diameter range.

Oil seals

The demand for increased speeds, higher operating temperatures and synthetic lubricants with aggressive additives increase the stress on oil and grease seals. SKF seals deliver unparalleled performance over a wide range of operating conditions for most demanding applications.

Speedi-Sleeve

Over time, contaminants and conditions can cause particles to become trapped inside a lip seal. Particles then form wear grooves on the shaft, eventually leading to seal failure and severe shaft damage. Repairs are expensive, time-consuming and too often, ineffective. With an SKF Speedi-Sleeve, they are unnecessary.

SEALING
SOLUTIONS
CUSTOMIZED
FOR YOUR
SYSTEM
PERFORMANCE



Speed-Sleeves

SKF offers expert advice and provides support throughout the life cycle of your sealing system.



Machined seals



Oil seals

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
6X16X5 HMS5 RG	0.236	0.630	0.197	6.00	16.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	95
6X16X5 HMS5 V	0.236	0.630	0.197	6.00	16.00	5.00	V(VITON)	HMS5	Rubber OD seal	356
6X16X5 HMSA10 RG	0.236	0.630	0.197	6.00	16.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	107
6X16X5 HMSA10 V	0.236	0.630	0.197	6.00	16.00	5.00	V(VITON)	HMSA10	Rubber OD seal	376
6X16X7 HMS5 RG	0.236	0.630	0.276	6.00	16.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
6X16X7 HMS5 V	0.236	0.630	0.276	6.00	16.00	7.00	V(VITON)	HMS5	Rubber OD seal	356
6X16X7 HMSA10 RG	0.236	0.630	0.276	6.00	16.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	107
6X16X7 HMSA10 V	0.236	0.630	0.276	6.00	16.00	7.00	V(VITON)	HMSA10	Rubber OD seal	376
6X22X7 HMS5 V	0.236	0.866	0.276	6.00	22.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
6X22X7 HMSA10 V	0.236	0.866	0.276	6.00	22.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
6X22X7 HMSA10 RG	0.236	0.866	0.276	6.00	22.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
6X22X7 HMS5 RG	0.236	0.866	0.276	6.00	22.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
2514	0.250	0.749	0.250	6.35	19.02	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	1,002
7X22X7 HMS5 V	0.276	0.866	0.276	7.00	22.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
7X22X7 HMSA10 V	0.276	0.866	0.276	7.00	22.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
7X22X7 HMSA10 RG	0.276	0.866	0.276	7.00	22.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
7X22X7 HMS5 RG	0.276	0.866	0.276	7.00	22.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
8X18X5 HMS5 RG	0.315	0.709	0.197	8.00	18.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	95
8X18X5 HMS5 V	0.315	0.709	0.197	8.00	18.00	5.00	V(VITON)	HMS5	Rubber OD seal	356
8X18X5 HMSA10 RG	0.315	0.709	0.197	8.00	18.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	107
8X18X5 HMSA10 V	0.315	0.709	0.197	8.00	18.00	5.00	V(VITON)	HMSA10	Rubber OD seal	376
8X18X7 HMS5 RG	0.315	0.709	0.276	8.00	18.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
8X18X7 HMS5 V	0.315	0.709	0.276	8.00	18.00	7.00	V(VITON)	HMS5	Rubber OD seal	356
8X18X7 HMSA10 RG	0.315	0.709	0.276	8.00	18.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	107
8X18X7 HMSA10 V	0.315	0.709	0.276	8.00	18.00	7.00	V(VITON)	HMSA10	Rubber OD seal	376
8X22X7 HMS5 V	0.315	0.866	0.276	8.00	22	7	V(VITON)	HMS5	Rubber OD seal	362
8X22X7 HMSA10 V	0.315	0.866	0.276	8.00	22	7	V(VITON)	HMSA10	Rubber OD seal	382
8X24X7 HMS5 V	0.315	0.945	0.276	8.00	24.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
8X24X7 HMSA10 V	0.315	0.945	0.276	8.00	24.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
8X22X7 HMSA10 RG	0.315	0.866	0.276	8.00	22	7	R(NITRILE)	HMSA10	Rubber OD seal	105
8X24X7 HMSA10 RG	0.315	0.945	0.276	8.00	24.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
8X22X7 HMS5 RG	0.315	0.866	0.276	8.00	22	7	R(NITRILE)	HMS5	Rubber OD seal	95
8X24X7 HMS5 RG	0.315	0.945	0.276	8.00	24.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
9X22X7 HMS5 V	0.354	0.866	0.276	9.00	22.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
9X22X7 HMSA10 V	0.354	0.866	0.276	9.00	22.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
9X22X7 HMSA10 RG	0.354	0.866	0.276	9.00	22.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
9X22X7 HMS5 RG	0.354	0.866	0.276	9.00	22.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
10 VA R	0.375	0.725	0.180	10.00	19	4.5	R (NITRILE)	VR 1	V-RING	119
3680	0.375	0.750	0.250	9.53	19.05	6.35	R (NITRILE)	CRWA1	Wave Seal, metal OD	389
3687	0.375	0.749	0.250	9.53	19.02	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	332
3688	0.375	0.749	0.250	9.53	19.02	6.35	V (VITON)	CRW1	Wave Seal, metal OD	631
3725	0.375	0.875	0.250	9.53	22.23	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	284
3752	0.375	0.999	0.250	9.53	25.37	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,207
10X20X6 HMS5 V	0.394	0.787	0.236	10.00	20.00	6.00	V(VITON)	HMS5	Rubber OD seal	326
10X20X7 HMS5 V	0.394	0.787	0.276	10.00	20.00	7.00	V(VITON)	HMS5	Rubber OD seal	326
10X22X7 HMS5 V	0.394	0.866	0.276	10.00	22.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
10X22X7 HMSA10 V	0.394	0.866	0.276	10.00	22.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
10X24X7 HMS5 V	0.394	0.945	0.276	10.00	24.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
10X24X7 HMSA10 V	0.394	0.945	0.276	10.00	24.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
10X25X7 HMS5 V	0.394	0.984	0.276	10.00	25.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
10X25X7 HMSA10 V	0.394	0.984	0.276	10.00	25.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
10X26X7 HMS5 RG	0.394	1.024	0.276	10.00	26.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
10X26X7 HMS5 V	0.394	1.024	0.276	10.00	26.00	7.00	V(VITON)	HMS5	Rubber OD seal	366
10X20X6 HMSA10 V	0.394	0.787	0.236	10.00	20.00	6.00	V(VITON)	HMSA10	Rubber OD seal	371
10X26X7 HMSA10 V	0.394	1.024	0.276	10.00	26.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
10X20X7 HMSA10 V	0.394	0.787	0.276	10.00	20.00	7.00	V(VITON)	HMSA10	Rubber OD seal	371
10X20X6 HMSA10 RG	0.394	0.787	0.236	10.00	20.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	105
10X20X7 HMSA10 RG	0.394	0.787	0.276	10.00	20.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
10X22X7 HMSA10 RG	0.394	0.866	0.276	10.00	22.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
10X24X7 HMSA10 RG	0.394	0.945	0.276	10.00	24.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
10X25X7 HMSA10 RG	0.394	0.984	0.276	10.00	25.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
10X20X6 HMS5 RG	0.394	0.787	0.236	10.00	20.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	95
10X20X7 HMS5 RG	0.394	0.787	0.276	10.00	20.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
10X22X7 HMS5 RG	0.394	0.866	0.276	10.00	22.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
10X24X7 HMS5 RG	0.394	0.945	0.276	10.00	24.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
10X25X7 HMS5 RG	0.394	0.984	0.276	10.00	25.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
10X26X7 HMSA10 RG	0.394	1.024	0.276	10.00	26.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
4251	0.438	0.875	0.250	11.13	22.23	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	342
4355	0.438	0.999	0.375	11.13	25.37	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	433
4356	0.438	0.999	0.250	11.13	25.37	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,074
12X22X7 CRW1 R	0.472	0.866	0.276	12.00	22	7	R (NITRILE)	CRW1	Wave Seal, metal OD	473
12X22X7 CRW1 V	0.472	0.866	0.276	12.00	22	7	V (VITON)	CRW1	Wave Seal, metal OD	630
12X25X7 CRW1 R	0.472	0.984	0.276	12.00	25	7	R (NITRILE)	CRW1	Wave Seal, metal OD	601
12X26X7 CRW1 R	0.472	1.024	0.276	12.00	26	7	R (NITRILE)	CRW1	Wave Seal, metal OD	2,897
12X32X7 CRW1 R	0.472	1.260	0.276	12.00	32	7	R (NITRILE)	CRW1	Wave Seal, metal OD	1,399
12X32X7 CRW1 V	0.472	1.260	0.276	12.00	32	7	V (VITON)	CRW1	Wave Seal, metal OD	2,286
12X35X7 CRW1 R	0.472	1.378	0.276	12.00	35	7	R (NITRILE)	CRW1	Wave Seal, metal OD	1,049
99049	0.472	0.000	0.236	12.00	0	6		SSLLEEVE	SSLLEEVE	1,897
12X22X5 HMS5 V	0.472	0.866	0.197	12.00	22.00	5.00	V(VITON)	HMS5	Rubber OD seal	362
12X22X5 HMSA10 V	0.472	0.866	0.197	12.00	22.00	5.00	V(VITON)	HMSA10	Rubber OD seal	382
12X22X6 HMS5 V	0.472	0.866	0.236	12.00	22.00	6.00	V(VITON)	HMS5	Rubber OD seal	362
12X22X6 HMSA10 V	0.472	0.866	0.236	12.00	22.00	6.00	V(VITON)	HMSA10	Rubber OD seal	382
12X22X7 HMS5 V	0.472	0.866	0.276	12.00	22.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
12X22X7 HMSA10 V	0.472	0.866	0.276	12.00	22.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
12X24X7 HMS5 V	0.472	0.945	0.276	12.00	24.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
12X24X7 HMSA10 V	0.472	0.945	0.276	12.00	24.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
12X25X7 HMS5 V	0.472	0.984	0.276	12.00	25.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
12X25X7 HMSA10 V	0.472	0.984	0.276	12.00	25.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
12X28X7 HMS5 RG	0.472	1.102	0.276	12.00	28.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
12X28X7 HMS5 V	0.472	1.102	0.276	12.00	28.00	7.00	V(VITON)	HMS5	Rubber OD seal	366
12X28X7 HMSA10 V	0.472	1.102	0.276	12.00	28.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
12X30X7 HMS5 RG	0.472	1.181	0.276	12.00	30.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
12X30X7 HMS5 V	0.472	1.181	0.276	12.00	30.00	7.00	V(VITON)	HMS5	Rubber OD seal	366
12X22X5 HMSA10 RG	0.472	0.866	0.197	12.00	22.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	105
12X30X7 HMSA10 V	0.472	1.181	0.276	12.00	30.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
12X32X7 HMS5 RG	0.472	1.260	0.276	12.00	32.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
12X32X7 HMS5 V	0.472	1.260	0.276	12.00	32.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
12X32X7 HMSA10 RG	0.472	1.260	0.276	12.00	32.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
12X32X7 HMSA10 V	0.472	1.260	0.276	12.00	32.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
12X22X6 HMSA10 RG	0.472	0.866	0.236	12.00	22.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	105
12X22X7 HMSA10 RG	0.472	0.866	0.276	12.00	22.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
12X24X7 HMSA10 RG	0.472	0.945	0.276	12.00	24.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
12X25X7 HMSA10 RG	0.472	0.984	0.276	12.00	25.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
12X22X5 HMS5 RG	0.472	0.866	0.197	12.00	22.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	95

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
12X22X6 HMS5 RG	0.472	0.866	0.236	12.00	22.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	95
12X22X7 HMS5 RG	0.472	0.866	0.276	12.00	22.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
12X24X7 HMS5 RG	0.472	0.945	0.276	12.00	24.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
12X25X7 HMS5 RG	0.472	0.984	0.276	12.00	25.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
12X28X7 HMSA10 RG	0.472	1.102	0.276	12.00	28.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
12X30X7 HMSA10 RG	0.472	1.181	0.276	12.00	30.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
12 VA R	0.500	0.850	0.180	12.00	21	4.5	R (NITRILE)	VR 1	V-RING	129
4931	0.500	0.875	0.250	12.70	22.23	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	329
4932	0.500	0.875	0.250	12.70	22.23	6.35	V (VITON)	CRW1	Wave Seal, metal OD	870
5150	0.500	1.375	0.250	12.70	34.93	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	344
99050	0.500	0.000	0.250	12.70	0	6.35		SSLEEVE	SSLEEVE	1,830
13X26X7 HMS5 RG	0.512	1.024	0.276	13.00	26.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
13X26X7 HMS5 V	0.512	1.024	0.276	13.00	26.00	7.00	V(VITON)	HMS5	Rubber OD seal	366
13X26X7 HMSA10 V	0.512	1.024	0.276	13.00	26.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
13X26X7 HMSA10 RG	0.512	1.024	0.276	13.00	26.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
99055	0.551	0.000	0.250	14.00	0	6.35		SSLEEVE	SSLEEVE	1,909
14X24X7 HMS5 V	0.551	0.945	0.276	14.00	24.00	7.00	V(VITON)	HMS5	Rubber OD seal	362
14X24X7 HMSA10 V	0.551	0.945	0.276	14.00	24.00	7.00	V(VITON)	HMSA10	Rubber OD seal	382
14X25X5 HMS5 V	0.551	0.984	0.197	14.00	25.00	5.00	V(VITON)	HMS5	Rubber OD seal	362
14X24X7 HMSA10 RG	0.551	0.945	0.276	14.00	24.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
14X25X5 HMSA10 V	0.551	0.984	0.197	14.00	25.00	5.00	V(VITON)	HMSA10	Rubber OD seal	382
14X28X7 HMS5 RG	0.551	1.102	0.276	14.00	28.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
14X28X7 HMS5 V	0.551	1.102	0.276	14.00	28.00	7.00	V(VITON)	HMS5	Rubber OD seal	366
14X25X5 HMSA10 RG	0.551	0.984	0.197	14.00	25.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	105
14X28X7 HMSA10 V	0.551	1.102	0.276	14.00	28.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
14X30X7 HMS5 RG	0.551	1.181	0.276	14.00	30.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
14X30X7 HMS5 V	0.551	1.181	0.276	14.00	30.00	7.00	V(VITON)	HMS5	Rubber OD seal	366
14X30X7 HMSA10 V	0.551	1.181	0.276	14.00	30.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
14X24X7 HMS5 RG	0.551	0.945	0.276	14.00	24.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	95
14X25X5 HMS5 RG	0.551	0.984	0.197	14.00	25.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	95
14X28X7 HMSA10 RG	0.551	1.102	0.276	14.00	28.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
14X30X7 HMSA10 RG	0.551	1.181	0.276	14.00	30.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
5523	0.563	0.875	0.188	14.30	22.23	4.78	D (DURALIP)	CRW1	Wave Seal, metal OD	705
5542	0.563	0.999	0.250	14.30	25.37	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,029
99056	0.563	0.000	0.250	14.30	0	6.35		SSLEEVE	SSLEEVE	2,193
14 VA R	0.570	0.920	0.180	14.00	23	4.5	R (NITRILE)	VR 1	V-RING	129
15X25X5 HMSA10 RG	0.591	0.984	0.197	15.00	25.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	105
15X25X6 HMSA10 RG	0.591	0.984	0.236	15.00	25.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	105
15X25X5 HMS5 V	0.591	0.984	0.197	15.00	25.00	5.00	V(VITON)	HMS5	Rubber OD seal	362
15X25X5 HMSA10 V	0.591	0.984	0.197	15.00	25.00	5.00	V(VITON)	HMSA10	Rubber OD seal	382
15X25X6 HMS5 V	0.591	0.984	0.236	15.00	25.00	6.00	V(VITON)	HMS5	Rubber OD seal	362
15X25X6 HMSA10 V	0.591	0.984	0.236	15.00	25.00	6.00	V(VITON)	HMSA10	Rubber OD seal	382
15X26X7 HMS5 RG	0.591	1.024	0.276	15.00	26.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
15X26X7 HMS5 V	0.591	1.024	0.276	15.00	26.00	7.00	V(VITON)	HMS5	Rubber OD seal	369
15X26X7 HMSA10 V	0.591	1.024	0.276	15.00	26.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
15X30X7 HMS5 RG	0.591	1.181	0.276	15.00	30.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
15X30X7 HMS5 V	0.591	1.181	0.276	15.00	30.00	7.00	V(VITON)	HMS5	Rubber OD seal	369
15X30X7 HMSA10 V	0.591	1.181	0.276	15.00	30.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
15X32X7 HMS5 RG	0.591	1.260	0.276	15.00	32.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
15X32X7 HMS5 V	0.591	1.260	0.276	15.00	32.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
15X32X7 HMSA10 RG	0.591	1.260	0.276	15.00	32.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
15X32X7 HMSA10 V	0.591	1.260	0.276	15.00	32.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
15X35X7 HMS5 RG	0.591	1.378	0.276	15.00	35.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
15X35X7 HMS5 V	0.591	1.378	0.276	15.00	35.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
15X35X7 HMSA10 RG	0.591	1.378	0.276	15.00	35.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
15X35X7 HMSA10 V	0.591	1.378	0.276	15.00	35.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
15X40X10 HMS5 RG	0.591	1.575	0.394	15.00	40.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	125
15X40X10 HMS5 V	0.591	1.575	0.394	15.00	40.00	10.00	V(VITON)	HMS5	Rubber OD seal	504
15X40X10 HMSA10 RG	0.591	1.575	0.394	15.00	40.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	137
15X40X10 HMSA10 V	0.591	1.575	0.394	15.00	40.00	10.00	V(VITON)	HMSA10	Rubber OD seal	528
15X25X5 HMS5 RG	0.591	0.984	0.197	15.00	25.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	95
15X25X6 HMS5 RG	0.591	0.984	0.236	15.00	25.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	95
15X26X7 HMSA10 RG	0.591	1.024	0.276	15.00	26.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
15X30X7 HMSA10 RG	0.591	1.181	0.276	15.00	30.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
15X32X7 CRW1 V	0.591	1.260	0.276	15.00	32	7	V (VITON)	CRW1	Wave Seal, metal OD	1,167
15X35X7 CRW1 R	0.591	1.378	0.276	15.00	35	7	R (NITRILE)	CRW1	Wave Seal, metal OD	1,152
99059	0.591	0.000	0.197	15.00	0	5.004		SSLEEVE	SSLEEVE	1,807
16 VA R	0.625	0.975	0.180	16.00	25	4.5	R (NITRILE)	VR 1	V-RING	95
6139	0.625	0.999	0.250	15.88	25.37	6.35	V (VITON)	CRWA1	Wave Seal, metal OD	843
6143	0.625	0.999	0.250	15.88	25.37	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	329
6247	0.625	1.181	0.250	15.88	30	6.35	R (NITRILE)	CRWA1	Wave Seal, metal OD	514
6391	0.625	1.377	0.250	15.88	34.98	6.35	R (NITRILE)	CRWHA1	Wave Seal, metal OD	820
99062	0.625	0.000	0.313	15.88	0	7.95		SSLEEVE	SSLEEVE	1,782
16X28X7 HMSA10 V	0.630	1.102	0.276	16.00	28.00	7.00	V(VITON)	HMSA10	Rubber OD seal	479
16X30X7 HMSA10 V	0.630	1.181	0.276	16.00	30.00	7.00	V(VITON)	HMSA10	Rubber OD seal	479
16X28X7 HMS5 RG	0.630	1.102	0.276	16.00	28.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
16X28X7 HMS5 V	0.630	1.102	0.276	16.00	28.00	7.00	V(VITON)	HMS5	Rubber OD seal	369
16X30X7 HMS5 RG	0.630	1.181	0.276	16.00	30.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
16X30X7 HMS5 V	0.630	1.181	0.276	16.00	30.00	7.00	V(VITON)	HMS5	Rubber OD seal	366
16X32X7 HMS5 RG	0.630	1.260	0.276	16.00	32.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
16X32X7 HMS5 V	0.630	1.260	0.276	16.00	32.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
16X32X7 HMSA10 RG	0.630	1.260	0.276	16.00	32.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
16X35X7 HMS5 RG	0.630	1.378	0.276	16.00	35.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
16X35X7 HMS5 V	0.630	1.378	0.276	16.00	35.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
16X35X7 HMSA10 RG	0.630	1.378	0.276	16.00	35.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
16X32X7 HMSA10 V	0.630	1.260	0.276	16.00	32.00	7.00	V(VITON)	HMSA10	Rubber OD seal	519
16X35X7 HMSA10 V	0.630	1.378	0.276	16.00	35.00	7.00	V(VITON)	HMSA10	Rubber OD seal	519
16X28X7 HMSA10 RG	0.630	1.102	0.276	16.00	28.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
16X30X7 HMSA10 RG	0.630	1.181	0.276	16.00	30.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
16X30X7 CRW1 R	0.630	1.181	0.276	16.00	30	7	R (NITRILE)	CRW1	Wave Seal, metal OD	878
16X35X7 CRW1 R	0.630	1.378	0.276	16.00	35	7	R (NITRILE)	CRW1	Wave Seal, metal OD	726
16X40X7 CRW1 R	0.630	1.575	0.276	16.00	40	7	R (NITRILE)	CRW1	Wave Seal, metal OD	521
99058	0.630	0.000	0.313	16.00	0	7.95		SSLEEVE	SSLEEVE	2,034
6523	0.656	1.124	0.313	16.66	28.55	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	534
6541	0.656	1.250	0.250	16.66	31.75	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	291
17X28X7 CRW1 R	0.669	1.102	0.276	17.00	28	7	R (NITRILE)	CRW1	Wave Seal, metal OD	451
17X28X7 CRW1 V	0.669	1.102	0.276	17.00	28	7	V (VITON)	CRW1	Wave Seal, metal OD	733
17X30X7 CRW1 R	0.669	1.181	0.276	17.00	30	7	R (NITRILE)	CRW1	Wave Seal, metal OD	663
17X35X7 CRW1 V	0.669	1.378	0.276	17.00	35	7	V (VITON)	CRW1	Wave Seal, metal OD	740
17X47X7 CRW1 R	0.669	1.850	0.276	17.00	47	7	R (NITRILE)	CRW1	Wave Seal, metal OD	655
6595	0.669	0.999	0.188	16.99	25.37	4.78	R (NITRILE)	CRW1	Wave Seal, metal OD	331
6597	0.669	1.573	0.281	16.99	39.95	7.14	V (VITON)	CRW1	Wave Seal, metal OD	1,598
6728	0.669	1.064	0.250	16.99	27.03	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	950
99068	0.669	0.000	0.315	17.00	0	7.95		SSLEEVE	SSLEEVE	1,984

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
17X28X7 HMSA10 V	0.669	1.102	0.276	17.00	28.00	7.00	V(VITON)	HMSA10	Rubber OD seal	479
17X29X5 HMSA10 V	0.669	1.142	0.197	17.00	29.00	5.00	V(VITON)	HMSA10	Rubber OD seal	479
17X30X7 HMSA10 V	0.669	1.181	0.276	17.00	30.00	7.00	V(VITON)	HMSA10	Rubber OD seal	479
17X28X7 HMS5 RG	0.669	1.102	0.276	17.00	28.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
17X28X7 HMS5 V	0.669	1.102	0.276	17.00	28.00	7.00	V(VITON)	HMS5	Rubber OD seal	369
17X29X5 HMS5 RG	0.669	1.142	0.197	17.00	29.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	92
17X29X5 HMS5 V	0.669	1.142	0.197	17.00	29.00	5.00	V(VITON)	HMS5	Rubber OD seal	366
17X30X7 HMS5 RG	0.669	1.181	0.276	17.00	30.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
17X30X7 HMS5 V	0.669	1.181	0.276	17.00	30.00	7.00	V(VITON)	HMS5	Rubber OD seal	369
17X32X7 HMS5 RG	0.669	1.260	0.276	17.00	32.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
17X32X7 HMS5 V	0.669	1.260	0.276	17.00	32.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
17X32X7 HMSA10 RG	0.669	1.260	0.276	17.00	32.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
17X32X7 HMSA10 V	0.669	1.260	0.276	17.00	32.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
17X35X7 HMS5 RG	0.669	1.378	0.276	17.00	35.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
17X35X7 HMS5 V	0.669	1.378	0.276	17.00	35.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
17X35X7 HMSA10 RG	0.669	1.378	0.276	17.00	35.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
17X35X7 HMSA10 V	0.669	1.378	0.276	17.00	35.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
17X40X10 HMS5 RG	0.669	1.575	0.394	17.00	40.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	125
17X40X10 HMS5 V	0.669	1.575	0.394	17.00	40.00	10.00	V(VITON)	HMS5	Rubber OD seal	504
17X40X10 HMSA10 RG	0.669	1.575	0.394	17.00	40.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	137
17X40X10 HMSA10 V	0.669	1.575	0.394	17.00	40.00	10.00	V(VITON)	HMSA10	Rubber OD seal	528
17X40X7 HMS5 RG	0.669	1.575	0.276	17.00	40.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
17X40X7 HMS5 V	0.669	1.575	0.276	17.00	40.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
17X40X7 HMSA10 RG	0.669	1.575	0.276	17.00	40.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
17X40X7 HMSA10 V	0.669	1.575	0.276	17.00	40.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
17X28X7 HMSA10 RG	0.669	1.102	0.276	17.00	28.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
17X29X5 HMSA10 RG	0.669	1.142	0.197	17.00	29.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	105
17X30X7 HMSA10 RG	0.669	1.181	0.276	17.00	30.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
18 VA R	0.688	1.038	0.180	18.00	27	4.5	R (NITRILE)	VR 1	V-RING	110
6745	0.688	1.124	0.250	17.48	28.55	6.35	V (VITON)	CRW1	Wave Seal, metal OD	910
6767	0.688	1.250	0.313	17.48	31.75	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	414
6768	0.688	1.250	0.313	17.48	31.75	7.95	V (VITON)	CRW1	Wave Seal, metal OD	937
6770	0.688	1.187	0.188	17.48	30.15	4.78	V (VITON)	CRW1	Wave Seal, metal OD	842
6816	0.688	1.375	0.313	17.48	34.93	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	404
6990	0.688	1.624	0.250	17.48	41.25	6.35	R (NITRILE)	CRWA1	Wave Seal, metal OD	566
18X28X7 HMSA10 V	0.709	1.102	0.276	18.00	28.00	7.00	V(VITON)	HMSA10	Rubber OD seal	479
18X30X6 HMSA10 V	0.709	1.181	0.236	18.00	30.00	6.00	V(VITON)	HMSA10	Rubber OD seal	479
18X30X7 HMSA10 V	0.709	1.181	0.276	18.00	30.00	7.00	V(VITON)	HMSA10	Rubber OD seal	479
18X28X7 HMS5 RG	0.709	1.102	0.276	18.00	28.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
18X28X7 HMS5 V	0.709	1.102	0.276	18.00	28.00	7.00	V(VITON)	HMS5	Rubber OD seal	369
18X30X6 HMS5 RG	0.709	1.181	0.236	18.00	30.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	92
18X30X6 HMS5 V	0.709	1.181	0.236	18.00	30.00	6.00	V(VITON)	HMS5	Rubber OD seal	366
18X30X7 HMS5 RG	0.709	1.181	0.276	18.00	30.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
18X30X7 HMS5 V	0.709	1.181	0.276	18.00	30.00	7.00	V(VITON)	HMS5	Rubber OD seal	369
18X32X7 HMS5 RG	0.709	1.260	0.276	18.00	32.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
18X32X7 HMS5 V	0.709	1.260	0.276	18.00	32.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
18X32X7 HMSA10 RG	0.709	1.260	0.276	18.00	32.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
18X32X7 HMSA10 V	0.709	1.260	0.276	18.00	32.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
18X35X7 HMS5 RG	0.709	1.378	0.276	18.00	35.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
18X35X7 HMS5 V	0.709	1.378	0.276	18.00	35.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
18X35X7 HMSA10 RG	0.709	1.378	0.276	18.00	35.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
18X35X7 HMSA10 V	0.709	1.378	0.276	18.00	35.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
18X40X7 HMS5 RG	0.709	1.575	0.276	18.00	40.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
18X40X7 HMS5 V	0.709	1.575	0.276	18.00	40.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
18X40X7 HMSA10 RG	0.709	1.575	0.276	18.00	40.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
18X40X7 HMSA10 V	0.709	1.575	0.276	18.00	40.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
18X28X7 HMSA10 RG	0.709	1.102	0.276	18.00	28.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
18X30X6 HMSA10 RG	0.709	1.181	0.236	18.00	30.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	105
18X30X7 HMSA10 RG	0.709	1.181	0.276	18.00	30.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
18X32X7 CRW1 V	0.709	1.260	0.276	18.00	32	7	V(VITON)	CRW1	Wave Seal, metal OD	1,757
18X35X7 CRW1 R	0.709	1.378	0.276	18.00	35	7	R(NITRILE)	CRW1	Wave Seal, metal OD	1,615
18X40X7 CRW1 R	0.709	1.575	0.276	18.00	40	7	R(NITRILE)	CRW1	Wave Seal, metal OD	720
99082	0.709	0.000	0.315	18.00	0	8.001		SSLEEVE	SSLEEVE	1,860
19X30X7 HMS5 RG	0.748	1.181	0.276	19.00	30.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
19X30X7 HMS5 V	0.748	1.181	0.276	19.00	30.00	7.00	V(VITON)	HMS5	Rubber OD seal	366
19X30X7 HMSA10 V	0.748	1.181	0.276	19.00	30.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
19X30X8 HMS5 RG	0.748	1.181	0.315	19.00	30.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	92
19X30X8 HMS5 V	0.748	1.181	0.315	19.00	30.00	8.00	V(VITON)	HMS5	Rubber OD seal	366
19X30X8 HMSA10 V	0.748	1.181	0.315	19.00	30.00	8.00	V(VITON)	HMSA10	Rubber OD seal	386
19X32X7 HMS5 RG	0.748	1.260	0.276	19.00	32.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
19X32X7 HMS5 V	0.748	1.260	0.276	19.00	32.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
19X32X7 HMSA10 RG	0.748	1.260	0.276	19.00	32.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
19X32X7 HMSA10 V	0.748	1.260	0.276	19.00	32.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
19X35X7 CRW1 R	0.748	1.378	0.276	19.00	35.00	7.00	R(NITRILE)	CRW1	Wave Seal, metal OD	533
19X30X7 HMSA10 RG	0.748	1.181	0.276	19.00	30.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
19X30X8 HMSA10 RG	0.748	1.181	0.315	19.00	30.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	105
20 VA R	0.750	1.220	0.240	20.00	32	6	R(NITRILE)	VR 1	V-RING	109
7414	0.750	1.124	0.188	19.05	28.55	4.78	R(NITRILE)	CRW1	Wave Seal, metal OD	464
7417	0.750	1.124	0.188	19.05	28.55	4.78	V(VITON)	CRW1	Wave Seal, metal OD	984
7467	0.750	1.249	0.188	19.05	31.72	4.78	V(VITON)	CRW1	Wave Seal, metal OD	1,792
7469	0.750	1.252	0.188	19.05	31.8	4.78	R(NITRILE)	CRW1	Wave Seal, metal OD	783
7474	0.750	1.312	0.250	19.05	33.32	6.35	R(NITRILE)	CRW1	Wave Seal, metal OD	389
7567	0.750	1.499	0.250	19.05	38.07	6.35	V(VITON)	CRW1	Wave Seal, metal OD	939
7572	0.750	1.499	0.250	19.05	38.07	6.35	R(NITRILE)	CRW1	Wave Seal, metal OD	401
7627	0.750	1.624	0.250	19.05	41.25	6.35	R(NITRILE)	CRW1	Wave Seal, metal OD	488
7636	0.750	1.752	0.250	19.05	44.5	6.35	R(NITRILE)	CRW1	Wave Seal, metal OD	362
7638	0.750	1.752	0.250	19.05	44.5	6.35	V(VITON)	CRWA1	Wave Seal, metal OD	1,371
7690	0.750	1.874	0.250	19.05	47.6	6.35	R(NITRILE)	CRW1	Wave Seal, metal OD	423
7693	0.750	2.047	0.313	19.05	51.99	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	428
99076	0.750	0.000	0.313	19.00	0	7.95		SSLEEVE	SSLEEVE	1,840
99081	0.760	0.000	0.313	19.30	0	7.95		SSLEEVE	SSLEEVE	2,091
7824	0.781	1.375	0.313	19.84	34.93	7.95	V(VITON)	CRW1	Wave Seal, metal OD	1,067
7872	0.781	1.624	0.313	19.84	41.25	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	533
99080	0.781	0.000	0.313	19.86	0	7.95		SSLEEVE	SSLEEVE	1,825
20X31X7 CRW1 R	0.787	1.220	0.276	20.00	31	7	R(NITRILE)	CRW1	Wave Seal, metal OD	1,334
20X35X7 CRW1 V	0.787	1.378	0.276	20.00	35	7	V(VITON)	CRW1	Wave Seal, metal OD	746
20X36X7 CRW1 V	0.787	1.417	0.276	20.00	36	7	V(VITON)	CRW1	Wave Seal, metal OD	812
20X37X7 CRW1 R	0.787	1.457	0.276	20.00	37	7	R(NITRILE)	CRW1	Wave Seal, metal OD	768
20X38X7 CRW1 R	0.787	1.496	0.276	20.00	38	7	R(NITRILE)	CRW1	Wave Seal, metal OD	2,386
20X40X7 CRW1 R	0.787	1.575	0.276	20.00	40	7	R(NITRILE)	CRW1	Wave Seal, metal OD	1,384
20X42X7 CRW1 R	0.787	1.654	0.276	20.00	42	7	R(NITRILE)	CRW1	Wave Seal, metal OD	797
20X47X7 CRW1 R	0.787	1.850	0.276	20.00	47	7	R(NITRILE)	CRW1	Wave Seal, metal OD	596
20X52X7 CRW1 R	0.787	2.047	0.276	20.00	52	7	R(NITRILE)	CRW1	Wave Seal, metal OD	670
7740	0.787	1.124	0.188	19.99	28.55	4.78	R(NITRILE)	CRW1	Wave Seal, metal OD	362

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
99078	0.787	0.000	0.315	20.00	0	8		SSLEEVE	SSLEEVE	1,897
20X30X5 HMS5 RG	0.787	1.181	0.197	20.00	30.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	92
20X30X5 HMS5 V	0.787	1.181	0.197	20.00	30.00	5.00	V(VITON)	HMS5	Rubber OD seal	366
20X30X5 HMSA10 V	0.787	1.181	0.197	20.00	30.00	5.00	V(VITON)	HMSA10	Rubber OD seal	386
20X30X7 HMS5 RG	0.787	1.181	0.276	20.00	30.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	92
20X30X7 HMS5 V	0.787	1.181	0.276	20.00	30.00	7.00	V(VITON)	HMS5	Rubber OD seal	369
20X30X7 HMSA10 V	0.787	1.181	0.276	20.00	30.00	7.00	V(VITON)	HMSA10	Rubber OD seal	386
20X32X7 HMS5 RG	0.787	1.260	0.276	20.00	32.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
20X32X7 HMS5 V	0.787	1.260	0.276	20.00	32.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
20X32X7 HMSA10 RG	0.787	1.260	0.276	20.00	32.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
20X32X7 HMSA10 V	0.787	1.260	0.276	20.00	32.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
20X34X7 HMS5 RG	0.787	1.339	0.276	20.00	34.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
20X34X7 HMS5 V	0.787	1.339	0.276	20.00	34.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
20X34X7 HMSA10 RG	0.787	1.339	0.276	20.00	34.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
20X34X7 HMSA10 V	0.787	1.339	0.276	20.00	34.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
20X35X10 HMS5 RG	0.787	1.378	0.394	20.00	35.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	115
20X35X10 HMS5 V	0.787	1.378	0.394	20.00	35.00	10.00	V(VITON)	HMS5	Rubber OD seal	464
20X35X10 HMSA10 RG	0.787	1.378	0.394	20.00	35.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	129
20X35X10 HMSA10 V	0.787	1.378	0.394	20.00	35.00	10.00	V(VITON)	HMSA10	Rubber OD seal	488
20X35X6 HMS5 RG	0.787	1.378	0.236	20.00	35.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	115
20X35X6 HMS5 V	0.787	1.378	0.236	20.00	35.00	6.00	V(VITON)	HMS5	Rubber OD seal	464
20X35X6 HMSA10 RG	0.787	1.378	0.236	20.00	35.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	129
20X35X6 HMSA10 V	0.787	1.378	0.236	20.00	35.00	6.00	V(VITON)	HMSA10	Rubber OD seal	488
20X35X7 HMS5 RG	0.787	1.378	0.276	20.00	35.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
20X35X7 HMS5 V	0.787	1.378	0.276	20.00	35.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
20X35X7 HMSA10 RG	0.787	1.378	0.276	20.00	35.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
20X35X7 HMSA10 V	0.787	1.378	0.276	20.00	35.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
20X35X8 HMS5 RG	0.787	1.378	0.315	20.00	35.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	115
20X35X8 HMS5 V	0.787	1.378	0.315	20.00	35.00	8.00	V(VITON)	HMS5	Rubber OD seal	464
20X35X8 HMSA10 RG	0.787	1.378	0.315	20.00	35.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	129
20X35X8 HMSA10 V	0.787	1.378	0.315	20.00	35.00	8.00	V(VITON)	HMSA10	Rubber OD seal	488
20X36X7 HMS5 RG	0.787	1.417	0.276	20.00	36.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
20X36X7 HMS5 V	0.787	1.417	0.276	20.00	36.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
20X36X7 HMSA10 RG	0.787	1.417	0.276	20.00	36.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
20X36X7 HMSA10 V	0.787	1.417	0.276	20.00	36.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
20X38X7 HMS5 RG	0.787	1.496	0.276	20.00	38.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
20X38X7 HMS5 V	0.787	1.496	0.276	20.00	38.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
20X38X7 HMSA10 RG	0.787	1.496	0.276	20.00	38.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
20X38X7 HMSA10 V	0.787	1.496	0.276	20.00	38.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
20X40X10 HMS5 RG	0.787	1.575	0.394	20.00	40.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	125
20X40X10 HMS5 V	0.787	1.575	0.394	20.00	40.00	10.00	V(VITON)	HMS5	Rubber OD seal	504
20X40X10 HMSA10 RG	0.787	1.575	0.394	20.00	40.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	137
20X40X10 HMSA10 V	0.787	1.575	0.394	20.00	40.00	10.00	V(VITON)	HMSA10	Rubber OD seal	528
20X40X7 HMS5 RG	0.787	1.575	0.276	20.00	40.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
20X40X7 HMS5 V	0.787	1.575	0.276	20.00	40.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
20X40X7 HMSA10 RG	0.787	1.575	0.276	20.00	40.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
20X40X7 HMSA10 V	0.787	1.575	0.276	20.00	40.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
20X42X10 HMS5 RG	0.787	1.654	0.394	20.00	42.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	140
20X42X10 HMS5 V	0.787	1.654	0.394	20.00	42.00	10.00	V(VITON)	HMS5	Rubber OD seal	558
20X42X10 HMSA10 RG	0.787	1.654	0.394	20.00	42.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	159
20X42X10 HMSA10 V	0.787	1.654	0.394	20.00	42.00	10.00	V(VITON)	HMSA10	Rubber OD seal	583
20X42X7 HMS5 RG	0.787	1.654	0.276	20.00	42.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
20X42X7 HMS5 V	0.787	1.654	0.276	20.00	42.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
20X42X7 HMSA10 RG	0.787	1.654	0.276	20.00	42.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
20X42X7 HMSA10 V	0.787	1.654	0.276	20.00	42.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
20X47X10 HMS5 RG	0.787	1.850	0.394	20.00	47.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
20X47X10 HMS5 V	0.787	1.850	0.394	20.00	47.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
20X47X10 HMSA10 RG	0.787	1.850	0.394	20.00	47.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	172
20X47X10 HMSA10 V	0.787	1.850	0.394	20.00	47.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
20X47X7 HMS5 RG	0.787	1.850	0.276	20.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
20X47X7 HMS5 V	0.787	1.850	0.276	20.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
20X47X7 HMSA10 RG	0.787	1.850	0.276	20.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
20X47X7 HMSA10 V	0.787	1.850	0.276	20.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
20X52X10 HMS5 RG	0.787	2.047	0.394	20.00	52.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
20X52X10 HMS5 V	0.787	2.047	0.394	20.00	52.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
20X52X10 HMSA10 RG	0.787	2.047	0.394	20.00	52.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185
20X52X10 HMSA10 V	0.787	2.047	0.394	20.00	52.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
20X52X7 HMS5 RG	0.787	2.047	0.276	20.00	52.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
20X52X7 HMS5 V	0.787	2.047	0.276	20.00	52.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
20X52X7 HMSA10 RG	0.787	2.047	0.276	20.00	52.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
20X52X7 HMSA10 V	0.787	2.047	0.276	20.00	52.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
20X30X5 HMSA10 RG	0.787	1.181	0.197	20.00	30.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	105
20X30X7 HMSA10 RG	0.787	1.181	0.276	20.00	30.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	105
8017	0.813	1.250	0.188	20.65	31.75	4.78	R (NITRILE)	CRW1	Wave Seal, metal OD	354
8060	0.813	1.375	0.375	20.65	34.93	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	351
8088	0.813	1.499	0.250	20.65	38.07	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	396
8178	0.813	1.624	0.250	20.65	41.25	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,035
21X35X7 HMS5 RG	0.827	1.378	0.276	21.00	35.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
21X35X7 HMS5 V	0.827	1.378	0.276	21.00	35.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
21X35X7 HMSA10 RG	0.827	1.378	0.276	21.00	35.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
21X35X7 HMSA10 V	0.827	1.378	0.276	21.00	35.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
21X35X7 CRW1 R	0.827	1.378	0.276	21.00	35	7	R (NITRILE)	CRW1	Wave Seal, metal OD	648
21X40X8 CRW1 R	0.827	1.575	0.315	21.00	40	8	R (NITRILE)	CRW1	Wave Seal, metal OD	546
99086	0.859	0.000	0.250	21.82	0	6.35		SSLEEVE	SSLEEVE	1,915
22X35X7 CRW1 V	0.866	1.378	0.276	22.00	35	7	V (VITON)	CRW1	Wave Seal, metal OD	815
22X38X7 CRW1 R	0.866	1.496	0.276	22.00	38	7	R (NITRILE)	CRW1	Wave Seal, metal OD	1,628
22X38X7 CRW1 V	0.866	1.496	0.276	22.00	38	7	V (VITON)	CRW1	Wave Seal, metal OD	945
22X40X6.3 CRW1 V	0.866	1.575	0.250	22.00	40	6.35	V (VITON)	CRW1	Wave Seal, metal OD	820
22X47X8 CRW1 R	0.866	1.850	0.315	22.00	47	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,249
99085	0.866	0.000	0.315	22.00	0	8.001		SSLEEVE	SSLEEVE	1,931
22X32X7 HMS5 RG	0.866	1.260	0.276	22.00	32.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
22X32X7 HMS5 V	0.866	1.260	0.276	22.00	32.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
22X32X7 HMSA10 RG	0.866	1.260	0.276	22.00	32.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
22X32X7 HMSA10 V	0.866	1.260	0.276	22.00	32.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
22X35X7 HMS5 RG	0.866	1.378	0.276	22.00	35.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
22X35X7 HMS5 V	0.866	1.378	0.276	22.00	35.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
22X35X7 HMSA10 RG	0.866	1.378	0.276	22.00	35.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
22X35X7 HMSA10 V	0.866	1.378	0.276	22.00	35.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
22X36X7 HMS5 RG	0.866	1.417	0.276	22.00	36.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
22X36X7 HMS5 V	0.866	1.417	0.276	22.00	36.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
22X36X7 HMSA10 RG	0.866	1.417	0.276	22.00	36.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
22X36X7 HMSA10 V	0.866	1.417	0.276	22.00	36.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
22X38X8 HMS5 RG	0.866	1.496	0.315	22.00	38.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	125
22X38X8 HMS5 V	0.866	1.496	0.315	22.00	38.00	8.00	V(VITON)	HMS5	Rubber OD seal	504

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
22X38X8 HMSA10 RG	0.866	1.496	0.315	22.00	38.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	137
22X38X8 HMSA10 V	0.866	1.496	0.315	22.00	38.00	8.00	V(VITON)	HMSA10	Rubber OD seal	528
22X40X10 HMS5 RG	0.866	1.575	0.394	22.00	40.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	125
22X40X10 HMS5 V	0.866	1.575	0.394	22.00	40.00	10.00	V(VITON)	HMS5	Rubber OD seal	504
22X40X10 HMSA10 RG	0.866	1.575	0.394	22.00	40.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	137
22X40X10 HMSA10 V	0.866	1.575	0.394	22.00	40.00	10.00	V(VITON)	HMSA10	Rubber OD seal	528
22X40X7 HMS5 RG	0.866	1.575	0.276	22.00	40.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
22X40X7 HMS5 V	0.866	1.575	0.276	22.00	40.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
22X40X7 HMSA10 RG	0.866	1.575	0.276	22.00	40.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
22X40X7 HMSA10 V	0.866	1.575	0.276	22.00	40.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
22X42X10 HMS5 RG	0.866	1.654	0.394	22.00	42.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	140
22X42X10 HMS5 V	0.866	1.654	0.394	22.00	42.00	10.00	V(VITON)	HMS5	Rubber OD seal	558
22X42X10 HMSA10 RG	0.866	1.654	0.394	22.00	42.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	159
22X42X10 HMSA10 V	0.866	1.654	0.394	22.00	42.00	10.00	V(VITON)	HMSA10	Rubber OD seal	583
22X47X7 HMS5 RG	0.866	1.850	0.276	22.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
22X47X7 HMS5 V	0.866	1.850	0.276	22.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
22X47X7 HMSA10 RG	0.866	1.850	0.276	22.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
22X47X7 HMSA10 V	0.866	1.850	0.276	22.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
22 VA R	0.875	1.345	0.240	22.00	34	6	R (NITRILE)	VR 1	V-RING	150
8621	0.875	1.250	0.250	22.23	31.75	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,039
8624	0.875	1.250	0.188	22.23	31.75	4.78	R (NITRILE)	CRW1	Wave Seal, metal OD	317
8646	0.875	1.375	0.250	22.23	34.93	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,650
8648	0.875	1.375	0.256	22.23	34.93	6.5	R (NITRILE)	CRW1	Wave Seal, metal OD	568
8691	0.875	1.437	0.250	22.23	36.5	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	661
8700	0.875	1.499	0.250	22.23	38.07	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	347
8703	0.875	1.499	0.313	22.23	38.07	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	498
8704	0.875	1.499	0.250	22.23	38.07	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,947
8763	0.875	1.575	0.250	22.23	40	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	419
8795	0.875	1.624	0.250	22.23	41.25	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,114
8796	0.875	1.624	0.250	22.23	41.25	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	424
8821	0.875	1.752	0.250	22.23	44.5	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	533
8860	0.875	1.874	0.250	22.23	47.6	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	396
8870	0.875	2.000	0.250	22.23	50.8	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	514
8871	0.875	2.050	0.375	22.23	52.07	9.525	V (VITON)	CRWH1	Wave Seal, metal OD	2,111
23X40X10 HMS5 RG	0.906	1.575	0.394	23.00	40.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	125
23X40X10 HMS5 V	0.906	1.575	0.394	23.00	40.00	10.00	V(VITON)	HMS5	Rubber OD seal	504
23X40X10 HMSA10 RG	0.906	1.575	0.394	23.00	40.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	137
23X40X10 HMSA10 V	0.906	1.575	0.394	23.00	40.00	10.00	V(VITON)	HMSA10	Rubber OD seal	528
99091	0.910	0.000	0.313	23.11	0	7.95		SSLLEEVE	SSLLEEVE	2,437
9244	0.938	1.375	0.250	23.83	34.93	6.35	R (NITRILE)	CRWA1	Wave Seal, metal OD	389
9303	0.938	1.500	0.250	23.83	38.1	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	296
9304	0.938	1.500	0.250	23.83	38.1	6.35	V (VITON)	CRW1	Wave Seal, metal OD	808
9347	0.938	1.752	0.250	23.83	44.5	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	638
24X35X7 HMS5 RG	0.945	1.378	0.276	24.00	35.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
24X35X7 HMS5 V	0.945	1.378	0.276	24.00	35.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
24X35X7 HMSA10 RG	0.945	1.378	0.276	24.00	35.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
24X35X7 HMSA10 V	0.945	1.378	0.276	24.00	35.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
24X37X7 HMS5 RG	0.945	1.457	0.276	24.00	37.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
24X37X7 HMS5 V	0.945	1.457	0.276	24.00	37.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
24X37X7 HMSA10 RG	0.945	1.457	0.276	24.00	37.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
24X37X7 HMSA10 V	0.945	1.457	0.276	24.00	37.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
24X40X7 HMS5 RG	0.945	1.575	0.276	24.00	40.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
24X40X7 HMS5 V	0.945	1.575	0.276	24.00	40.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
24X40X7 HMSA10 RG	0.945	1.575	0.276	24.00	40.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
24X40X7 HMSA10 V	0.945	1.575	0.276	24.00	40.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
24X42X8 HMS5 RG	0.945	1.654	0.315	24.00	42.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	140
24X42X8 HMS5 V	0.945	1.654	0.315	24.00	42.00	8.00	V(VITON)	HMS5	Rubber OD seal	558
24X42X8 HMSA10 RG	0.945	1.654	0.315	24.00	42.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	159
24X42X8 HMSA10 V	0.945	1.654	0.315	24.00	42.00	8.00	V(VITON)	HMSA10	Rubber OD seal	583
24X47X7 HMS5 RG	0.945	1.850	0.276	24.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
24X47X7 HMS5 V	0.945	1.850	0.276	24.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
24X47X7 HMSA10 RG	0.945	1.850	0.276	24.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
24X47X7 HMSA10 V	0.945	1.850	0.276	24.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
24X36X7 CRW1 V	0.945	1.417	0.276	24.00	36	7	V(VITON)	CRW1	Wave Seal, metal OD	875
24X38X7 CRW1 V	0.945	1.496	0.276	24.00	38	7	V(VITON)	CRW1	Wave Seal, metal OD	843
24X47X8 CRW1 R	0.945	1.850	0.315	24.00	47	8	R(NITRILE)	CRW1	Wave Seal, metal OD	643
99092	0.945	0.000	0.313	24.00	0	7.95		SSLEEVE	SSLEEVE	1,997
9646	0.969	1.624	0.250	24.61	41.25	6.35	R(NITRILE)	CRW1	Wave Seal, metal OD	546
9667	0.969	1.752	0.250	24.61	44.5	6.35	R(NITRILE)	CRW1	Wave Seal, metal OD	593
99094	0.969	0.000	0.313	24.59	0	7.95		SSLEEVE	SSLEEVE	1,900
99096	0.969	0.000	0.625	24.59	0	15.875		SSLEEVE	SSLEEVE	2,024
9888	0.981	1.376	0.313	24.92	34.95	7.95	V(VITON)	CRW1	Wave Seal, metal OD	1,518
25X35X7 CRW1 R	0.984	1.378	0.276	25.00	35	7	R(NITRILE)	CRW1	Wave Seal, metal OD	498
25X35X7 CRW1 V	0.984	1.378	0.276	25.00	35	7	V(VITON)	CRW1	Wave Seal, metal OD	715
25X37X7 CRW1 R	0.984	1.457	0.276	25.00	37	7	R(NITRILE)	CRW1	Wave Seal, metal OD	680
25X37X7 CRW1 V	0.984	1.457	0.276	25.00	37	7	V(VITON)	CRW1	Wave Seal, metal OD	1,565
25X38X7 CRW1 V	0.984	1.496	0.276	25.00	38	7	V(VITON)	CRW1	Wave Seal, metal OD	897
25X40X7 CRW1 V	0.984	1.575	0.276	25.00	40	7	V(VITON)	CRW1	Wave Seal, metal OD	858
25X42X8 CRW1 V	0.984	1.654	0.315	25.00	42	8	V(VITON)	CRW1	Wave Seal, metal OD	878
25X47X6.3 CRW1 R	0.984	1.850	0.250	25.00	47	6.35	R(NITRILE)	CRW1	Wave Seal, metal OD	591
25X48X8 CRW1 R	0.984	1.890	0.315	25.00	48	8	R(NITRILE)	CRW1	Wave Seal, metal OD	534
25X50X8 CRW1 R	0.984	1.969	0.315	25.00	50	8	R(NITRILE)	CRW1	Wave Seal, metal OD	907
25X52X8 CRW1 R	0.984	2.047	0.315	25.00	52	8	R(NITRILE)	CRW1	Wave Seal, metal OD	623
25X52X8 CRW1 V	0.984	2.047	0.315	25.00	52	8	V(VITON)	CRW1	Wave Seal, metal OD	1,029
25X62X7 CRW1 R	0.984	2.441	0.276	25.00	62	7	R(NITRILE)	CRW1	Wave Seal, metal OD	934
25X62X7 CRW1 V	0.984	2.441	0.276	25.00	62	7	V(VITON)	CRW1	Wave Seal, metal OD	1,154
9686	0.984	1.499	0.250	24.99	38.07	6.35	V(VITON)	CRW1	Wave Seal, metal OD	883
99098	0.984	0.000	0.313	25.00	0	7.95		SSLEEVE	SSLEEVE	1,977
25X35X6 HMS5 RG	0.984	1.378	0.236	25.00	35.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	115
25X35X6 HMS5 V	0.984	1.378	0.236	25.00	35.00	6.00	V(VITON)	HMS5	Rubber OD seal	464
25X35X6 HMSA10 RG	0.984	1.378	0.236	25.00	35.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	129
25X35X6 HMSA10 V	0.984	1.378	0.236	25.00	35.00	6.00	V(VITON)	HMSA10	Rubber OD seal	488
25X35X7 HMS5 RG	0.984	1.378	0.276	25.00	35.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	115
25X35X7 HMS5 V	0.984	1.378	0.276	25.00	35.00	7.00	V(VITON)	HMS5	Rubber OD seal	464
25X35X7 HMSA10 RG	0.984	1.378	0.276	25.00	35.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	129
25X35X7 HMSA10 V	0.984	1.378	0.276	25.00	35.00	7.00	V(VITON)	HMSA10	Rubber OD seal	488
25X37X5 HMS5 RG	0.984	1.457	0.197	25.00	37.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	125
25X37X5 HMS5 V	0.984	1.457	0.197	25.00	37.00	5.00	V(VITON)	HMS5	Rubber OD seal	504
25X37X5 HMSA10 RG	0.984	1.457	0.197	25.00	37.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	137
25X37X5 HMSA10 V	0.984	1.457	0.197	25.00	37.00	5.00	V(VITON)	HMSA10	Rubber OD seal	528
25X37X6 HMS5 RG	0.984	1.457	0.236	25.00	37.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	125
25X37X6 HMS5 V	0.984	1.457	0.236	25.00	37.00	6.00	V(VITON)	HMS5	Rubber OD seal	504
25X37X6 HMSA10 RG	0.984	1.457	0.236	25.00	37.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	137
25X37X6 HMSA10 V	0.984	1.457	0.236	25.00	37.00	6.00	V(VITON)	HMSA10	Rubber OD seal	528

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
25X37X7 HMS5 RG	0.984	1.457	0.276	25.00	37.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
25X37X7 HMS5 V	0.984	1.457	0.276	25.00	37.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
25X37X7 HMSA10 RG	0.984	1.457	0.276	25.00	37.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
25X37X7 HMSA10 V	0.984	1.457	0.276	25.00	37.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
25X38X7 HMS5 RG	0.984	1.496	0.276	25.00	38.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
25X38X7 HMS5 V	0.984	1.496	0.276	25.00	38.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
25X38X7 HMSA10 RG	0.984	1.496	0.276	25.00	38.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
25X38X7 HMSA10 V	0.984	1.496	0.276	25.00	38.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
25X40X10 HMS5 RG	0.984	1.575	0.394	25.00	40.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	125
25X40X10 HMS5 V	0.984	1.575	0.394	25.00	40.00	10.00	V(VITON)	HMS5	Rubber OD seal	504
25X40X10 HMSA10 RG	0.984	1.575	0.394	25.00	40.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	137
25X40X10 HMSA10 V	0.984	1.575	0.394	25.00	40.00	10.00	V(VITON)	HMSA10	Rubber OD seal	528
25X40X5 HMS5 RG	0.984	1.575	0.197	25.00	40.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	125
25X40X5 HMS5 V	0.984	1.575	0.197	25.00	40.00	5.00	V(VITON)	HMS5	Rubber OD seal	504
25X40X5 HMSA10 RG	0.984	1.575	0.197	25.00	40.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	137
25X40X5 HMSA10 V	0.984	1.575	0.197	25.00	40.00	5.00	V(VITON)	HMSA10	Rubber OD seal	528
25X40X7 HMS5 RG	0.984	1.575	0.276	25.00	40.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
25X40X7 HMS5 V	0.984	1.575	0.276	25.00	40.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
25X40X7 HMSA10 RG	0.984	1.575	0.276	25.00	40.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
25X40X7 HMSA10 V	0.984	1.575	0.276	25.00	40.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
25X40X8 HMS5 RG	0.984	1.575	0.315	25.00	40.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	125
25X40X8 HMS5 V	0.984	1.575	0.315	25.00	40.00	8.00	V(VITON)	HMS5	Rubber OD seal	504
25X40X8 HMSA10 RG	0.984	1.575	0.315	25.00	40.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	137
25X40X8 HMSA10 V	0.984	1.575	0.315	25.00	40.00	8.00	V(VITON)	HMSA10	Rubber OD seal	528
25X42X10 HMS5 RG	0.984	1.654	0.394	25.00	42.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	140
25X42X10 HMS5 V	0.984	1.654	0.394	25.00	42.00	10.00	V(VITON)	HMS5	Rubber OD seal	558
25X42X10 HMSA10 RG	0.984	1.654	0.394	25.00	42.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	159
25X42X10 HMSA10 V	0.984	1.654	0.394	25.00	42.00	10.00	V(VITON)	HMSA10	Rubber OD seal	583
25X42X6 HMS5 RG	0.984	1.654	0.236	25.00	42.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	140
25X42X6 HMS5 V	0.984	1.654	0.236	25.00	42.00	6.00	V(VITON)	HMS5	Rubber OD seal	558
25X42X6 HMSA10 RG	0.984	1.654	0.236	25.00	42.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	159
25X42X6 HMSA10 V	0.984	1.654	0.236	25.00	42.00	6.00	V(VITON)	HMSA10	Rubber OD seal	583
25X42X7 HMS5 RG	0.984	1.654	0.276	25.00	42.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
25X42X7 HMS5 V	0.984	1.654	0.276	25.00	42.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
25X42X7 HMSA10 RG	0.984	1.654	0.276	25.00	42.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
25X42X7 HMSA10 V	0.984	1.654	0.276	25.00	42.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
25X45X10 HMS5 RG	0.984	1.772	0.394	25.00	45.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	140
25X45X10 HMS5 V	0.984	1.772	0.394	25.00	45.00	10.00	V(VITON)	HMS5	Rubber OD seal	558
25X45X10 HMSA10 RG	0.984	1.772	0.394	25.00	45.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	159
25X45X10 HMSA10 V	0.984	1.772	0.394	25.00	45.00	10.00	V(VITON)	HMSA10	Rubber OD seal	583
25X45X7 HMS5 RG	0.984	1.772	0.276	25.00	45.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
25X45X7 HMS5 V	0.984	1.772	0.276	25.00	45.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
25X45X7 HMSA10 RG	0.984	1.772	0.276	25.00	45.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
25X45X7 HMSA10 V	0.984	1.772	0.276	25.00	45.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
25X45X8 HMS5 RG	0.984	1.772	0.315	25.00	45.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	140
25X45X8 HMS5 V	0.984	1.772	0.315	25.00	45.00	8.00	V(VITON)	HMS5	Rubber OD seal	558
25X45X8 HMSA10 RG	0.984	1.772	0.315	25.00	45.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	159
25X45X8 HMSA10 V	0.984	1.772	0.315	25.00	45.00	8.00	V(VITON)	HMSA10	Rubber OD seal	583
25X46X7 HMS5 RG	0.984	1.811	0.276	25.00	46.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
25X46X7 HMS5 V	0.984	1.811	0.276	25.00	46.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
25X46X7 HMSA10 RG	0.984	1.811	0.276	25.00	46.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
25X46X7 HMSA10 V	0.984	1.811	0.276	25.00	46.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
25X47X10 HMS5 RG	0.984	1.850	0.394	25.00	47.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
25X47X10 HMS5 V	0.984	1.850	0.394	25.00	47.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
25X47X10 HMSA10 RG	0.984	1.850	0.394	25.00	47.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	172
25X47X10 HMSA10 V	0.984	1.850	0.394	25.00	47.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
25X47X7 HMS5 RG	0.984	1.850	0.276	25.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
25X47X7 HMS5 V	0.984	1.850	0.276	25.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
25X47X7 HMSA10 RG	0.984	1.850	0.276	25.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
25X47X7 HMSA10 V	0.984	1.850	0.276	25.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
25X50X10 HMS5 RG	0.984	1.969	0.394	25.00	50.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
25X50X10 HMS5 V	0.984	1.969	0.394	25.00	50.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
25X50X10 HMSA10 RG	0.984	1.969	0.394	25.00	50.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	172
25X50X10 HMSA10 V	0.984	1.969	0.394	25.00	50.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
25X52X10 HMS5 RG	0.984	2.047	0.394	25.00	52.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
25X52X10 HMS5 V	0.984	2.047	0.394	25.00	52.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
25X52X10 HMSA10 RG	0.984	2.047	0.394	25.00	52.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185
25X52X10 HMSA10 V	0.984	2.047	0.394	25.00	52.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
25X52X7 HMS5 RG	0.984	2.047	0.276	25.00	52.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
25X52X7 HMS5 V	0.984	2.047	0.276	25.00	52.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
25X52X7 HMSA10 RG	0.984	2.047	0.276	25.00	52.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
25X52X7 HMSA10 V	0.984	2.047	0.276	25.00	52.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
25X52X8 HMS5 RG	0.984	2.047	0.315	25.00	52.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
25X52X8 HMS5 V	0.984	2.047	0.315	25.00	52.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
25X52X8 HMSA10 RG	0.984	2.047	0.315	25.00	52.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
25X52X8 HMSA10 V	0.984	2.047	0.315	25.00	52.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
25X62X10 HMS5 RG	0.984	2.441	0.394	25.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
25X62X10 HMS5 V	0.984	2.441	0.394	25.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
25X62X10 HMSA10 RG	0.984	2.441	0.394	25.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
25X62X10 HMSA10 V	0.984	2.441	0.394	25.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
25X62X7 HMS5 RG	0.984	2.441	0.276	25.00	62.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	195
25X62X7 HMS5 V	0.984	2.441	0.276	25.00	62.00	7.00	V(VITON)	HMS5	Rubber OD seal	893
25X62X7 HMSA10 RG	0.984	2.441	0.276	25.00	62.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	219
25X62X7 HMSA10 V	0.984	2.441	0.276	25.00	62.00	7.00	V(VITON)	HMSA10	Rubber OD seal	939
25X62X8 HMS5 RG	0.984	2.441	0.315	25.00	62.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
25X62X8 HMS5 V	0.984	2.441	0.315	25.00	62.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
25X62X8 HMSA10 RG	0.984	2.441	0.315	25.00	62.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
25X62X8 HMSA10 V	0.984	2.441	0.315	25.00	62.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
28X42X7 HMS5 V	0.984	1.654	0.276	25.00	42.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
10049	1.000	1.828	0.250	25.40	46.43	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	453
10071	1.000	1.851	0.250	25.40	47.02	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	396
10075	1.000	1.874	0.250	25.40	47.6	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	341
10111	1.000	1.983	0.250	25.40	50.37	6.35	V (VITON)	CRWA1	Wave Seal, metal OD	1,356
10114	1.000	1.983	0.313	25.40	50.37	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	446
10123	1.000	2.000	0.250	25.40	50.8	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	499
10128	1.000	2.000	0.250	25.40	50.8	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,186
10157	1.000	2.047	0.250	25.40	51.99	6.35	R (NITRILE)	CRWA1	Wave Seal, metal OD	655
10158	1.000	2.062	0.250	25.40	52.37	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	446
10169	1.000	2.250	0.250	25.40	57.15	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	610
25 VA R	1.000	1.470	0.240	25.00	37	6	R (NITRILE)	VR 1	V-RING	150
9831	1.000	1.375	0.250	25.40	34.93	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,047
9833	1.000	1.437	0.250	25.40	36.5	6.35	V (VITON)	CRW1	Wave Seal, metal OD	982
9837	1.000	1.437	0.250	25.40	36.5	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	519
9894	1.000	1.561	0.250	25.40	39.65	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	376

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
9934	1.000	1.624	0.250	25.40	41.25	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	439
9937	1.000	1.624	0.250	25.40	41.25	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,211
9960	1.000	1.686	0.256	25.40	42.82	6.5	R (NITRILE)	CRW1	Wave Seal, metal OD	483
9982	1.000	1.752	0.250	25.40	44.5	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,399
99868	1.000	0.000	0.313	25.40	0	7.95		SSLLEEVE	SSLLEEVE	1,909
9997	1.000	1.752	0.250	25.40	44.5	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	329
26X37X7 HMS5 RG	1.024	1.457	0.276	26.00	37.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
26X37X7 HMS5 V	1.024	1.457	0.276	26.00	37.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
26X37X7 HMSA10 RG	1.024	1.457	0.276	26.00	37.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
26X37X7 HMSA10 V	1.024	1.457	0.276	26.00	37.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
26X38X5 HMS5 RG	1.024	1.496	0.197	26.00	38.00	5.00	R(NITRILE)	HMS5	Rubber OD seal	125
26X38X5 HMS5 V	1.024	1.496	0.197	26.00	38.00	5.00	V(VITON)	HMS5	Rubber OD seal	504
26X38X5 HMSA10 RG	1.024	1.496	0.197	26.00	38.00	5.00	R(NITRILE)	HMSA10	Rubber OD seal	137
26X38X5 HMSA10 V	1.024	1.496	0.197	26.00	38.00	5.00	V(VITON)	HMSA10	Rubber OD seal	528
26X38X7 HMS5 RG	1.024	1.496	0.276	26.00	38.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
26X38X7 HMS5 V	1.024	1.496	0.276	26.00	38.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
26X38X7 HMSA10 RG	1.024	1.496	0.276	26.00	38.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
26X38X7 HMSA10 V	1.024	1.496	0.276	26.00	38.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
26X42X7 HMS5 RG	1.024	1.654	0.276	26.00	42.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
26X42X7 HMS5 V	1.024	1.654	0.276	26.00	42.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
26X42X7 HMSA10 RG	1.024	1.654	0.276	26.00	42.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
26X42X7 HMSA10 V	1.024	1.654	0.276	26.00	42.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
26X47X7 HMS5 RG	1.024	1.850	0.276	26.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
26X47X7 HMS5 V	1.024	1.850	0.276	26.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
26X47X7 HMSA10 RG	1.024	1.850	0.276	26.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
26X47X7 HMSA10 V	1.024	1.850	0.276	26.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
99103	1.024	0.000	0.315	26.00	0	8.001		SSLLEEVE	SSLLEEVE	1,952
27X37X7 HMS5 RG	1.063	1.457	0.276	27.00	37.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
27X37X7 HMS5 V	1.063	1.457	0.276	27.00	37.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
27X37X7 HMSA10 RG	1.063	1.457	0.276	27.00	37.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
27X37X7 HMSA10 V	1.063	1.457	0.276	27.00	37.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
27X42X10 HMS5 RG	1.063	1.654	0.394	27.00	42.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	140
27X42X10 HMS5 V	1.063	1.654	0.394	27.00	42.00	10.00	V(VITON)	HMS5	Rubber OD seal	558
27X42X10 HMSA10 RG	1.063	1.654	0.394	27.00	42.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	159
27X42X10 HMSA10 V	1.063	1.654	0.394	27.00	42.00	10.00	V(VITON)	HMSA10	Rubber OD seal	583
27X43X7 HMS5 RG	1.063	1.693	0.276	27.00	43.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
27X43X7 HMS5 V	1.063	1.693	0.276	27.00	43.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
27X43X7 HMSA10 RG	1.063	1.693	0.276	27.00	43.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
27X43X7 HMSA10 V	1.063	1.693	0.276	27.00	43.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
27X47X10 HMS5 RG	1.063	1.850	0.394	27.00	47.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
27X47X10 HMS5 V	1.063	1.850	0.394	27.00	47.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
27X47X10 HMSA10 RG	1.063	1.850	0.394	27.00	47.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	172
27X47X10 HMSA10 V	1.063	1.850	0.394	27.00	47.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
10581	1.063	1.561	0.250	27.00	39.65	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	680
10598	1.063	1.624	0.250	27.00	41.25	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	508
10653	1.063	1.752	0.250	27.00	44.5	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	511
10681	1.063	1.828	0.250	27.00	46.43	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	423
10700	1.063	1.874	0.250	27.00	47.6	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	616
27X42X7 CRW1 R	1.063	1.654	0.276	27.00	42	7	R (NITRILE)	CRW1	Wave Seal, metal OD	600
27X42X7 CRW1 V	1.063	1.654	0.276	27.00	42	7	V (VITON)	CRW1	Wave Seal, metal OD	862
27X43X8 CRW1 V	1.063	1.693	0.315	27.00	43	8	V (VITON)	CRW1	Wave Seal, metal OD	882
27X45X8 CRW1 V	1.063	1.772	0.315	27.00	45	8	V (VITON)	CRW1	Wave Seal, metal OD	842

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
27X52X8 CRW1 R	1.063	2.047	0.315	27.00	52	8	R (NITRILE)	CRW1	Wave Seal, metal OD	643
99106	1.063	0.000	0.313	27.00	0	7.95		SSLEEVE	SSLEEVE	1,825
99108	1.089	0.000	0.313	27.66	0	7.95		SSLEEVE	SSLEEVE	2,089
28X40X7 CRW1 V	1.102	1.575	0.276	28.00	40	7	V (VITON)	CRW1	Wave Seal, metal OD	887
28X47X7 CRW1 V	1.102	1.850	0.276	28.00	47	7	V (VITON)	CRW1	Wave Seal, metal OD	887
28X47X8 CRW1 R	1.102	1.850	0.315	28.00	47	8	R (NITRILE)	CRW1	Wave Seal, metal OD	738
28X52X8 CRW1 R	1.102	2.047	0.315	28.00	52	8	R (NITRILE)	CRW1	Wave Seal, metal OD	721
99111	1.102	0.000	0.375	28.00	0	9.525		SSLEEVE	SSLEEVE	1,924
28X38X7 HMS5 RG	1.102	1.496	0.276	28.00	38.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
28X38X7 HMS5 V	1.102	1.496	0.276	28.00	38.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
28X38X7 HMSA10 RG	1.102	1.496	0.276	28.00	38.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
28X38X7 HMSA10 V	1.102	1.496	0.276	28.00	38.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
28X38X8 HMS5 RG	1.102	1.496	0.315	28.00	38.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	125
28X38X8 HMS5 V	1.102	1.496	0.315	28.00	38.00	8.00	V(VITON)	HMS5	Rubber OD seal	504
28X38X8 HMSA10 RG	1.102	1.496	0.315	28.00	38.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	137
28X38X8 HMSA10 V	1.102	1.496	0.315	28.00	38.00	8.00	V(VITON)	HMSA10	Rubber OD seal	528
28X40X7 HMS5 RG	1.102	1.575	0.276	28.00	40.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
28X40X7 HMS5 V	1.102	1.575	0.276	28.00	40.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
28X40X7 HMSA10 RG	1.102	1.575	0.276	28.00	40.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
28X40X7 HMSA10 V	1.102	1.575	0.276	28.00	40.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
28X40X8 HMS5 RG	1.102	1.575	0.315	28.00	40.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	125
28X40X8 HMS5 V	1.102	1.575	0.315	28.00	40.00	8.00	V(VITON)	HMS5	Rubber OD seal	504
28X40X8 HMSA10 RG	1.102	1.575	0.315	28.00	40.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	137
28X40X8 HMSA10 V	1.102	1.575	0.315	28.00	40.00	8.00	V(VITON)	HMSA10	Rubber OD seal	528
28X42X7 HMS5 RG	1.102	1.654	0.276	28.00	42.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
28X42X7 HMSA10 RG	1.102	1.654	0.276	28.00	42.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
28X42X7 HMSA10 V	1.102	1.654	0.276	28.00	42.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
28X42X8 HMS5 RG	1.102	1.654	0.315	28.00	42.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	140
28X42X8 HMS5 V	1.102	1.654	0.315	28.00	42.00	8.00	V(VITON)	HMS5	Rubber OD seal	558
28X42X8 HMSA10 RG	1.102	1.654	0.315	28.00	42.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	159
28X42X8 HMSA10 V	1.102	1.654	0.315	28.00	42.00	8.00	V(VITON)	HMSA10	Rubber OD seal	583
28X44X6 HMS5 RG	1.102	1.732	0.236	28.00	44.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	140
28X44X6 HMS5 V	1.102	1.732	0.236	28.00	44.00	6.00	V(VITON)	HMS5	Rubber OD seal	558
28X44X6 HMSA10 RG	1.102	1.732	0.236	28.00	44.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	159
28X44X6 HMSA10 V	1.102	1.732	0.236	28.00	44.00	6.00	V(VITON)	HMSA10	Rubber OD seal	583
28X45X8 HMS5 RG	1.102	1.772	0.315	28.00	45.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	140
28X45X8 HMS5 V	1.102	1.772	0.315	28.00	45.00	8.00	V(VITON)	HMS5	Rubber OD seal	558
28X45X8 HMSA10 RG	1.102	1.772	0.315	28.00	45.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	159
28X45X8 HMSA10 V	1.102	1.772	0.315	28.00	45.00	8.00	V(VITON)	HMSA10	Rubber OD seal	583
28X47X10 HMS5 RG	1.102	1.850	0.394	28.00	47.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
28X47X10 HMS5 V	1.102	1.850	0.394	28.00	47.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
28X47X10 HMSA10 RG	1.102	1.850	0.394	28.00	47.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	172
28X47X10 HMSA10 V	1.102	1.850	0.394	28.00	47.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
28X47X7 HMS5 RG	1.102	1.850	0.276	28.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
28X47X7 HMS5 V	1.102	1.850	0.276	28.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
28X47X7 HMSA10 RG	1.102	1.850	0.276	28.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
28X47X7 HMSA10 V	1.102	1.850	0.276	28.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
28X52X10 HMS5 RG	1.102	2.047	0.394	28.00	52.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
28X52X10 HMS5 V	1.102	2.047	0.394	28.00	52.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
28X52X10 HMSA10 RG	1.102	2.047	0.394	28.00	52.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185
28X52X10 HMSA10 V	1.102	2.047	0.394	28.00	52.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
28X52X7 HMS5 RG	1.102	2.047	0.276	28.00	52.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
28X52X7 HMS5 V	1.102	2.047	0.276	28.00	52.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
28X52X7 HMSA10 RG	1.102	2.047	0.276	28.00	52.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
28X52X7 HMSA10 V	1.102	2.047	0.276	28.00	52.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
11061	1.125	1.499	0.188	28.58	38.07	4.78	R (NITRILE)	CRW1	Wave Seal, metal OD	456
11067	1.125	1.561	0.250	28.58	39.65	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	434
11071	1.125	1.561	0.250	28.58	39.65	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,119
11123	1.125	1.624	0.250	28.58	41.25	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	361
11133	1.125	1.624	0.250	28.58	41.25	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,239
11138	1.125	1.752	0.250	28.58	44.5	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	332
11144	1.125	1.752	0.250	28.58	44.5	6.35	V (VITON)	CRW1	Wave Seal, metal OD	997
11170	1.125	1.828	0.250	28.58	46.43	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	578
11172	1.125	1.828	0.250	28.58	46.43	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,237
11197	1.125	1.852	0.313	28.58	47.04	7.95	R (NITRILE)	CRWH1	Wave Seal, metal OD	404
11224	1.125	1.874	0.250	28.58	47.6	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	528
11225	1.125	1.874	0.250	28.58	47.6	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,279
11299	1.125	1.983	0.250	28.58	50.37	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	474
11344	1.125	2.000	0.250	28.58	50.8	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,022
11353	1.125	2.047	0.313	28.58	52.4	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	439
11366	1.125	2.062	0.313	28.58	52.37	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	488
11368	1.125	2.062	0.250	28.58	52.37	6.35	V (VITON)	CRWA1	Wave Seal, metal OD	1,470
11372	1.125	2.125	0.313	28.58	53.98	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	533
11392	1.125	2.441	0.250	28.58	62	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	573
28 VA R	1.125	1.595	0.240	28.00	40	6	R (NITRILE)	VR 1	V-RING	232
99112	1.125	0.000	0.313	28.58	0	7.95		SSLEEVE	SSLEEVE	1,825
11086	1.126	1.575	0.236	28.60	40	6	R (NITRILE)	CRWA1	Wave Seal, metal OD	566
11518	1.156	1.686	0.250	29.36	42.82	6.35	R (NITRILE)	CRWA1	Wave Seal, metal OD	586
11550	1.156	2.000	0.250	29.36	50.8	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,256
99120	1.156	0.000	0.375	29.36	0	9.525		SSLEEVE	SSLEEVE	2,084
99122	1.175	0.000	0.313	29.85	0	7.95		SSLEEVE	SSLEEVE	2,014
30X40X7 CRW1 R	1.181	1.575	0.276	30.00	40	7	R (NITRILE)	CRW1	Wave Seal, metal OD	526
30X40X7 CRW1 V	1.181	1.575	0.276	30.00	40	7	V (VITON)	CRW1	Wave Seal, metal OD	1,306
30X42X7 CRW1 R	1.181	1.654	0.276	30.00	42	7	R (NITRILE)	CRW1	Wave Seal, metal OD	511
30X42X7 CRW1 V	1.181	1.654	0.276	30.00	42	7	V (VITON)	CRW1	Wave Seal, metal OD	827
30X45X8 CRW1 R	1.181	1.772	0.315	30.00	45	8	R (NITRILE)	CRW1	Wave Seal, metal OD	558
30X47X7 CRW1 R	1.181	1.850	0.276	30.00	47	7	R (NITRILE)	CRW1	Wave Seal, metal OD	586
30X47X8 CRW1 V	1.181	1.850	0.315	30.00	47	8	V (VITON)	CRW1	Wave Seal, metal OD	1,074
30X50X8 CRW1 R	1.181	1.969	0.315	30.00	50	8	R (NITRILE)	CRW1	Wave Seal, metal OD	681
30X50X8 CRW1 V	1.181	1.969	0.315	30.00	50	8	V (VITON)	CRW1	Wave Seal, metal OD	910
30X52X8 CRW1 R	1.181	2.047	0.315	30.00	52	8	R (NITRILE)	CRW1	Wave Seal, metal OD	643
30X55X7 CRW1 R	1.181	2.165	0.276	30.00	55	7	R (NITRILE)	CRW1	Wave Seal, metal OD	708
30X56X8 CRW1 R	1.181	2.205	0.315	30.00	56	8	R (NITRILE)	CRW1	Wave Seal, metal OD	2,366
30X58X8 CRWA1 R	1.181	2.283	0.315	30.00	58	8	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,191
30X60X8 CRW1 R	1.181	2.362	0.315	30.00	60	8	R (NITRILE)	CRW1	Wave Seal, metal OD	715
30X62X7 CRW1 R	1.181	2.441	0.276	30.00	62	7	R (NITRILE)	CRW1	Wave Seal, metal OD	793
30X62X7 CRW1 V	1.181	2.441	0.276	30.00	62	7	V (VITON)	CRW1	Wave Seal, metal OD	1,164
30X72X8 CRW1 R	1.181	2.835	0.315	30.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	920
99114	1.181	0.000	0.315	30.00	0	8.001		SSLEEVE	SSLEEVE	1,981
30X40X7 HMS5 RG	1.181	1.575	0.276	30.00	40.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	125
30X40X7 HMS5 V	1.181	1.575	0.276	30.00	40.00	7.00	V(VITON)	HMS5	Rubber OD seal	504
30X40X7 HMSA10 RG	1.181	1.575	0.276	30.00	40.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	137
30X40X7 HMSA10 V	1.181	1.575	0.276	30.00	40.00	7.00	V(VITON)	HMSA10	Rubber OD seal	528
30X42X6 HMS5 RG	1.181	1.654	0.236	30.00	42.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	140

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
30X42X6 HMS5 V	1.181	1.654	0.236	30.00	42.00	6.00	V(VITON)	HMS5	Rubber OD seal	558
30X42X6 HMSA10 RG	1.181	1.654	0.236	30.00	42.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	159
30X42X6 HMSA10 V	1.181	1.654	0.236	30.00	42.00	6.00	V(VITON)	HMSA10	Rubber OD seal	583
30X42X7 HMS5 RG	1.181	1.654	0.276	30.00	42.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
30X42X7 HMS5 V	1.181	1.654	0.276	30.00	42.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
30X42X7 HMSA10 RG	1.181	1.654	0.276	30.00	42.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
30X42X7 HMSA10 V	1.181	1.654	0.276	30.00	42.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
30X42X8 HMS5 RG	1.181	1.654	0.315	30.00	42.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	140
30X42X8 HMS5 V	1.181	1.654	0.315	30.00	42.00	8.00	V(VITON)	HMS5	Rubber OD seal	558
30X42X8 HMSA10 RG	1.181	1.654	0.315	30.00	42.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	159
30X42X8 HMSA10 V	1.181	1.654	0.315	30.00	42.00	8.00	V(VITON)	HMSA10	Rubber OD seal	583
30X44X7 HMS5 RG	1.181	1.732	0.276	30.00	44.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
30X44X7 HMS5 V	1.181	1.732	0.276	30.00	44.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
30X44X7 HMSA10 RG	1.181	1.732	0.276	30.00	44.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
30X44X7 HMSA10 V	1.181	1.732	0.276	30.00	44.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
30X45X7 HMS5 RG	1.181	1.772	0.276	30.00	45.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
30X45X7 HMS5 V	1.181	1.772	0.276	30.00	45.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
30X45X7 HMSA10 RG	1.181	1.772	0.276	30.00	45.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
30X45X7 HMSA10 V	1.181	1.772	0.276	30.00	45.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
30X45X8 HMS5 RG	1.181	1.772	0.315	30.00	45.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	140
30X45X8 HMS5 V	1.181	1.772	0.315	30.00	45.00	8.00	V(VITON)	HMS5	Rubber OD seal	558
30X45X8 HMSA10 RG	1.181	1.772	0.315	30.00	45.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	159
30X45X8 HMSA10 V	1.181	1.772	0.315	30.00	45.00	8.00	V(VITON)	HMSA10	Rubber OD seal	583
30X46X7 HMS5 RG	1.181	1.811	0.276	30.00	46.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
30X46X7 HMS5 V	1.181	1.811	0.276	30.00	46.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
30X46X7 HMSA10 RG	1.181	1.811	0.276	30.00	46.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
30X46X7 HMSA10 V	1.181	1.811	0.276	30.00	46.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
30X47X10 HMS5 RG	1.181	1.850	0.394	30.00	47.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
30X47X10 HMS5 V	1.181	1.850	0.394	30.00	47.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
30X47X10 HMSA10 RG	1.181	1.850	0.394	30.00	47.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	172
30X47X10 HMSA10 V	1.181	1.850	0.394	30.00	47.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
30X47X6 HMS5 RG	1.181	1.850	0.236	30.00	47.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	157
30X47X6 HMS5 V	1.181	1.850	0.236	30.00	47.00	6.00	V(VITON)	HMS5	Rubber OD seal	610
30X47X6 HMSA10 RG	1.181	1.850	0.236	30.00	47.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	172
30X47X6 HMSA10 V	1.181	1.850	0.236	30.00	47.00	6.00	V(VITON)	HMSA10	Rubber OD seal	645
30X47X7 HMS5 RG	1.181	1.850	0.276	30.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
30X47X7 HMS5 V	1.181	1.850	0.276	30.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
30X47X7 HMSA10 RG	1.181	1.850	0.276	30.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
30X47X7 HMSA10 V	1.181	1.850	0.276	30.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
30X47X8 HMS5 RG	1.181	1.850	0.315	30.00	47.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
30X47X8 HMS5 V	1.181	1.850	0.315	30.00	47.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
30X47X8 HMSA10 RG	1.181	1.850	0.315	30.00	47.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	172
30X47X8 HMSA10 V	1.181	1.850	0.315	30.00	47.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
30X48X8 HMS5 RG	1.181	1.890	0.315	30.00	48.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
30X48X8 HMS5 V	1.181	1.890	0.315	30.00	48.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
30X48X8 HMSA10 RG	1.181	1.890	0.315	30.00	48.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	172
30X48X8 HMSA10 V	1.181	1.890	0.315	30.00	48.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
30X50X10 HMS5 RG	1.181	1.969	0.394	30.00	50.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
30X50X10 HMS5 V	1.181	1.969	0.394	30.00	50.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
30X50X10 HMSA10 RG	1.181	1.969	0.394	30.00	50.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	172
30X50X10 HMSA10 V	1.181	1.969	0.394	30.00	50.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
30X50X7 HMS5 RG	1.181	1.969	0.276	30.00	50.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
30X50X7 HMS5 V	1.181	1.969	0.276	30.00	50.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
30X50X7 HMSA10 RG	1.181	1.969	0.276	30.00	50.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
30X50X7 HMSA10 V	1.181	1.969	0.276	30.00	50.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
30X50X8 HMS5 RG	1.181	1.969	0.315	30.00	50.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
30X50X8 HMS5 V	1.181	1.969	0.315	30.00	50.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
30X50X8 HMSA10 RG	1.181	1.969	0.315	30.00	50.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	172
30X50X8 HMSA10 V	1.181	1.969	0.315	30.00	50.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
30X52X10 HMS5 RG	1.181	2.047	0.394	30.00	52.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
30X52X10 HMS5 V	1.181	2.047	0.394	30.00	52.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
30X52X10 HMSA10 RG	1.181	2.047	0.394	30.00	52.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185
30X52X10 HMSA10 V	1.181	2.047	0.394	30.00	52.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
30X52X7 HMS5 RG	1.181	2.047	0.276	30.00	52.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
30X52X7 HMS5 V	1.181	2.047	0.276	30.00	52.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
30X52X7 HMSA10 RG	1.181	2.047	0.276	30.00	52.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
30X52X7 HMSA10 V	1.181	2.047	0.276	30.00	52.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
30X52X8 HMS5 RG	1.181	2.047	0.315	30.00	52.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
30X52X8 HMS5 V	1.181	2.047	0.315	30.00	52.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
30X52X8 HMSA10 RG	1.181	2.047	0.315	30.00	52.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
30X52X8 HMSA10 V	1.181	2.047	0.315	30.00	52.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
30X55X10 HMS5 RG	1.181	2.165	0.394	30.00	55.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
30X55X10 HMS5 V	1.181	2.165	0.394	30.00	55.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
30X55X10 HMSA10 RG	1.181	2.165	0.394	30.00	55.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185
30X55X10 HMSA10 V	1.181	2.165	0.394	30.00	55.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
30X55X7 HMS5 RG	1.181	2.165	0.276	30.00	55.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
30X55X7 HMS5 V	1.181	2.165	0.276	30.00	55.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
30X55X7 HMSA10 RG	1.181	2.165	0.276	30.00	55.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
30X55X7 HMSA10 V	1.181	2.165	0.276	30.00	55.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
30X62X10 HMS5 RG	1.181	2.441	0.394	30.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
30X62X10 HMS5 V	1.181	2.441	0.394	30.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
30X62X10 HMSA10 RG	1.181	2.441	0.394	30.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
30X62X10 HMSA10 V	1.181	2.441	0.394	30.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
30X62X7 HMS5 RG	1.181	2.441	0.276	30.00	62.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	195
30X62X7 HMS5 V	1.181	2.441	0.276	30.00	62.00	7.00	V(VITON)	HMS5	Rubber OD seal	893
30X62X7 HMSA10 RG	1.181	2.441	0.276	30.00	62.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	219
30X62X7 HMSA10 V	1.181	2.441	0.276	30.00	62.00	7.00	V(VITON)	HMSA10	Rubber OD seal	939
30X72X10 HMS5 RG	1.181	2.835	0.394	30.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
30X72X10 HMS5 V	1.181	2.835	0.394	30.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
30X72X10 HMSA10 RG	1.181	2.835	0.394	30.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
30X72X10 HMSA10 V	1.181	2.835	0.394	30.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
11585	1.188	1.875	0.375	30.18	47.63	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	466
11710	1.188	1.561	0.313	30.18	39.65	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,668
11734	1.188	1.752	0.250	30.18	44.5	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	486
11736	1.188	1.752	0.250	30.18	44.5	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,156
11740	1.188	1.828	0.375	30.18	46.43	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	638
11800	1.188	2.000	0.250	30.18	50.8	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	661
11806	1.188	2.000	0.250	30.18	50.8	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,371
11878	1.188	2.062	0.250	30.18	52.37	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	489
11907	1.188	2.125	0.313	30.18	53.98	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	546
11914	1.188	2.250	0.256	30.18	57.15	6.5	R (NITRILE)	CRW1	Wave Seal, metal OD	523
11930	1.188	2.441	0.250	30.18	62	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	499
30 VA R	1.188	1.658	0.240	30.00	42	6	R (NITRILE)	VR 1	V-RING	145
99118	1.188	0.000	0.313	30.15	0	7.95		SSLLEEVE	SSLLEEVE	2,046

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
99123	1.219	0.000	0.313	31.00	0	7.95		SSLEEVE	SSLEEVE	1,879
99141	1.240	0.000	0.315	31.50	0	8.001		SSLEEVE	SSLEEVE	1,789
12329	1.250	1.625	0.188	31.75	41.28	4.78	R (NITRILE)	CRW1	Wave Seal, metal OD	418
12335	1.250	1.687	0.250	31.75	42.85	6.35	V (VITON)	CRW1	Wave Seal, metal OD	2,472
12336	1.250	1.687	0.250	31.75	42.85	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	423
12340	1.250	1.752	0.250	31.75	44.5	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,189
12363	1.250	1.752	0.250	31.75	44.5	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	319
12383	1.250	1.874	0.250	31.75	47.6	6.35	V (VITON)	CRWA1	Wave Seal, metal OD	950
12384	1.250	1.874	0.250	31.75	47.6	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	259
12391	1.250	1.938	0.250	31.75	49.23	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	546
12427	1.250	1.983	0.250	31.75	50.37	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	626
12530	1.250	2.062	0.438	31.75	52.37	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	626
12531	1.250	2.062	0.250	31.75	52.37	6.35	V (VITON)	CRWA1	Wave Seal, metal OD	1,533
12577	1.250	2.250	0.250	31.75	57.15	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	683
12610	1.250	2.327	0.500	31.75	59.11	12.7	R (NITRILE)	CRW1	Wave Seal, metal OD	546
12613	1.250	2.374	0.313	31.75	60.3	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	504
12621	1.250	2.437	0.250	31.75	61.9	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	586
12631	1.250	2.441	0.250	31.75	62	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	566
12637	1.250	2.502	0.313	31.75	63.55	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	558
12668	1.250	2.835	0.375	31.75	72	9.53	R (NITRILE)	HMSA7	Rubber OD seal	1,127
99125	1.250	0.000	0.313	31.75	0	7.95		SSLEEVE	SSLEEVE	1,992
32X42X7 HMS5 RG	1.260	1.654	0.276	32.00	42.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
32X42X7 HMS5 V	1.260	1.654	0.276	32.00	42.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
32X42X7 HMSA10 RG	1.260	1.654	0.276	32.00	42.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
32X42X7 HMSA10 V	1.260	1.654	0.276	32.00	42.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
32X43X7 HMS5 RG	1.260	1.693	0.276	32.00	43.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
32X43X7 HMS5 V	1.260	1.693	0.276	32.00	43.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
32X43X7 HMSA10 RG	1.260	1.693	0.276	32.00	43.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
32X43X7 HMSA10 V	1.260	1.693	0.276	32.00	43.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
32X44X7 HMS5 RG	1.260	1.732	0.276	32.00	44.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
32X44X7 HMS5 V	1.260	1.732	0.276	32.00	44.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
32X44X7 HMSA10 RG	1.260	1.732	0.276	32.00	44.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
32X44X7 HMSA10 V	1.260	1.732	0.276	32.00	44.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
32X45X7 HMS5 RG	1.260	1.772	0.276	32.00	45.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
32X45X7 HMS5 V	1.260	1.772	0.276	32.00	45.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
32X45X7 HMSA10 RG	1.260	1.772	0.276	32.00	45.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
32X45X7 HMSA10 V	1.260	1.772	0.276	32.00	45.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
32X45X8 HMS5 RG	1.260	1.772	0.315	32.00	45.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	140
32X45X8 HMS5 V	1.260	1.772	0.315	32.00	45.00	8.00	V(VITON)	HMS5	Rubber OD seal	558
32X45X8 HMSA10 RG	1.260	1.772	0.315	32.00	45.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	159
32X45X8 HMSA10 V	1.260	1.772	0.315	32.00	45.00	8.00	V(VITON)	HMSA10	Rubber OD seal	583
32X47X10 HMS5 RG	1.260	1.850	0.394	32.00	47.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
32X47X10 HMS5 V	1.260	1.850	0.394	32.00	47.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
32X47X10 HMSA10 RG	1.260	1.850	0.394	32.00	47.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	172
32X47X10 HMSA10 V	1.260	1.850	0.394	32.00	47.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
32X47X6 HMS5 RG	1.260	1.850	0.236	32.00	47.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	157
32X47X6 HMS5 V	1.260	1.850	0.236	32.00	47.00	6.00	V(VITON)	HMS5	Rubber OD seal	610
32X47X6 HMSA10 RG	1.260	1.850	0.236	32.00	47.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	172
32X47X6 HMSA10 V	1.260	1.850	0.236	32.00	47.00	6.00	V(VITON)	HMSA10	Rubber OD seal	645
32X47X7 HMS5 RG	1.260	1.850	0.276	32.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
32X47X7 HMS5 V	1.260	1.850	0.276	32.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
32X47X7 HMSA10 RG	1.260	1.850	0.276	32.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
32X47X7 HMSA10 V	1.260	1.850	0.276	32.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
32X47X8 HMS5 RG	1.260	1.850	0.315	32.00	47.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
32X47X8 HMS5 V	1.260	1.850	0.315	32.00	47.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
32X47X8 HMSA10 RG	1.260	1.850	0.315	32.00	47.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	172
32X47X8 HMSA10 V	1.260	1.850	0.315	32.00	47.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
32X48X8 HMS5 RG	1.260	1.890	0.315	32.00	48.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
32X48X8 HMS5 V	1.260	1.890	0.315	32.00	48.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
32X48X8 HMSA10 RG	1.260	1.890	0.315	32.00	48.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	172
32X48X8 HMSA10 V	1.260	1.890	0.315	32.00	48.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
32X50X10 HMS5 RG	1.260	1.969	0.394	32.00	50.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
32X50X10 HMS5 V	1.260	1.969	0.394	32.00	50.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
32X50X10 HMSA10 RG	1.260	1.969	0.394	32.00	50.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	172
32X50X10 HMSA10 V	1.260	1.969	0.394	32.00	50.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
32X50X8 HMS5 RG	1.260	1.969	0.315	32.00	50.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
32X50X8 HMS5 V	1.260	1.969	0.315	32.00	50.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
32X50X8 HMSA10 RG	1.260	1.969	0.315	32.00	50.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	172
32X50X8 HMSA10 V	1.260	1.969	0.315	32.00	50.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
32X52X7 HMS5 RG	1.260	2.047	0.276	32.00	52.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
32X52X7 HMS5 V	1.260	2.047	0.276	32.00	52.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
32X52X7 HMSA10 RG	1.260	2.047	0.276	32.00	52.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
32X52X7 HMSA10 V	1.260	2.047	0.276	32.00	52.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
32X52X8 HMS5 RG	1.260	2.047	0.315	32.00	52.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
32X52X8 HMS5 V	1.260	2.047	0.315	32.00	52.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
32X52X8 HMSA10 RG	1.260	2.047	0.315	32.00	52.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
32X52X8 HMSA10 V	1.260	2.047	0.315	32.00	52.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
32X55X10 HMS5 RG	1.260	2.165	0.394	32.00	55.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
32X55X10 HMS5 V	1.260	2.165	0.394	32.00	55.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
32X55X10 HMSA10 RG	1.260	2.165	0.394	32.00	55.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185
32X55X10 HMSA10 V	1.260	2.165	0.394	32.00	55.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
32X62X10 HMS5 RG	1.260	2.441	0.394	32.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
32X62X10 HMS5 V	1.260	2.441	0.394	32.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
32X62X10 HMSA10 RG	1.260	2.441	0.394	32.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
32X62X10 HMSA10 V	1.260	2.441	0.394	32.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
32X72X7 HMS5 RG	1.260	2.835	0.276	32.00	72.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	251
32X72X7 HMS5 V	1.260	2.835	0.276	32.00	72.00	7.00	V(VITON)	HMS5	Rubber OD seal	1,182
32X72X7 HMSA10 RG	1.260	2.835	0.276	32.00	72.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	276
32X72X7 HMSA10 V	1.260	2.835	0.276	32.00	72.00	7.00	V(VITON)	HMSA10	Rubber OD seal	1,239
32X42X7 CRW1 R	1.260	1.654	0.276	32.00	42	7	R (NITRILE)	CRW1	Wave Seal, metal OD	566
32X42X7 CRW1 V	1.260	1.654	0.276	32.00	42	7	V (VITON)	CRW1	Wave Seal, metal OD	962
32X45X8 CRW1 R	1.260	1.772	0.315	32.00	45	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,126
32X47X8 CRW1 V	1.260	1.850	0.315	32.00	47	8	V (VITON)	CRW1	Wave Seal, metal OD	1,111
32X48X8 CRW1 V	1.260	1.890	0.315	32.00	48	8	V (VITON)	CRW1	Wave Seal, metal OD	3,467
32X50X8 CRW1 R	1.260	1.969	0.315	32.00	50	8	R (NITRILE)	CRW1	Wave Seal, metal OD	760
32X50X8 CRW1 V	1.260	1.969	0.315	32.00	50	8	V (VITON)	CRW1	Wave Seal, metal OD	990
32X52X8 CRW1 R	1.260	2.047	0.315	32.00	52	8	R (NITRILE)	CRW1	Wave Seal, metal OD	655
32X52X8 CRW1 V	1.260	2.047	0.315	32.00	52	8	V (VITON)	CRW1	Wave Seal, metal OD	1,488
32X56X8 CRW1 R	1.260	2.205	0.315	32.00	56	8	R (NITRILE)	CRW1	Wave Seal, metal OD	2,022
99128	1.260	0.000	0.315	32.00	0	8.001		SSLLEEVE	SSLLEEVE	1,887
99121	1.299	0.000	0.591	33.00	0	15.011		SSLLEEVE		1,750
33X45X7 HMS5 RG	1.299	1.772	0.276	33.00	45.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
33X45X7 HMS5 V	1.299	1.772	0.276	33.00	45.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
33X45X7 HMSA10 RG	1.299	1.772	0.276	33.00	45.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
33X45X7 HMSA10 V	1.299	1.772	0.276	33.00	45.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
33X50X6 HMS5 RG	1.299	1.969	0.236	33.00	50.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	157
33X50X6 HMS5 V	1.299	1.969	0.236	33.00	50.00	6.00	V(VITON)	HMS5	Rubber OD seal	610
33X50X6 HMSA10 RG	1.299	1.969	0.236	33.00	50.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	172
33X50X6 HMSA10 V	1.299	1.969	0.236	33.00	50.00	6.00	V(VITON)	HMSA10	Rubber OD seal	645
13092	1.313	2.125	0.313	33.35	53.98	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	605
13112	1.313	2.250	0.313	33.35	57.15	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	663
99131	1.313	0.000	0.500	33.35	0	12.7		SSLEEVE	SSLEEVE	2,106
13350	1.328	2.061	0.313	33.73	52.35	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	650
13418	1.328	2.227	0.313	33.73	56.57	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	917
34X44X8 HMS5 RG	1.339	1.732	0.315	34.00	44.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	140
34X44X8 HMS5 V	1.339	1.732	0.315	34.00	44.00	8.00	V(VITON)	HMS5	Rubber OD seal	558
34X44X8 HMSA10 RG	1.339	1.732	0.315	34.00	44.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	159
34X44X8 HMSA10 V	1.339	1.732	0.315	34.00	44.00	8.00	V(VITON)	HMSA10	Rubber OD seal	583
34X48X8 HMS5 RG	1.339	1.890	0.315	34.00	48.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
34X48X8 HMS5 V	1.339	1.890	0.315	34.00	48.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
34X48X8 HMSA10 RG	1.339	1.890	0.315	34.00	48.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	172
34X48X8 HMSA10 V	1.339	1.890	0.315	34.00	48.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
34X52X8 HMS5 RG	1.339	2.047	0.315	34.00	52.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
34X52X8 HMS5 V	1.339	2.047	0.315	34.00	52.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
34X52X8 HMSA10 RG	1.339	2.047	0.315	34.00	52.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
34X52X8 HMSA10 V	1.339	2.047	0.315	34.00	52.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
34X62X10 HMS5 RG	1.339	2.441	0.394	34.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
34X62X10 HMS5 V	1.339	2.441	0.394	34.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
34X62X10 HMSA10 RG	1.339	2.441	0.394	34.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
34X62X10 HMSA10 V	1.339	2.441	0.394	34.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
34X48X8 CRW1 R	1.339	1.890	0.315	34.00	48	8	R (NITRILE)	CRW1	Wave Seal, metal OD	630
34X48X8 CRW1 V	1.339	1.890	0.315	34.00	48	8	V (VITON)	CRW1	Wave Seal, metal OD	937
34X55X8 CRW1 R	1.339	2.165	0.315	34.00	55	8	R (NITRILE)	CRW1	Wave Seal, metal OD	631
34X56X8 CRW1 R	1.339	2.205	0.315	34.00	56	8	R (NITRILE)	CRW1	Wave Seal, metal OD	3,305
34X56X8 CRW1 V	1.339	2.205	0.315	34.00	56	8	V (VITON)	CRW1	Wave Seal, metal OD	1,054
34X62X8 CRW1 R	1.339	2.441	0.315	34.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,101
99134	1.339	0.000	0.500	34.00	0	12.7		SSLEEVE	SSLEEVE	1,880
13598	1.365	2.081	0.313	34.67	52.86	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	835
13700	1.365	2.261	0.313	34.67	57.43	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	461
13510	1.375	1.828	0.250	34.93	46.43	6.35	V (VITON)	CRWA1	Wave Seal, metal OD	1,498
13511	1.375	1.873	0.313	34.93	47.57	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	1,219
13514	1.375	1.750	0.250	34.93	44.45	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	428
13534	1.375	1.874	0.256	34.93	47.6	6.502	R (NITRILE)	CRW1	Wave Seal, metal OD	376
13536	1.375	1.835	0.250	34.93	46.61	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	541
13537	1.375	1.828	0.313	34.93	46.43	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	424
13538	1.375	1.874	0.256	34.93	47.6	6.5	V (VITON)	CRW1	Wave Seal, metal OD	827
13568	1.375	2.000	0.313	34.93	50.8	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	423
13579	1.375	2.000	0.313	34.93	50.8	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,354
13582	1.375	2.062	0.313	34.93	52.37	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,298
13585	1.375	2.062	0.313	34.93	52.37	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	523
13602	1.375	2.106	0.313	34.93	53.49	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	436
13671	1.375	2.250	0.313	34.93	57.15	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	611
13734	1.375	2.374	0.313	34.93	60.3	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,481
13738	1.375	2.374	0.313	34.93	60.3	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	436
13810	1.375	2.441	0.313	34.93	62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	611
13865	1.375	2.502	0.313	34.93	63.55	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	686

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
13867	1.375	2.502	0.313	34.93	63.55	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,379
13875	1.375	2.562	0.375	34.93	65.07	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	605
13878	1.375	2.562	0.375	34.93	65.07	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	1,613
13882	1.375	2.623	0.313	34.93	66.62	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	1,541
13892	1.375	2.686	0.500	34.93	68.22	12.7	R (NITRILE)	CRW1	Wave Seal, metal OD	883
13900	1.375	2.716	0.313	34.93	68.99	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	680
35 VA R	1.375	1.845	0.240	35.00	47	6	R (NITRILE)	VR 1	V-RING	227
99138	1.375	0.000	0.500	34.90	0	12.7		SSLEEVE	SSLEEVE	2,076
99139	1.375	0.000	0.512	35.00	0	13.005		SSLEEVE	SSLEEVE	1,976
35X45X7 HMS5 RG	1.378	1.772	0.276	35.00	45.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	140
35X45X7 HMS5 V	1.378	1.772	0.276	35.00	45.00	7.00	V(VITON)	HMS5	Rubber OD seal	558
35X45X7 HMSA10 RG	1.378	1.772	0.276	35.00	45.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	159
35X45X7 HMSA10 V	1.378	1.772	0.276	35.00	45.00	7.00	V(VITON)	HMSA10	Rubber OD seal	583
35X47X6 HMS5 RG	1.378	1.850	0.236	35.00	47.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	157
35X47X6 HMS5 V	1.378	1.850	0.236	35.00	47.00	6.00	V(VITON)	HMS5	Rubber OD seal	610
35X47X6 HMSA10 V	1.378	1.850	0.236	35.00	47.00	6.00	V(VITON)	HMSA10	Rubber OD seal	645
35X47X7 HMS5 RG	1.378	1.850	0.276	35.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
35X47X7 HMS5 V	1.378	1.850	0.276	35.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
35X47X7 HMSA10 V	1.378	1.850	0.276	35.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
35X47X8 HMS5 RG	1.378	1.850	0.315	35.00	47.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
35X47X8 HMS5 V	1.378	1.850	0.315	35.00	47.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
35X47X8 HMSA10 V	1.378	1.850	0.315	35.00	47.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
35X48X8 HMS5 RG	1.378	1.890	0.315	35.00	48.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
35X48X8 HMS5 V	1.378	1.890	0.315	35.00	48.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
35X48X8 HMSA10 V	1.378	1.890	0.315	35.00	48.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
35X49X6 HMS5 RG	1.378	1.929	0.236	35.00	49.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	157
35X49X6 HMS5 V	1.378	1.929	0.236	35.00	49.00	6.00	V(VITON)	HMS5	Rubber OD seal	610
35X49X6 HMSA10 V	1.378	1.929	0.236	35.00	49.00	6.00	V(VITON)	HMSA10	Rubber OD seal	645
35X50X10 HMS5 RG	1.378	1.969	0.394	35.00	50.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	157
35X50X10 HMS5 V	1.378	1.969	0.394	35.00	50.00	10.00	V(VITON)	HMS5	Rubber OD seal	610
35X50X10 HMSA10 V	1.378	1.969	0.394	35.00	50.00	10.00	V(VITON)	HMSA10	Rubber OD seal	645
35X50X7 HMS5 RG	1.378	1.969	0.276	35.00	50.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
35X50X7 HMS5 V	1.378	1.969	0.276	35.00	50.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
35X50X7 HMSA10 V	1.378	1.969	0.276	35.00	50.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
35X50X8 HMS5 RG	1.378	1.969	0.315	35.00	50.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
35X50X8 HMS5 V	1.378	1.969	0.315	35.00	50.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
35X50X8 HMSA10 V	1.378	1.969	0.315	35.00	50.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
35X52X10 HMS5 RG	1.378	2.047	0.394	35.00	52.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
35X52X10 HMS5 V	1.378	2.047	0.394	35.00	52.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
35X52X10 HMSA10 RG	1.378	2.047	0.394	35.00	52.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185
35X52X10 HMSA10 V	1.378	2.047	0.394	35.00	52.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
35X52X7 HMS5 RG	1.378	2.047	0.276	35.00	52.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
35X52X7 HMS5 V	1.378	2.047	0.276	35.00	52.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
35X52X7 HMSA10 RG	1.378	2.047	0.276	35.00	52.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
35X52X7 HMSA10 V	1.378	2.047	0.276	35.00	52.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
35X52X8 HMS5 RG	1.378	2.047	0.315	35.00	52.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
35X52X8 HMS5 V	1.378	2.047	0.315	35.00	52.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
35X52X8 HMSA10 RG	1.378	2.047	0.315	35.00	52.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
35X52X8 HMSA10 V	1.378	2.047	0.315	35.00	52.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
35X55X10 HMS5 RG	1.378	2.165	0.394	35.00	55.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
35X55X10 HMS5 V	1.378	2.165	0.394	35.00	55.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
35X55X10 HMSA10 RG	1.378	2.165	0.394	35.00	55.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
35X55X10 HMSA10 V	1.378	2.165	0.394	35.00	55.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
35X55X7 HMS5 RG	1.378	2.165	0.276	35.00	55.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
35X55X7 HMS5 V	1.378	2.165	0.276	35.00	55.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
35X55X7 HMSA10 RG	1.378	2.165	0.276	35.00	55.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
35X55X7 HMSA10 V	1.378	2.165	0.276	35.00	55.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
35X55X8 HMS5 RG	1.378	2.165	0.315	35.00	55.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
35X55X8 HMS5 V	1.378	2.165	0.315	35.00	55.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
35X55X8 HMSA10 RG	1.378	2.165	0.315	35.00	55.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
35X55X8 HMSA10 V	1.378	2.165	0.315	35.00	55.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
35X56X10 HMS5 RG	1.378	2.205	0.394	35.00	56.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	179
35X56X10 HMS5 V	1.378	2.205	0.394	35.00	56.00	10.00	V(VITON)	HMS5	Rubber OD seal	810
35X56X10 HMSA10 RG	1.378	2.205	0.394	35.00	56.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	195
35X56X10 HMSA10 V	1.378	2.205	0.394	35.00	56.00	10.00	V(VITON)	HMSA10	Rubber OD seal	850
35X58X10 HMS5 RG	1.378	2.283	0.394	35.00	58.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	179
35X58X10 HMS5 V	1.378	2.283	0.394	35.00	58.00	10.00	V(VITON)	HMS5	Rubber OD seal	810
35X58X10 HMSA10 RG	1.378	2.283	0.394	35.00	58.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	195
35X58X10 HMSA10 V	1.378	2.283	0.394	35.00	58.00	10.00	V(VITON)	HMSA10	Rubber OD seal	850
35X60X10 HMS5 RG	1.378	2.362	0.394	35.00	60.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	179
35X60X10 HMS5 V	1.378	2.362	0.394	35.00	60.00	10.00	V(VITON)	HMS5	Rubber OD seal	810
35X60X10 HMSA10 RG	1.378	2.362	0.394	35.00	60.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	195
35X60X10 HMSA10 V	1.378	2.362	0.394	35.00	60.00	10.00	V(VITON)	HMSA10	Rubber OD seal	850
35X62X10 HMS5 RG	1.378	2.441	0.394	35.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
35X62X10 HMS5 V	1.378	2.441	0.394	35.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
35X62X10 HMSA10 RG	1.378	2.441	0.394	35.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
35X62X10 HMSA10 V	1.378	2.441	0.394	35.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
35X62X7 HMS5 RG	1.378	2.441	0.276	35.00	62.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	195
35X62X7 HMS5 V	1.378	2.441	0.276	35.00	62.00	7.00	V(VITON)	HMS5	Rubber OD seal	893
35X62X7 HMSA10 RG	1.378	2.441	0.276	35.00	62.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	219
35X62X7 HMSA10 V	1.378	2.441	0.276	35.00	62.00	7.00	V(VITON)	HMSA10	Rubber OD seal	939
35X62X8 HMS5 RG	1.378	2.441	0.315	35.00	62.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
35X62X8 HMS5 V	1.378	2.441	0.315	35.00	62.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
35X62X8 HMSA10 RG	1.378	2.441	0.315	35.00	62.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
35X62X8 HMSA10 V	1.378	2.441	0.315	35.00	62.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
35X72X10 HMS5 RG	1.378	2.835	0.394	35.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
35X72X10 HMS5 V	1.378	2.835	0.394	35.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
35X72X10 HMSA10 RG	1.378	2.835	0.394	35.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
35X72X10 HMSA10 V	1.378	2.835	0.394	35.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
35X72X12 HMS5 RG	1.378	2.835	0.472	35.00	72.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	251
35X72X12 HMS5 V	1.378	2.835	0.472	35.00	72.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,182
35X72X12 HMSA10 RG	1.378	2.835	0.472	35.00	72.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	276
35X72X12 HMSA10 V	1.378	2.835	0.472	35.00	72.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,239
35X80X12 HMS5 RG	1.378	3.150	0.472	35.00	80.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	267
35X80X12 HMS5 V	1.378	3.150	0.472	35.00	80.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,273
35X80X12 HMSA10 RG	1.378	3.150	0.472	35.00	80.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	299
35X80X12 HMSA10 V	1.378	3.150	0.472	35.00	80.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,336
35X47X6 HMSA10 RG	1.378	1.850	0.236	35.00	47.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	174
35X47X7 HMSA10 RG	1.378	1.850	0.276	35.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	174
35X47X8 HMSA10 RG	1.378	1.850	0.315	35.00	47.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	174
35X48X8 HMSA10 RG	1.378	1.890	0.315	35.00	48.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	174
35X49X6 HMSA10 RG	1.378	1.929	0.236	35.00	49.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	174
35X50X10 HMSA10 RG	1.378	1.969	0.394	35.00	50.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	174
35X50X7 HMSA10 RG	1.378	1.969	0.276	35.00	50.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	174

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products
(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
35X50X8 HMSA10 RG	1.378	1.969	0.315	35.00	50.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	174
13926	1.378	2.835	0.313	35.00	72.01	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	2,335
35X48X8 CRW1 R	1.378	1.890	0.315	35.00	48	8	R (NITRILE)	CRW1	Wave Seal, metal OD	735
35X48X8 CRW1 V	1.378	1.890	0.315	35.00	48	8	V (VITON)	CRW1	Wave Seal, metal OD	882
35X50X8 CRW1 R	1.378	1.969	0.315	35.00	50	8	R (NITRILE)	CRW1	Wave Seal, metal OD	574
35X50X8 CRW1 V	1.378	1.969	0.315	35.00	50	8	V (VITON)	CRW1	Wave Seal, metal OD	910
35X52X8 CRW1 R	1.378	2.047	0.315	35.00	52	8	R (NITRILE)	CRW1	Wave Seal, metal OD	610
35X56X8 CRW1 V	1.378	2.205	0.315	35.00	56	8	V (VITON)	CRW1	Wave Seal, metal OD	2,650
35X62X8 CRW1 R	1.378	2.441	0.315	35.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	746
35X62X8 CRW1 V	1.378	2.441	0.315	35.00	62	8	V (VITON)	CRW1	Wave Seal, metal OD	1,239
35X64X8 CRW1 R	1.378	2.520	0.315	35.00	64	8	R (NITRILE)	CRW1	Wave Seal, metal OD	982
35X65X8 CRW1 R	1.378	2.559	0.315	35.00	65	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,413
35X68X8 CRW1 R	1.378	2.677	0.315	35.00	68	8	R (NITRILE)	CRW1	Wave Seal, metal OD	870
35X68X8 CRW1 V	1.378	2.677	0.315	35.00	68	8	V (VITON)	CRW1	Wave Seal, metal OD	1,237
35X72X8 CRW1 R	1.378	2.835	0.315	35.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	853
35X72X8 CRW1 V	1.378	2.835	0.315	35.00	72	8	V (VITON)	CRW1	Wave Seal, metal OD	1,602
35X78X8 CRW1 R	1.378	3.071	0.315	35.00	78	8	R (NITRILE)	CRW1	Wave Seal, metal OD	4,878
35X80X8 CRW1 R	1.378	3.150	0.315	35.00	80	8	R (NITRILE)	CRW1	Wave Seal, metal OD	939
36X52X8 CRW1 V	1.417	2.047	0.315	36.00	52	8	V (VITON)	CRW1	Wave Seal, metal OD	1,074
36X54X8 CRW1 R	1.417	2.126	0.315	36.00	54	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,057
36X54X8 CRW1 V	1.417	2.126	0.315	36.00	54	8	V (VITON)	CRW1	Wave Seal, metal OD	1,057
36X60X8 CRW1 R	1.417	2.362	0.315	36.00	60	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,650
36X60X8 CRW1 V	1.417	2.362	0.315	36.00	60	8	V (VITON)	CRW1	Wave Seal, metal OD	1,308
36X62X8 CRW1 R	1.417	2.441	0.315	36.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	989
36X65X8 CRW1 R	1.417	2.559	0.315	36.00	65	8	R (NITRILE)	CRW1	Wave Seal, metal OD	4,061
36X68X8 CRW1 R	1.417	2.677	0.315	36.00	68	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,097
99146	1.417	0.000	0.512	36.00	0	13.005		SSLEEVE	SSLEEVE	1,912
36X47X7 HMS5 RG	1.417	1.850	0.276	36.00	47.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
36X47X7 HMS5 V	1.417	1.850	0.276	36.00	47.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
36X47X7 HMSA10 RG	1.417	1.850	0.276	36.00	47.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
36X47X7 HMSA10 V	1.417	1.850	0.276	36.00	47.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
36X50X7 HMS5 RG	1.417	1.969	0.276	36.00	50.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
36X50X7 HMS5 V	1.417	1.969	0.276	36.00	50.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
36X50X7 HMSA10 RG	1.417	1.969	0.276	36.00	50.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	172
36X50X7 HMSA10 V	1.417	1.969	0.276	36.00	50.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
36X52X7 HMS5 RG	1.417	2.047	0.276	36.00	52.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
36X52X7 HMS5 V	1.417	2.047	0.276	36.00	52.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
36X52X7 HMSA10 RG	1.417	2.047	0.276	36.00	52.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
36X52X7 HMSA10 V	1.417	2.047	0.276	36.00	52.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
36X58X10 HMS5 RG	1.417	2.283	0.394	36.00	58.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	179
36X58X10 HMS5 V	1.417	2.283	0.394	36.00	58.00	10.00	V(VITON)	HMS5	Rubber OD seal	810
36X58X10 HMSA10 RG	1.417	2.283	0.394	36.00	58.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	195
36X58X10 HMSA10 V	1.417	2.283	0.394	36.00	58.00	10.00	V(VITON)	HMSA10	Rubber OD seal	850
36X62X7 HMS5 RG	1.417	2.441	0.276	36.00	62.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	195
36X62X7 HMS5 V	1.417	2.441	0.276	36.00	62.00	7.00	V(VITON)	HMS5	Rubber OD seal	893
36X62X7 HMSA10 RG	1.417	2.441	0.276	36.00	62.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	219
36X62X7 HMSA10 V	1.417	2.441	0.276	36.00	62.00	7.00	V(VITON)	HMSA10	Rubber OD seal	939
14212	1.438	2.062	0.313	36.53	52.37	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,137
14223	1.438	2.125	0.313	36.53	53.98	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	651
14225	1.438	2.125	0.313	36.53	53.98	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	1,022
14262	1.438	2.250	0.313	36.53	57.15	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	539
14282	1.438	2.374	0.313	36.53	60.3	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	566

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
14363	1.438	2.437	0.313	36.53	61.9	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	638
14383	1.438	2.502	0.313	36.53	63.55	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	574
14404	1.438	2.623	0.313	36.53	66.62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	1,010
14423	1.438	2.686	0.313	36.53	68.22	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	683
14458	1.438	2.750	0.313	36.53	69.85	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	858
99143	1.438	0.000	0.563	36.45	0	14.3		SSLEEVE	SSLEEVE	2,084
37X50X6 HMS5 RG	1.457	1.969	0.236	37.00	50.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	157
37X50X6 HMS5 V	1.457	1.969	0.236	37.00	50.00	6.00	V(VITON)	HMS5	Rubber OD seal	610
37X50X6 HMSA10 V	1.457	1.969	0.236	37.00	50.00	6.00	V(VITON)	HMSA10	Rubber OD seal	645
37X50X6 HMSA10 RG	1.457	1.969	0.236	37.00	50.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	174
38X50X7 CRW1 V	1.496	1.969	0.276	38.00	50	7	V (VITON)	CRW1	Wave Seal, metal OD	1,027
38X52X8 CRW1 V	1.496	2.047	0.315	38.00	52	8	V (VITON)	CRW1	Wave Seal, metal OD	964
38X55X8 CRW1 V	1.496	2.165	0.315	38.00	55	8	V (VITON)	CRW1	Wave Seal, metal OD	957
38X56X8 CRW1 R	1.496	2.205	0.315	38.00	56	8	R (NITRILE)	CRW1	Wave Seal, metal OD	4,066
38X58X8 CRW1 R	1.496	2.283	0.315	38.00	58	8	R (NITRILE)	CRW1	Wave Seal, metal OD	668
38X58X8 CRW1 V	1.496	2.283	0.315	38.00	58	8	V (VITON)	CRW1	Wave Seal, metal OD	1,029
38X60X8 CRW1 V	1.496	2.362	0.315	38.00	60	8	V (VITON)	CRW1	Wave Seal, metal OD	1,119
38X62X8 CRW1 R	1.496	2.441	0.315	38.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	807
38X62X8 CRW1 V	1.496	2.441	0.315	38.00	62	8	V (VITON)	CRW1	Wave Seal, metal OD	1,142
38X74X11 CRW1 V	1.496	2.913	0.433	38.00	74	11	V (VITON)	CRW1	Wave Seal, metal OD	1,318
38X74X11 CRWA1 R	1.496	2.913	0.433	38.00	74	11	R (NITRILE)	CRWA1	Wave Seal, metal OD	930
38X80X8 CRW1 R	1.496	3.150	0.315	38.00	80	8	R (NITRILE)	CRW1	Wave Seal, metal OD	999
99147	1.496	0.000	0.512	38.00	0	13.005		SSLEEVE	SSLEEVE	1,949
38X50X7 HMS5 RG	1.496	1.969	0.276	38.00	50.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	157
38X50X7 HMS5 V	1.496	1.969	0.276	38.00	50.00	7.00	V(VITON)	HMS5	Rubber OD seal	610
38X50X7 HMSA10 V	1.496	1.969	0.276	38.00	50.00	7.00	V(VITON)	HMSA10	Rubber OD seal	645
38X52X7 HMS5 RG	1.496	2.047	0.276	38.00	52.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
38X52X7 HMS5 V	1.496	2.047	0.276	38.00	52.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
38X52X7 HMSA10 RG	1.496	2.047	0.276	38.00	52.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
38X52X7 HMSA10 V	1.496	2.047	0.276	38.00	52.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
38X52X8 HMS5 RG	1.496	2.047	0.315	38.00	52.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
38X52X8 HMS5 V	1.496	2.047	0.315	38.00	52.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
38X52X8 HMSA10 RG	1.496	2.047	0.315	38.00	52.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
38X52X8 HMSA10 V	1.496	2.047	0.315	38.00	52.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
38X54X10 HMS5 RG	1.496	2.126	0.394	38.00	54.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
38X54X10 HMS5 V	1.496	2.126	0.394	38.00	54.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
38X54X10 HMSA10 RG	1.496	2.126	0.394	38.00	54.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185
38X54X10 HMSA10 V	1.496	2.126	0.394	38.00	54.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
38X55X10 HMS5 RG	1.496	2.165	0.394	38.00	55.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	165
38X55X10 HMS5 V	1.496	2.165	0.394	38.00	55.00	10.00	V(VITON)	HMS5	Rubber OD seal	762
38X55X10 HMSA10 RG	1.496	2.165	0.394	38.00	55.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	185
38X55X10 HMSA10 V	1.496	2.165	0.394	38.00	55.00	10.00	V(VITON)	HMSA10	Rubber OD seal	802
38X55X7 HMS5 RG	1.496	2.165	0.276	38.00	55.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
38X55X7 HMS5 V	1.496	2.165	0.276	38.00	55.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
38X55X7 HMSA10 RG	1.496	2.165	0.276	38.00	55.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
38X55X7 HMSA10 V	1.496	2.165	0.276	38.00	55.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
38X55X8 HMS5 RG	1.496	2.165	0.315	38.00	55.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
38X55X8 HMS5 V	1.496	2.165	0.315	38.00	55.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
38X55X8 HMSA10 RG	1.496	2.165	0.315	38.00	55.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
38X55X8 HMSA10 V	1.496	2.165	0.315	38.00	55.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
38X58X10 HMS5 RG	1.496	2.283	0.394	38.00	58	10	R(NITRILE)	HMS5	Rubber OD seal	179
38X58X10 HMS5 V	1.496	2.283	0.394	38.00	58	10	V(VITON)	HMS5	Rubber OD seal	810

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
38X58X10 HMSA10 RG	1.496	2.283	0.394	38.00	58	10	R(NITRILE)	HMSA10	Rubber OD seal	195
38X58X10 HMSA10 V	1.496	2.283	0.394	38.00	58	10	V(VITON)	HMSA10	Rubber OD seal	850
38X58X8 HMS5 RG	1.496	2.283	0.315	38.00	58.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	179
38X58X8 HMS5 V	1.496	2.283	0.315	38.00	58.00	8.00	V(VITON)	HMS5	Rubber OD seal	810
38X58X8 HMSA10 RG	1.496	2.283	0.315	38.00	58.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	195
38X58X8 HMSA10 V	1.496	2.283	0.315	38.00	58.00	8.00	V(VITON)	HMSA10	Rubber OD seal	850
38X60X10 HMS5 RG	1.496	2.362	0.394	38.00	60.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	179
38X60X10 HMS5 V	1.496	2.362	0.394	38.00	60.00	10.00	V(VITON)	HMS5	Rubber OD seal	810
38X60X10 HMSA10 RG	1.496	2.362	0.394	38.00	60.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	195
38X60X10 HMSA10 V	1.496	2.362	0.394	38.00	60.00	10.00	V(VITON)	HMSA10	Rubber OD seal	850
38X62X10 HMS5 RG	1.496	2.441	0.394	38.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
38X62X10 HMS5 V	1.496	2.441	0.394	38.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
38X62X10 HMSA10 RG	1.496	2.441	0.394	38.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
38X62X10 HMSA10 V	1.496	2.441	0.394	38.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
38X62X7 HMS5 RG	1.496	2.441	0.276	38.00	62.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	195
38X62X7 HMS5 V	1.496	2.441	0.276	38.00	62.00	7.00	V(VITON)	HMS5	Rubber OD seal	893
38X62X7 HMSA10 RG	1.496	2.441	0.276	38.00	62.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	219
38X62X7 HMSA10 V	1.496	2.441	0.276	38.00	62.00	7.00	V(VITON)	HMSA10	Rubber OD seal	939
38X62X8 HMS5 RG	1.496	2.441	0.315	38.00	62.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
38X62X8 HMS5 V	1.496	2.441	0.315	38.00	62.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
38X62X8 HMSA10 RG	1.496	2.441	0.315	38.00	62.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
38X62X8 HMSA10 V	1.496	2.441	0.315	38.00	62.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
38X72X10 HMS5 RG	1.496	2.835	0.394	38.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
38X72X10 HMS5 V	1.496	2.835	0.394	38.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
38X72X10 HMSA10 RG	1.496	2.835	0.394	38.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
38X72X10 HMSA10 V	1.496	2.835	0.394	38.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
38X50X7 HMSA10 RG	1.496	1.969	0.276	38.00	50.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	174
14807	1.500	1.874	0.250	38.10	47.6	6.5	R(NITRILE)	CRW1	Wave Seal, metal OD	379
14809	1.500	1.918	0.250	38.10	48.72	6.35	V(VITON)	CRW1	Wave Seal, metal OD	1,967
14821	1.500	1.983	0.250	38.10	50.37	6.35	V(VITON)	CRW1	Wave Seal, metal OD	1,251
14832	1.500	1.983	0.313	38.10	50.37	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	488
14855	1.500	2.000	0.313	38.10	50.8	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	371
14858	1.500	2.048	0.313	38.10	52.02	7.95	R(NITRILE)	CRWA1	Wave Seal, metal OD	448
14861	1.500	2.000	0.313	38.10	50.8	7.95	V(VITON)	CRW1	Wave Seal, metal OD	1,232
14864	1.500	2.062	0.313	38.10	52.37	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	471
14867	1.500	2.062	0.313	38.10	52.37	7.95	V(VITON)	CRW1	Wave Seal, metal OD	1,403
14875	1.500	2.125	0.313	38.10	53.98	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	573
14886	1.500	2.125	0.313	38.10	53.98	7.95	V(VITON)	CRW1	Wave Seal, metal OD	1,463
14938	1.500	2.250	0.313	38.10	57.15	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	563
14992	1.500	2.374	0.313	38.10	60.3	7.95	V(VITON)	CRW1	Wave Seal, metal OD	1,318
15004	1.500	2.374	0.313	38.10	60.3	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	453
15092	1.500	2.441	0.313	38.10	62	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	509
15138	1.500	2.502	0.313	38.10	63.55	7.95	V(VITON)	CRW1	Wave Seal, metal OD	1,455
15141	1.500	2.502	0.313	38.10	63.55	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	389
15207	1.500	2.686	0.500	38.10	68.22	12.7	R(NITRILE)	CRW1	Wave Seal, metal OD	782
15214	1.500	2.750	0.313	38.10	69.85	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	586
15230	1.500	2.758	0.313	38.10	70.05	7.95	R(NITRILE)	CRW1	Wave Seal, metal OD	539
40 VA R	1.500	2.090	0.280	40.00	55	7	R(NITRILE)	VR 1	V-RING	239
99149	1.500	0.000	0.563	38.10	0	14.3		SSLEEVE	SSLEEVE	2,039
38.5X58X7 HMS5 RG	1.516	2.283	0.276	38.50	58.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	179
38.5X58X7 HMS5 V	1.516	2.283	0.276	38.50	58.00	7.00	V(VITON)	HMS5	Rubber OD seal	810
38.5X58X7 HMSA10 RG	1.516	2.283	0.276	38.50	58.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	195

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
38.5X58X7 HMSA10 V	1.516	2.283	0.276	38.50	58.00	7.00	V(VITON)	HMSA10	Rubber OD seal	850
15450	1.552	2.502	0.500	39.42	63.55	12.7	R (NITRILE)	CRWA1	Wave Seal, metal OD	663
99155	1.552	0.000	0.438	39.42	0	11.125		SSLEEVE	SSLEEVE	2,074
15506	1.563	2.062	0.250	39.70	52.37	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,308
15508	1.563	2.062	0.250	39.70	52.37	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	640
15517	1.563	2.125	0.313	39.70	53.98	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	504
15522	1.563	2.250	0.313	39.70	57.15	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	494
15542	1.563	2.374	0.313	39.70	60.3	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	554
15549	1.563	2.374	0.313	39.70	60.3	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	1,598
15592	1.563	2.437	0.313	39.70	61.9	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	708
15620	1.563	2.441	0.500	39.70	62	12.7	R (NITRILE)	CRWA1	Wave Seal, metal OD	576
15655	1.563	2.502	0.313	39.70	63.55	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	576
15677	1.563	2.561	0.313	39.70	65.05	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	726
15699	1.563	2.623	0.313	39.70	66.62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	488
15707	1.563	2.686	0.313	39.70	68.22	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	541
15761	1.563	2.750	0.500	39.70	69.85	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,062
15773	1.563	2.875	0.313	39.70	73.03	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	668
99156	1.563	0.000	0.563	39.67	0	14.3		SSLEEVE	SSLEEVE	1,947
99159	1.569	0.000	0.625	39.85	0	15.875		SSLEEVE	SSLEEVE	1,987
40X50X8 HMS5 RG	1.575	1.969	0.315	40.00	50.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	157
40X50X8 HMS5 V	1.575	1.969	0.315	40.00	50.00	8.00	V(VITON)	HMS5	Rubber OD seal	610
40X50X8 HMSA10 V	1.575	1.969	0.315	40.00	50.00	8.00	V(VITON)	HMSA10	Rubber OD seal	645
40X52X6 HMS5 RG	1.575	2.047	0.236	40.00	52.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	165
40X52X6 HMS5 V	1.575	2.047	0.236	40.00	52.00	6.00	V(VITON)	HMS5	Rubber OD seal	762
40X52X6 HMSA10 RG	1.575	2.047	0.236	40.00	52.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	185
40X52X6 HMSA10 V	1.575	2.047	0.236	40.00	52.00	6.00	V(VITON)	HMSA10	Rubber OD seal	802
40X52X7 HMS5 RG	1.575	2.047	0.276	40.00	52.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
40X52X7 HMS5 V	1.575	2.047	0.276	40.00	52.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
40X52X7 HMSA10 RG	1.575	2.047	0.276	40.00	52.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
40X52X7 HMSA10 V	1.575	2.047	0.276	40.00	52.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
40X52X8 HMS5 RG	1.575	2.047	0.315	40.00	52.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
40X52X8 HMS5 V	1.575	2.047	0.315	40.00	52.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
40X52X8 HMSA10 RG	1.575	2.047	0.315	40.00	52.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
40X52X8 HMSA10 V	1.575	2.047	0.315	40.00	52.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
40X55X7 HMS5 RG	1.575	2.165	0.276	40.00	55.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
40X55X7 HMS5 V	1.575	2.165	0.276	40.00	55.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
40X55X7 HMSA10 RG	1.575	2.165	0.276	40.00	55.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
40X55X7 HMSA10 V	1.575	2.165	0.276	40.00	55.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
40X55X8 HMS5 RG	1.575	2.165	0.315	40.00	55.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
40X55X8 HMS5 V	1.575	2.165	0.315	40.00	55.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
40X55X8 HMSA10 RG	1.575	2.165	0.315	40.00	55.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
40X55X8 HMSA10 V	1.575	2.165	0.315	40.00	55.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
40X56X8 HMS5 RG	1.575	2.205	0.315	40.00	56.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	179
40X56X8 HMS5 V	1.575	2.205	0.315	40.00	56.00	8.00	V(VITON)	HMS5	Rubber OD seal	810
40X56X8 HMSA10 RG	1.575	2.205	0.315	40.00	56.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	195
40X56X8 HMSA10 V	1.575	2.205	0.315	40.00	56.00	8.00	V(VITON)	HMSA10	Rubber OD seal	850
40X58X10 HMS5 RG	1.575	2.283	0.394	40.00	58	10	R(NITRILE)	HMS5	Rubber OD seal	179
40X58X10 HMS5 V	1.575	2.283	0.394	40.00	58	10	V(VITON)	HMS5	Rubber OD seal	810
40X58X10 HMSA10 RG	1.575	2.283	0.394	40.00	58	10	R(NITRILE)	HMSA10	Rubber OD seal	195
40X58X10 HMSA10 V	1.575	2.283	0.394	40.00	58	10	V(VITON)	HMSA10	Rubber OD seal	850
40X58X7 HMS5 RG	1.575	2.283	0.276	40.00	58.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	179
40X58X7 HMS5 V	1.575	2.283	0.276	40.00	58.00	7.00	V(VITON)	HMS5	Rubber OD seal	810

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
40X58X7 HMSA10 RG	1.575	2.283	0.276	40.00	58.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	195
40X58X7 HMSA10 V	1.575	2.283	0.276	40.00	58.00	7.00	V(VITON)	HMSA10	Rubber OD seal	850
40X58X8 HMS5 RG	1.575	2.283	0.315	40.00	58.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	179
40X58X8 HMS5 V	1.575	2.283	0.315	40.00	58.00	8.00	V(VITON)	HMS5	Rubber OD seal	810
40X58X8 HMSA10 RG	1.575	2.283	0.315	40.00	58.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	195
40X58X8 HMSA10 V	1.575	2.283	0.315	40.00	58.00	8.00	V(VITON)	HMSA10	Rubber OD seal	850
40X60X10 HMS5 RG	1.575	2.362	0.394	40.00	60.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	179
40X60X10 HMS5 V	1.575	2.362	0.394	40.00	60.00	10.00	V(VITON)	HMS5	Rubber OD seal	810
40X60X10 HMSA10 RG	1.575	2.362	0.394	40.00	60.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	195
40X60X10 HMSA10 V	1.575	2.362	0.394	40.00	60.00	10.00	V(VITON)	HMSA10	Rubber OD seal	850
40X62X10 HMS5 RG	1.575	2.441	0.394	40.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
40X62X10 HMS5 V	1.575	2.441	0.394	40.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
40X62X10 HMSA10 RG	1.575	2.441	0.394	40.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
40X62X10 HMSA10 V	1.575	2.441	0.394	40.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
40X62X6 HMS5 RG	1.575	2.441	0.236	40.00	62.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	195
40X62X6 HMS5 V	1.575	2.441	0.236	40.00	62.00	6.00	V(VITON)	HMS5	Rubber OD seal	893
40X62X6 HMSA10 RG	1.575	2.441	0.236	40.00	62.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	219
40X62X6 HMSA10 V	1.575	2.441	0.236	40.00	62.00	6.00	V(VITON)	HMSA10	Rubber OD seal	939
40X62X7 HMS5 RG	1.575	2.441	0.276	40.00	62.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	195
40X62X7 HMS5 V	1.575	2.441	0.276	40.00	62.00	7.00	V(VITON)	HMS5	Rubber OD seal	893
40X62X7 HMSA10 RG	1.575	2.441	0.276	40.00	62.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	219
40X62X7 HMSA10 V	1.575	2.441	0.276	40.00	62.00	7.00	V(VITON)	HMSA10	Rubber OD seal	939
40X62X8 HMS5 RG	1.575	2.441	0.315	40.00	62.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
40X62X8 HMS5 V	1.575	2.441	0.315	40.00	62.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
40X62X8 HMSA10 RG	1.575	2.441	0.315	40.00	62.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
40X62X8 HMSA10 V	1.575	2.441	0.315	40.00	62.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
40X65X10 HMS5 RG	1.575	2.559	0.394	40.00	65.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
40X65X10 HMS5 V	1.575	2.559	0.394	40.00	65.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
40X65X10 HMSA10 RG	1.575	2.559	0.394	40.00	65.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
40X65X10 HMSA10 V	1.575	2.559	0.394	40.00	65.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
40X65X12 HMS5 RG	1.575	2.559	0.472	40.00	65.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	195
40X65X12 HMS5 V	1.575	2.559	0.472	40.00	65.00	12.00	V(VITON)	HMS5	Rubber OD seal	893
40X65X12 HMSA10 RG	1.575	2.559	0.472	40.00	65.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	219
40X65X12 HMSA10 V	1.575	2.559	0.472	40.00	65.00	12.00	V(VITON)	HMSA10	Rubber OD seal	939
40X68X10 HMS5 RG	1.575	2.677	0.394	40.00	68.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
40X68X10 HMS5 V	1.575	2.677	0.394	40.00	68.00	10.00	V(VITON)	HMS5	Rubber OD seal	999
40X68X10 HMSA10 RG	1.575	2.677	0.394	40.00	68.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
40X68X10 HMSA10 V	1.575	2.677	0.394	40.00	68.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,047
40X68X8 HMS5 RG	1.575	2.677	0.315	40.00	68.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	219
40X68X8 HMS5 V	1.575	2.677	0.315	40.00	68.00	8.00	V(VITON)	HMS5	Rubber OD seal	999
40X68X8 HMSA10 RG	1.575	2.677	0.315	40.00	68.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	242
40X68X8 HMSA10 V	1.575	2.677	0.315	40.00	68.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,047
40X72X10 HMS5 RG	1.575	2.835	0.394	40.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
40X72X10 HMS5 V	1.575	2.835	0.394	40.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
40X72X10 HMSA10 RG	1.575	2.835	0.394	40.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
40X72X10 HMSA10 V	1.575	2.835	0.394	40.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
40X72X7 HMS5 RG	1.575	2.835	0.276	40.00	72.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	251
40X72X7 HMS5 V	1.575	2.835	0.276	40.00	72.00	7.00	V(VITON)	HMS5	Rubber OD seal	1,182
40X72X7 HMSA10 RG	1.575	2.835	0.276	40.00	72.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	276
40X72X7 HMSA10 V	1.575	2.835	0.276	40.00	72.00	7.00	V(VITON)	HMSA10	Rubber OD seal	1,239
40X80X10 HMS5 RG	1.575	3.150	0.394	40.00	80.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	267
40X80X10 HMS5 V	1.575	3.150	0.394	40.00	80.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,273

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
40X80X10 HMSA10 RG	1.575	3.150	0.394	40.00	80.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	299
40X80X10 HMSA10 V	1.575	3.150	0.394	40.00	80.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,336
40X80X12 HMS5 RG	1.575	3.150	0.472	40.00	80.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	267
40X80X12 HMS5 V	1.575	3.150	0.472	40.00	80.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,273
40X80X12 HMSA10 RG	1.575	3.150	0.472	40.00	80.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	299
40X80X12 HMSA10 V	1.575	3.150	0.472	40.00	80.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,336
40X50X8 HMSA10 RG	1.575	1.969	0.315	40.00	50.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	174
40X52X7 CRW1 R	1.575	2.047	0.276	40.00	52	7	R (NITRILE)	CRW1	Wave Seal, metal OD	593
40X52X7 CRW1 V	1.575	2.047	0.276	40.00	52	7	V (VITON)	CRW1	Wave Seal, metal OD	858
40X55X8 CRW1 R	1.575	2.165	0.315	40.00	55	8	R (NITRILE)	CRW1	Wave Seal, metal OD	593
40X55X8 CRW1 V	1.575	2.165	0.315	40.00	55	8	V (VITON)	CRW1	Wave Seal, metal OD	1,067
40X56X7 CRW1 V	1.575	2.205	0.276	40.00	56	7	V (VITON)	CRW1	Wave Seal, metal OD	1,102
40X57X8 CRW1 R	1.575	2.244	0.315	40.00	57	8	R (NITRILE)	CRW1	Wave Seal, metal OD	718
40X58X8 CRW1 R	1.575	2.283	0.315	40.00	58	8	R (NITRILE)	CRW1	Wave Seal, metal OD	615
40X58X8 CRW1 V	1.575	2.283	0.315	40.00	58	8	V (VITON)	CRW1	Wave Seal, metal OD	1,070
40X60X8 CRW1 R	1.575	2.362	0.315	40.00	60	8	R (NITRILE)	CRW1	Wave Seal, metal OD	615
40X60X8 CRW1 V	1.575	2.362	0.315	40.00	60	8	V (VITON)	CRW1	Wave Seal, metal OD	1,131
40X62X8 CRW1 R	1.575	2.441	0.315	40.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	746
40X62X8 CRW1 V	1.575	2.441	0.315	40.00	62	8	V (VITON)	CRW1	Wave Seal, metal OD	1,227
40X65X8 CRW1 R	1.575	2.559	0.315	40.00	65	8	R (NITRILE)	CRW1	Wave Seal, metal OD	740
40X68X8 CRW1 R	1.575	2.677	0.315	40.00	68	8	R (NITRILE)	CRW1	Wave Seal, metal OD	793
40X70X8 CRW1 R	1.575	2.756	0.315	40.00	70	8	R (NITRILE)	CRW1	Wave Seal, metal OD	870
40X72X8 CRW1 R	1.575	2.835	0.315	40.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	872
40X75X8 CRW1 V	1.575	2.953	0.315	40.00	75	8	V (VITON)	CRW1	Wave Seal, metal OD	1,373
40X80X8 CRW1 R	1.575	3.150	0.315	40.00	80	8	R (NITRILE)	CRW1	Wave Seal, metal OD	982
99153	1.575	0.000	0.390	40.00	0	9.906	SSLEEVE	SSLEEVE	SSLEEVE	1,992
99157	1.578	0.000	0.512	40.00	0	13.005	SSLEEVE	SSLEEVE	SSLEEVE	2,056
99160	1.605	0.000	0.500	40.77	0	12.7	SSLEEVE	SSLEEVE	SSLEEVE	2,328
41X53X7 CRW1 R	1.614	2.087	0.276	41.00	53	7	R (NITRILE)	CRW1	Wave Seal, metal OD	701
41X55X8 CRW1 R	1.614	2.165	0.315	41.00	55	8	R (NITRILE)	CRW1	Wave Seal, metal OD	640
41X62X8 CRW1 R	1.614	2.441	0.315	41.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	792
99163	1.614	0.000	0.500	41.00	0	12.7	SSLEEVE	SSLEEVE	SSLEEVE	2,288
41X56X7 HMS5 RG	1.614	2.205	0.276	41.00	56.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	179
41X56X7 HMS5 V	1.614	2.205	0.276	41.00	56.00	7.00	V(VITON)	HMS5	Rubber OD seal	810
41X56X7 HMSA10 RG	1.614	2.205	0.276	41.00	56.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	195
41X56X7 HMSA10 V	1.614	2.205	0.276	41.00	56.00	7.00	V(VITON)	HMSA10	Rubber OD seal	850
16046	1.619	2.000	0.250	41.12	50.8	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	483
16039	1.625	2.000	0.250	41.28	50.8	6.35	V (VITON)	CRW1	Wave Seal, metal OD	1,256
16062	1.625	2.248	0.313	41.28	57.1	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	508
16077	1.625	2.374	0.313	41.28	60.3	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,353
16078	1.625	2.250	0.313	41.28	57.15	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,553
16084	1.625	2.374	0.313	41.28	60.3	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	576
16113	1.625	2.437	0.313	41.28	61.9	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	553
16119	1.625	2.437	0.313	41.28	61.9	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,035
16180	1.625	2.441	0.313	41.28	62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	670
16243	1.625	2.502	0.313	41.28	63.55	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	1,595
16245	1.625	2.502	0.313	41.28	63.55	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	558
16290	1.625	2.562	0.313	41.28	65.07	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	1,769
16314	1.625	2.623	0.313	41.28	66.62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	640
16316	1.625	2.623	0.313	41.28	66.62	7.95	V (VITON)	CRW1	Wave Seal, metal OD	2,076
16337	1.625	2.686	0.313	41.28	68.22	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	691
16338	1.625	2.686	0.313	41.28	68.22	7.95	V (VITON)	CRW1	Wave Seal, metal OD	2,082

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
16364	1.625	2.750	0.250	41.28	69.85	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	803
16406	1.625	2.875	0.313	41.28	73.03	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	743
16422	1.625	3.000	0.313	41.28	76.2	7.95	R (NITRILE)	CRWH1	Wave Seal, metal OD	755
99161	1.625	0.000	0.313	41.28	0	7.95		SSLLEEVE	SSLLEEVE	2,161
99166	1.650	0.000	0.445	42.00	0	11.303		SSLLEEVE	SSLLEEVE	2,244
99169	1.650	0.000	0.563	42.00	0	14.3		SSLLEEVE	SSLLEEVE	2,082
42X55X7 HMS5 RG	1.654	2.165	0.276	42.00	55.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
42X55X7 HMS5 V	1.654	2.165	0.276	42.00	55.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
42X55X7 HMSA10 RG	1.654	2.165	0.276	42.00	55.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
42X55X7 HMSA10 V	1.654	2.165	0.276	42.00	55.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
42X55X8 HMS5 RG	1.654	2.165	0.315	42.00	55.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	165
42X55X8 HMS5 V	1.654	2.165	0.315	42.00	55.00	8.00	V(VITON)	HMS5	Rubber OD seal	762
42X55X8 HMSA10 RG	1.654	2.165	0.315	42.00	55.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	185
42X55X8 HMSA10 V	1.654	2.165	0.315	42.00	55.00	8.00	V(VITON)	HMSA10	Rubber OD seal	802
42X56X7 HMS5 RG	1.654	2.205	0.276	42.00	56.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	179
42X56X7 HMS5 V	1.654	2.205	0.276	42.00	56.00	7.00	V(VITON)	HMS5	Rubber OD seal	810
42X56X7 HMSA10 RG	1.654	2.205	0.276	42.00	56.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	195
42X56X7 HMSA10 V	1.654	2.205	0.276	42.00	56.00	7.00	V(VITON)	HMSA10	Rubber OD seal	850
42X60X7 HMS5 RG	1.654	2.362	0.276	42.00	60.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	179
42X60X7 HMS5 V	1.654	2.362	0.276	42.00	60.00	7.00	V(VITON)	HMS5	Rubber OD seal	810
42X60X7 HMSA10 RG	1.654	2.362	0.276	42.00	60.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	195
42X60X7 HMSA10 V	1.654	2.362	0.276	42.00	60.00	7.00	V(VITON)	HMSA10	Rubber OD seal	850
42X62X10 HMS5 RG	1.654	2.441	0.394	42.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
42X62X10 HMS5 V	1.654	2.441	0.394	42.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
42X62X10 HMSA10 RG	1.654	2.441	0.394	42.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
42X62X10 HMSA10 V	1.654	2.441	0.394	42.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
42X62X7 HMS5 RG	1.654	2.441	0.276	42.00	62.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	195
42X62X7 HMS5 V	1.654	2.441	0.276	42.00	62.00	7.00	V(VITON)	HMS5	Rubber OD seal	893
42X62X7 HMSA10 RG	1.654	2.441	0.276	42.00	62.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	219
42X62X7 HMSA10 V	1.654	2.441	0.276	42.00	62.00	7.00	V(VITON)	HMSA10	Rubber OD seal	939
42X62X8 HMS5 RG	1.654	2.441	0.315	42.00	62.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
42X62X8 HMS5 V	1.654	2.441	0.315	42.00	62.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
42X62X8 HMSA10 RG	1.654	2.441	0.315	42.00	62.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
42X62X8 HMSA10 V	1.654	2.441	0.315	42.00	62.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
42X65X10 HMS5 RG	1.654	2.559	0.394	42.00	65.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
42X65X10 HMS5 V	1.654	2.559	0.394	42.00	65.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
42X65X10 HMSA10 RG	1.654	2.559	0.394	42.00	65.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
42X65X10 HMSA10 V	1.654	2.559	0.394	42.00	65.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
42X65X12 HMS5 RG	1.654	2.559	0.472	42.00	65.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	195
42X65X12 HMS5 V	1.654	2.559	0.472	42.00	65.00	12.00	V(VITON)	HMS5	Rubber OD seal	893
42X65X12 HMSA10 RG	1.654	2.559	0.472	42.00	65.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	219
42X65X12 HMSA10 V	1.654	2.559	0.472	42.00	65.00	12.00	V(VITON)	HMSA10	Rubber OD seal	939
42X66X10 HMS5 RG	1.654	2.598	0.394	42.00	66.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
42X66X10 HMS5 V	1.654	2.598	0.394	42.00	66.00	10.00	V(VITON)	HMS5	Rubber OD seal	999
42X66X10 HMSA10 RG	1.654	2.598	0.394	42.00	66.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
42X66X10 HMSA10 V	1.654	2.598	0.394	42.00	66.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,047
42X67X10 HMS5 RG	1.654	2.638	0.394	42.00	67.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
42X67X10 HMS5 V	1.654	2.638	0.394	42.00	67.00	10.00	V(VITON)	HMS5	Rubber OD seal	999
42X67X10 HMSA10 RG	1.654	2.638	0.394	42.00	67.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
42X72X10 HMS5 RG	1.654	2.835	0.394	42.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
42X72X10 HMS5 V	1.654	2.835	0.394	42.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
42X72X10 HMSA10 RG	1.654	2.835	0.394	42.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
42X72X10 HMSA10 V	1.654	2.835	0.394	42.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
42X72X8 HMS5 RG	1.654	2.835	0.315	42.00	72.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
42X72X8 HMS5 V	1.654	2.835	0.315	42.00	72.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182
42X72X8 HMSA10 RG	1.654	2.835	0.315	42.00	72.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
42X72X8 HMSA10 V	1.654	2.835	0.315	42.00	72.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
42X55X8 CRW1 R	1.654	2.165	0.315	42.00	55	8	R (NITRILE)	CRW1	Wave Seal, metal OD	656
42X55X8 CRW1 V	1.654	2.165	0.315	42.00	55	8	V (VITON)	CRW1	Wave Seal, metal OD	1,134
42X56X7 CRW1 V	1.654	2.205	0.276	42.00	56	7	V (VITON)	CRW1	Wave Seal, metal OD	1,152
42X56X8 CRW1 R	1.654	2.205	0.315	42.00	56	8	R (NITRILE)	CRW1	Wave Seal, metal OD	740
42X58X8 CRW1 V	1.654	2.283	0.315	42.00	58	8	V (VITON)	CRW1	Wave Seal, metal OD	1,152
42X60X8 CRW1 V	1.654	2.362	0.315	42.00	60	8	V (VITON)	CRW1	Wave Seal, metal OD	1,114
42X62X8 CRW1 R	1.654	2.441	0.315	42.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	780
42X62X8 CRW1 V	1.654	2.441	0.315	42.00	62	8	V (VITON)	CRW1	Wave Seal, metal OD	1,216
42X65X8 CRW1 R	1.654	2.559	0.315	42.00	65	8	R (NITRILE)	CRW1	Wave Seal, metal OD	807
42X65X8 CRW1 V	1.654	2.559	0.315	42.00	65	8	V (VITON)	CRW1	Wave Seal, metal OD	2,595
42X72X8 CRW1 V	1.654	2.835	0.315	42.00	72	8	V (VITON)	CRW1	Wave Seal, metal OD	1,523
99165	1.656	0.000	0.550	42.06	0	13.97		SSLEEVE	SSLEEVE	1,909
16650	1.688	2.279	0.500	42.88	57.89	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,134
16657	1.688	2.328	0.313	42.88	59.13	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	533
16679	1.688	2.437	0.313	42.88	61.9	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	563
16719	1.688	2.502	0.313	42.88	63.55	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	741
16735	1.688	2.551	0.470	42.88	64.8	11.94	R (NITRILE)	HMSA7	Rubber OD seal	1,047
16816	1.688	2.623	0.500	42.88	66.62	12.7	R (NITRILE)	CRW1	Wave Seal, metal OD	827
16817	1.688	2.623	0.500	42.88	66.62	12.7	V (VITON)	CRWA1	Wave Seal, metal OD	1,842
16842	1.688	2.686	0.313	42.88	68.22	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	773
16900	1.688	2.750	0.313	42.88	69.85	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	514
16999	1.688	2.875	0.313	42.88	73.03	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	790
99167	1.688	0.000	0.313	42.88	0	7.95		SSLEEVE	SSLEEVE	2,034
43X62X8 HMS5 RG	1.693	2.441	0.315	43.00	62.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
43X62X8 HMS5 V	1.693	2.441	0.315	43.00	62.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
43X62X8 HMSA10 RG	1.693	2.441	0.315	43.00	62.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
43X62X8 HMSA10 V	1.693	2.441	0.315	43.00	62.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
43X57X8 CRW1 R	1.693	2.244	0.315	43.00	57	8	R (NITRILE)	CRW1	Wave Seal, metal OD	888
43X60X8 CRW1 R	1.693	2.362	0.315	43.00	60	8	R (NITRILE)	CRW1	Wave Seal, metal OD	820
99182	1.693	0.000	0.500	43.00	0	12.7		SSLEEVE	SSLEEVE	2,166
17100	1.704	3.034	0.500	43.31	77.06	12.7	R (NITRILE)	CRWA1	Wave Seal, metal OD	630
17144	1.719	2.561	0.315	43.66	65.05	8	R (NITRILE)	CRWA1	Wave Seal, metal OD	394
99171	1.719	0.000	0.563	43.64	0	14.3		SSLEEVE	SSLEEVE	1,742
44X60X8 CRW1 R	1.732	2.362	0.315	44.00	60	8	R (NITRILE)	CRW1	Wave Seal, metal OD	715
44X62X8 CRW1 R	1.732	2.441	0.315	44.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	655
44X65X8 CRW1 R	1.732	2.559	0.315	44.00	65	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,156
44X68X8 CRW1 V	1.732	2.677	0.315	44.00	68	8	V (VITON)	CRW1	Wave Seal, metal OD	1,278
44X70X8 CRW1 R	1.732	2.756	0.315	44.00	70	8	R (NITRILE)	CRW1	Wave Seal, metal OD	802
44X72X8 CRW1 R	1.732	2.835	0.315	44.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	773
44X60X10 HMS5 RG	1.732	2.362	0.394	44.00	60.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	179
44X60X10 HMS5 V	1.732	2.362	0.394	44.00	60.00	10.00	V(VITON)	HMS5	Rubber OD seal	810
44X60X10 HMSA10 RG	1.732	2.362	0.394	44.00	60.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	195
44X60X10 HMSA10 V	1.732	2.362	0.394	44.00	60.00	10.00	V(VITON)	HMSA10	Rubber OD seal	850
44X62X10 HMS5 RG	1.732	2.441	0.394	44.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
44X62X10 HMS5 V	1.732	2.441	0.394	44.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
44X62X10 HMSA10 RG	1.732	2.441	0.394	44.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
44X62X10 HMSA10 V	1.732	2.441	0.394	44.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
44X65X10 HMS5 RG	1.732	2.559	0.394	44.00	65.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
44X65X10 HMS5 V	1.732	2.559	0.394	44.00	65.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
44X65X10 HMSA10 RG	1.732	2.559	0.394	44.00	65.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
44X65X10 HMSA10 V	1.732	2.559	0.394	44.00	65.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
17227	1.750	2.125	0.188	44.45	53.96	4.78	R (NITRILE)	HMS1	Rubber OD seal	1,244
17231	1.750	2.250	0.313	44.45	57.15	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	509
17234	1.750	2.250	0.313	44.45	57.15	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,628
17261	1.750	2.374	0.313	44.45	60.3	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	982
17270	1.750	2.374	0.313	44.45	60.3	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	499
17315	1.750	2.441	0.313	44.45	62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	436
17320	1.750	2.441	0.375	44.45	62	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	1,446
17379	1.750	2.502	0.313	44.45	63.55	7.95	V (VITON)	CRW1	Wave Seal, metal OD	957
17386	1.750	2.502	0.313	44.45	63.55	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	743
17404	1.750	2.561	0.313	44.45	65.05	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	526
17413	1.750	2.565	0.313	44.45	65.15	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	862
17442	1.750	2.623	0.313	44.45	66.62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	638
17448	1.750	2.623	0.313	44.45	66.62	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	1,921
17484	1.750	2.686	0.313	44.45	68.22	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	541
17557	1.750	2.750	0.313	44.45	69.85	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	643
17558	1.750	2.750	0.313	44.45	69.85	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,488
17607	1.750	2.717	0.438	44.45	69.01	11.13	R (NITRILE)	CRWA1	Wave Seal, metal OD	726
17624	1.750	2.810	0.313	44.45	71.37	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	566
17653	1.750	2.875	0.313	44.45	73.03	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	750
17657	1.750	2.875	0.313	44.45	73.03	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,618
17707	1.750	3.000	0.313	44.45	76.2	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	591
17716	1.750	3.061	0.313	44.45	77.75	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	977
17746	1.750	3.189	0.313	44.45	81	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	735
17756	1.750	3.543	0.438	44.45	89.99	11.13	R (NITRILE)	CRW1	Wave Seal, metal OD	820
45 VA R	1.750	2.340	0.280	45.00	60	7	R (NITRILE)	VR 1	V-RING	259
99172	1.750	0.000	0.375	44.45	0	9.525		SSLLEEVE	SSLLEEVE	2,229
99175	1.750	0.000	0.750	44.45	0	19.05		SSLLEEVE	SSLLEEVE	1,889
99176	1.766	0.000	0.563	44.81	0	13.995		SSLLEEVE	SSLLEEVE	2,193
45X55X7 HMS5 RG	1.772	2.165	0.276	45.00	55.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	165
45X55X7 HMS5 V	1.772	2.165	0.276	45.00	55.00	7.00	V(VITON)	HMS5	Rubber OD seal	762
45X55X7 HMSA10 RG	1.772	2.165	0.276	45.00	55.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	185
45X55X7 HMSA10 V	1.772	2.165	0.276	45.00	55.00	7.00	V(VITON)	HMSA10	Rubber OD seal	802
45X58X7 HMS5 RG	1.772	2.283	0.276	45.00	58.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	179
45X58X7 HMS5 V	1.772	2.283	0.276	45.00	58.00	7.00	V(VITON)	HMS5	Rubber OD seal	810
45X58X7 HMSA10 RG	1.772	2.283	0.276	45.00	58.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	195
45X58X7 HMSA10 V	1.772	2.283	0.276	45.00	58.00	7.00	V(VITON)	HMSA10	Rubber OD seal	850
45X60X10 HMS5 RG	1.772	2.362	0.394	45.00	60.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	179
45X60X10 HMS5 V	1.772	2.362	0.394	45.00	60.00	10.00	V(VITON)	HMS5	Rubber OD seal	810
45X60X10 HMSA10 RG	1.772	2.362	0.394	45.00	60.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	195
45X60X10 HMSA10 V	1.772	2.362	0.394	45.00	60.00	10.00	V(VITON)	HMSA10	Rubber OD seal	850
45X60X7 HMS5 RG	1.772	2.362	0.276	45.00	60.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	179
45X60X7 HMS5 V	1.772	2.362	0.276	45.00	60.00	7.00	V(VITON)	HMS5	Rubber OD seal	810
45X60X7 HMSA10 RG	1.772	2.362	0.276	45.00	60.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	195
45X60X7 HMSA10 V	1.772	2.362	0.276	45.00	60.00	7.00	V(VITON)	HMSA10	Rubber OD seal	850
45X60X8 HMS5 RG	1.772	2.362	0.315	45.00	60.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	179
45X60X8 HMS5 V	1.772	2.362	0.315	45.00	60.00	8.00	V(VITON)	HMS5	Rubber OD seal	810
45X60X8 HMSA10 RG	1.772	2.362	0.315	45.00	60.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	195
45X60X8 HMSA10 V	1.772	2.362	0.315	45.00	60.00	8.00	V(VITON)	HMSA10	Rubber OD seal	850

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
45X62X10 HMS5 RG	1.772	2.441	0.394	45.00	62.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
45X62X10 HMS5 V	1.772	2.441	0.394	45.00	62.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
45X62X10 HMSA10 RG	1.772	2.441	0.394	45.00	62.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
45X62X10 HMSA10 V	1.772	2.441	0.394	45.00	62.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
45X62X7 HMS5 RG	1.772	2.441	0.276	45.00	62.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	195
45X62X7 HMS5 V	1.772	2.441	0.276	45.00	62.00	7.00	V(VITON)	HMS5	Rubber OD seal	893
45X62X7 HMSA10 RG	1.772	2.441	0.276	45.00	62.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	219
45X62X7 HMSA10 V	1.772	2.441	0.276	45.00	62.00	7.00	V(VITON)	HMSA10	Rubber OD seal	939
45X62X8 HMS5 RG	1.772	2.441	0.315	45.00	62.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
45X62X8 HMS5 V	1.772	2.441	0.315	45.00	62.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
45X62X8 HMSA10 RG	1.772	2.441	0.315	45.00	62.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
45X62X8 HMSA10 V	1.772	2.441	0.315	45.00	62.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
45X65X10 HMS5 RG	1.772	2.559	0.394	45.00	65.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
45X65X10 HMS5 V	1.772	2.559	0.394	45.00	65.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
45X65X10 HMSA10 RG	1.772	2.559	0.394	45.00	65.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
45X65X10 HMSA10 V	1.772	2.559	0.394	45.00	65.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
45X65X8 HMS5 RG	1.772	2.559	0.315	45.00	65.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
45X65X8 HMS5 V	1.772	2.559	0.315	45.00	65.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
45X65X8 HMSA10 RG	1.772	2.559	0.315	45.00	65.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
45X65X8 HMSA10 V	1.772	2.559	0.315	45.00	65.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
45X68X10 HMS5 RG	1.772	2.677	0.394	45.00	68.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
45X68X10 HMS5 V	1.772	2.677	0.394	45.00	68.00	10.00	V(VITON)	HMS5	Rubber OD seal	999
45X68X10 HMSA10 RG	1.772	2.677	0.394	45.00	68.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
45X68X10 HMSA10 V	1.772	2.677	0.394	45.00	68.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,047
45X68X12 HMS5 RG	1.772	2.677	0.472	45.00	68.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	219
45X68X12 HMS5 V	1.772	2.677	0.472	45.00	68.00	12.00	V(VITON)	HMS5	Rubber OD seal	999
45X68X12 HMSA10 RG	1.772	2.677	0.472	45.00	68.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	242
45X68X12 HMSA10 V	1.772	2.677	0.472	45.00	68.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,047
45X68X7 HMS5 RG	1.772	2.677	0.276	45.00	68.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	219
45X68X7 HMS5 V	1.772	2.677	0.276	45.00	68.00	7.00	V(VITON)	HMS5	Rubber OD seal	999
45X68X7 HMSA10 RG	1.772	2.677	0.276	45.00	68.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	242
45X68X7 HMSA10 V	1.772	2.677	0.276	45.00	68.00	7.00	V(VITON)	HMSA10	Rubber OD seal	1,047
45X72X10 HMS5 RG	1.772	2.835	0.394	45.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
45X72X10 HMS5 V	1.772	2.835	0.394	45.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
45X72X10 HMSA10 RG	1.772	2.835	0.394	45.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
45X72X10 HMSA10 V	1.772	2.835	0.394	45.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
45X72X8 HMS5 RG	1.772	2.835	0.315	45.00	72.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
45X72X8 HMS5 V	1.772	2.835	0.315	45.00	72.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182
45X72X8 HMSA10 RG	1.772	2.835	0.315	45.00	72.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
45X72X8 HMSA10 V	1.772	2.835	0.315	45.00	72.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
45X75X10 HMS5 RG	1.772	2.953	0.394	45.00	75.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
45X75X10 HMS5 V	1.772	2.953	0.394	45.00	75.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
45X75X10 HMSA10 RG	1.772	2.953	0.394	45.00	75.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
45X75X10 HMSA10 V	1.772	2.953	0.394	45.00	75.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
45X75X8 HMS5 RG	1.772	2.953	0.315	45.00	75.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
45X75X8 HMS5 V	1.772	2.953	0.315	45.00	75.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182
45X75X8 HMSA10 RG	1.772	2.953	0.315	45.00	75.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
45X75X8 HMSA10 V	1.772	2.953	0.315	45.00	75.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
45X80X10 HMS5 RG	1.772	3.150	0.394	45.00	80.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	267
45X80X10 HMS5 V	1.772	3.150	0.394	45.00	80.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,273
45X80X10 HMSA10 RG	1.772	3.150	0.394	45.00	80.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	299
45X80X10 HMSA10 V	1.772	3.150	0.394	45.00	80.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,336
45X85X10 HMS5 RG	1.772	3.346	0.394	45.00	85.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	302

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products
(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
45X85X10 HMS5 V	1.772	3.346	0.394	45.00	85.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,448
45X85X10 HMSA10 RG	1.772	3.346	0.394	45.00	85.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	339
45X85X10 HMSA10 V	1.772	3.346	0.394	45.00	85.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,523
45X60X8 CRW1 V	1.772	2.362	0.315	45.00	60	8	V (VITON)	CRW1	Wave Seal, metal OD	1,059
45X62X8 CRW1 R	1.772	2.441	0.315	45.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	690
45X62X8 CRWA1 V	1.772	2.441	0.315	45.00	62	8	V (VITON)	CRWA1	Wave Seal, metal OD	1,316
45X65X8 CRW1 R	1.772	2.559	0.315	45.00	65	8	R (NITRILE)	CRW1	Wave Seal, metal OD	733
45X65X8 CRW1 V	1.772	2.559	0.315	45.00	65	8	V (VITON)	CRW1	Wave Seal, metal OD	1,186
45X68X8 CRW1 R	1.772	2.677	0.315	45.00	68	8	R (NITRILE)	CRW1	Wave Seal, metal OD	910
45X68X8 CRW1 V	1.772	2.677	0.315	45.00	68	8	V (VITON)	CRW1	Wave Seal, metal OD	1,259
45X72X8 CRW1 R	1.772	2.835	0.315	45.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	898
45X72X8 CRW1 V	1.772	2.835	0.315	45.00	72	8	V (VITON)	CRW1	Wave Seal, metal OD	1,336
45X75X8 CRW1 R	1.772	2.953	0.315	45.00	75	8	R (NITRILE)	CRW1	Wave Seal, metal OD	847
45X75X8 CRW1 V	1.772	2.953	0.315	45.00	75	8	V (VITON)	CRW1	Wave Seal, metal OD	1,628
45X80X8 CRW1 R	1.772	3.150	0.315	45.00	80	8	R (NITRILE)	CRW1	Wave Seal, metal OD	895
45X85X8 CRW1 R	1.772	3.346	0.315	45.00	85	8	R (NITRILE)	CRW1	Wave Seal, metal OD	777
99177	1.772	0.000	0.551	45.00	0	13.995		SSLEEVE	SSLEEVE	2,128
17806	1.781	2.252	0.313	45.24	57.2	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	753
17810	1.781	2.502	0.313	45.24	63.55	7.95	R (NITRILE)	CRWH1	Wave Seal, metal OD	757
99179	1.781	0.000	0.667	45.24	0	14.3		SSLEEVE	SSLEEVE	2,530
46X60X8 CRW1 R	1.811	2.362	0.315	46.00	60	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,787
46X68X8 CRW1 R	1.811	2.677	0.315	46.00	68	8	R (NITRILE)	CRW1	Wave Seal, metal OD	930
46X72X8 CRW1 R	1.811	2.835	0.315	46.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,738
46X59X12 HMS5 RG	1.811	2.323	0.472	46.00	59.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	179
46X59X12 HMS5 V	1.811	2.323	0.472	46.00	59.00	12.00	V(VITON)	HMS5	Rubber OD seal	810
46X59X12 HMSA10 RG	1.811	2.323	0.472	46.00	59.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	195
46X65X10 HMS5 RG	1.811	2.559	0.394	46.00	65.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
46X65X10 HMS5 V	1.811	2.559	0.394	46.00	65.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
46X65X10 HMSA10 RG	1.811	2.559	0.394	46.00	65.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
46X65X10 HMSA10 V	1.811	2.559	0.394	46.00	65.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
18039	1.813	2.437	0.313	46.05	61.9	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	623
18049	1.813	2.562	0.313	46.05	65.07	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	2,447
18104	1.813	2.623	0.313	46.05	66.62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	666
18159	1.813	2.750	0.313	46.05	69.85	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	705
18242	1.813	2.875	0.313	46.05	73.03	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	735
18833	1.813	3.001	0.563	46.05	76.23	0.06	P(POLY ACRYLITE)	HMSA25	Rubber OD seal	755
99181	1.813	0.000	0.563	46.05	0	14.3		SSLEEVE	SSLEEVE	2,056
47X60X7 CRW1 R	1.850	2.362	0.276	47.00	60	7	R (NITRILE)	CRW1	Wave Seal, metal OD	793
47X62X8 CRW1 R	1.850	2.441	0.315	47.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	883
47X72X8 CRW1 R	1.850	2.835	0.315	47.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	718
47X65X10 HMS5 RG	1.850	2.559	0.394	47.00	65.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
47X65X10 HMS5 V	1.850	2.559	0.394	47.00	65.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
47X65X10 HMSA10 RG	1.850	2.559	0.394	47.00	65.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
47X65X10 HMSA10 V	1.850	2.559	0.394	47.00	65.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
47X70X10 HMS5 RG	1.850	2.756	0.394	47.00	70.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
47X70X10 HMSA10 RG	1.850	2.756	0.394	47.00	70.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
47X70X10 HMSA10 V	1.850	2.756	0.394	47.00	70.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,047
99185	1.859	0.000	0.563	47.24	0	22.581		SSLEEVE	SSLEEVE	2,238
99186	1.868	0.000	0.889	47.45	0	22.581		SSLEEVE	SSLEEVE	2,303
18545	1.875	2.471	0.313	47.63	62.76	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	728
18546	1.875	2.562	0.313	47.63	65.07	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	812
18549	1.875	2.398	0.256	47.63	60.91	6.502	R (NITRILE)	CRW1	Wave Seal, metal OD	481

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
18565	1.875	2.502	0.313	47.63	63.55	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	433
18580	1.875	2.623	0.313	47.63	66.62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	558
18582	1.875	2.623	0.313	47.63	66.62	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,605
18626	1.875	2.686	0.313	47.63	68.22	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	651
18652	1.875	2.750	0.313	47.63	69.85	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,822
18657	1.875	2.750	0.313	47.63	69.85	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	656
18732	1.875	2.875	0.313	47.63	73.03	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,757
18733	1.875	2.875	0.313	47.63	73.03	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	680
18785	1.875	2.997	0.313	47.63	76.12	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	668
18817	1.875	3.000	0.313	47.63	76.2	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	735
18872	1.875	3.061	0.313	47.63	77.75	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	626
18899	1.875	3.189	0.469	47.63	81	11.91	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,114
18916	1.875	3.371	0.438	47.63	85.62	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,136
18922	1.875	3.249	0.484	47.63	82.52	12.29	R (NITRILE)	CRWA1	Wave Seal, metal OD	713
99187	1.875	0.000	0.563	47.63	0	14.3		SSLLEEVE	SSLLEEVE	2,229
48X62X8 HMS5 RG	1.890	2.441	0.315	48.00	62.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
48X62X8 HMS5 V	1.890	2.441	0.315	48.00	62.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
48X62X8 HMSA10 RG	1.890	2.441	0.315	48.00	62.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
48X62X8 HMSA10 V	1.890	2.441	0.315	48.00	62.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
48X65X10 HMS5 RG	1.890	2.559	0.394	48.00	65.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
48X65X10 HMS5 V	1.890	2.559	0.394	48.00	65.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
48X65X10 HMSA10 RG	1.890	2.559	0.394	48.00	65.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
48X65X10 HMSA10 V	1.890	2.559	0.394	48.00	65.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
48X68X10 HMS5 RG	1.890	2.677	0.394	48.00	68.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
48X68X10 HMS5 V	1.890	2.677	0.394	48.00	68.00	10.00	V(VITON)	HMS5	Rubber OD seal	999
48X68X10 HMSA10 RG	1.890	2.677	0.394	48.00	68.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
48X68X10 HMSA10 V	1.890	2.677	0.394	48.00	68.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,047
48X70X10 HMS5 RG	1.890	2.756	0.394	48.00	70.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
48X70X10 HMS5 V	1.890	2.756	0.394	48.00	70.00	10.00	V(VITON)	HMS5	Rubber OD seal	999
48X70X10 HMSA10 RG	1.890	2.756	0.394	48.00	70.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
48X70X10 HMSA10 V	1.890	2.756	0.394	48.00	70.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,047
48X72X10 HMS5 RG	1.890	2.835	0.394	48.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
48X72X10 HMS5 V	1.890	2.835	0.394	48.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
48X72X10 HMSA10 RG	1.890	2.835	0.394	48.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
48X72X10 HMSA10 V	1.890	2.835	0.394	48.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
48X72X7 HMS5 RG	1.890	2.835	0.276	48.00	72.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	251
48X72X7 HMS5 V	1.890	2.835	0.276	48.00	72.00	7.00	V(VITON)	HMS5	Rubber OD seal	1,182
48X72X7 HMSA10 RG	1.890	2.835	0.276	48.00	72.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	276
48X72X7 HMSA10 V	1.890	2.835	0.276	48.00	72.00	7.00	V(VITON)	HMSA10	Rubber OD seal	1,239
48X72X8 HMS5 RG	1.890	2.835	0.315	48.00	72.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
48X72X8 HMS5 V	1.890	2.835	0.315	48.00	72.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182
48X72X8 HMSA10 RG	1.890	2.835	0.315	48.00	72.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
48X72X8 HMSA10 V	1.890	2.835	0.315	48.00	72.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
48X62X8 CRW1 R	1.890	2.441	0.315	48.00	62	8	R (NITRILE)	CRW1	Wave Seal, metal OD	803
48X65X8 CRW1 R	1.890	2.559	0.315	48.00	65	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,319
48X65X8 CRW1 V	1.890	2.559	0.315	48.00	65	8	V (VITON)	CRW1	Wave Seal, metal OD	2,113
48X68X8 CRW1 R	1.890	2.677	0.315	48.00	68	8	R (NITRILE)	CRW1	Wave Seal, metal OD	887
48X70X8 CRW1 V	1.890	2.756	0.315	48.00	70	8	V (VITON)	CRW1	Wave Seal, metal OD	1,904
48X72X8 CRW1 R	1.890	2.835	0.315	48.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	903
48X72X8 CRW1 V	1.890	2.835	0.315	48.00	72	8	V (VITON)	CRW1	Wave Seal, metal OD	2,570
48X80X8 CRW1 R	1.890	3.150	0.315	48.00	80	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,025
99189	1.891	0.000	0.551	48.00	0	14		SSLLEEVE	SSLLEEVE	2,036

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
19000	1.893	2.434	0.250	48.08	61.82	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	675
19211	1.938	2.563	0.313	49.23	65.1	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	910
19215	1.938	2.412	0.313	49.23	61.26	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	790
19220	1.938	2.502	0.375	49.23	63.55	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	553
19226	1.938	2.623	0.313	49.23	66.62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	554
19227	1.938	2.623	0.313	49.23	66.62	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	1,815
19229	1.938	2.623	0.313	49.23	66.68	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	626
19236	1.938	2.686	0.304	49.23	68.22	7.722	R (NITRILE)	CRW1	Wave Seal, metal OD	526
19243	1.938	2.686	0.304	49.23	68.22	7.722	V (VITON)	CRWA1	Wave Seal, metal OD	1,546
19264	1.938	2.750	0.313	49.23	69.85	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	643
19267	1.938	2.750	0.313	49.23	69.85	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,576
19273	1.938	2.762	0.500	49.23	70.15	12.7	R (NITRILE)	CRSA1	METAL OD	768
19304	1.938	2.875	0.313	49.23	73.03	7.95	V (VITON)	CRWH1	Wave Seal, metal OD	1,879
19350	1.938	2.997	0.313	49.23	76.12	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	696
19359	1.938	3.000	0.313	49.23	76.2	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	757
19400	1.938	3.125	0.500	49.23	79.38	12.7	R (NITRILE)	CRW1	Wave Seal, metal OD	862
19407	1.938	3.189	0.313	49.23	81	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	782
19433	1.938	3.251	0.313	49.23	82.58	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	2,717
19449	1.938	3.543	0.313	49.23	89.99	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	910
99193	1.938	0.000	0.563	49.20	0	14.3		SSLEEVE	SSLEEVE	2,243
50X62X7 HMS5 RG	1.969	2.441	0.276	50.00	62.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	195
50X62X7 HMS5 V	1.969	2.441	0.276	50.00	62.00	7.00	V(VITON)	HMS5	Rubber OD seal	893
50X62X7 HMSA10 RG	1.969	2.441	0.276	50.00	62.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	219
50X62X7 HMSA10 V	1.969	2.441	0.276	50.00	62.00	7.00	V(VITON)	HMSA10	Rubber OD seal	939
50X64X6 HMS5 RG	1.969	2.520	0.236	50.00	64.00	6.00	R(NITRILE)	HMS5	Rubber OD seal	195
50X64X6 HMS5 V	1.969	2.520	0.236	50.00	64.00	6.00	V(VITON)	HMS5	Rubber OD seal	893
50X64X6 HMSA10 RG	1.969	2.520	0.236	50.00	64.00	6.00	R(NITRILE)	HMSA10	Rubber OD seal	219
50X64X6 HMSA10 V	1.969	2.520	0.236	50.00	64.00	6.00	V(VITON)	HMSA10	Rubber OD seal	939
50X65X10 HMS5 RG	1.969	2.559	0.394	50.00	65.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	195
50X65X10 HMS5 V	1.969	2.559	0.394	50.00	65.00	10.00	V(VITON)	HMS5	Rubber OD seal	893
50X65X10 HMSA10 RG	1.969	2.559	0.394	50.00	65.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	219
50X65X10 HMSA10 V	1.969	2.559	0.394	50.00	65.00	10.00	V(VITON)	HMSA10	Rubber OD seal	939
50X65X8 HMS5 RG	1.969	2.559	0.315	50.00	65.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
50X65X8 HMS5 V	1.969	2.559	0.315	50.00	65.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
50X65X8 HMSA10 RG	1.969	2.559	0.315	50.00	65.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
50X65X8 HMSA10 V	1.969	2.559	0.315	50.00	65.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
50X68X10 HMS5 RG	1.969	2.677	0.394	50.00	68.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
50X68X10 HMS5 V	1.969	2.677	0.394	50.00	68.00	10.00	V(VITON)	HMS5	Rubber OD seal	999
50X68X10 HMSA10 RG	1.969	2.677	0.394	50.00	68.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
50X68X10 HMSA10 V	1.969	2.677	0.394	50.00	68.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,047
50X68X7 HMS5 RG	1.969	2.677	0.276	50.00	68.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	219
50X68X7 HMS5 V	1.969	2.677	0.276	50.00	68.00	7.00	V(VITON)	HMS5	Rubber OD seal	999
50X68X7 HMSA10 RG	1.969	2.677	0.276	50.00	68.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	242
50X68X7 HMSA10 V	1.969	2.677	0.276	50.00	68.00	7.00	V(VITON)	HMSA10	Rubber OD seal	1,047
50X68X8 HMS5 RG	1.969	2.677	0.315	50.00	68.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	219
50X68X8 HMS5 V	1.969	2.677	0.315	50.00	68.00	8.00	V(VITON)	HMS5	Rubber OD seal	999
50X68X8 HMSA10 RG	1.969	2.677	0.315	50.00	68.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	242
50X68X8 HMSA10 V	1.969	2.677	0.315	50.00	68.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,047
50X70X10 HMS5 RG	1.969	2.756	0.394	50.00	70.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
50X70X10 HMS5 V	1.969	2.756	0.394	50.00	70.00	10.00	V(VITON)	HMS5	Rubber OD seal	999
50X70X10 HMSA10 RG	1.969	2.756	0.394	50.00	70.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
50X70X10 HMSA10 V	1.969	2.756	0.394	50.00	70.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,047
50X72X10 HMS5 RG	1.969	2.835	0.394	50.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
50X72X10 HMS5 V	1.969	2.835	0.394	50.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
50X72X10 HMSA10 RG	1.969	2.835	0.394	50.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
50X72X10 HMSA10 V	1.969	2.835	0.394	50.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
50X72X12 HMS5 RG	1.969	2.835	0.472	50.00	72.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	251
50X72X12 HMS5 V	1.969	2.835	0.472	50.00	72.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,182
50X72X12 HMSA10 RG	1.969	2.835	0.472	50.00	72.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	276
50X72X12 HMSA10 V	1.969	2.835	0.472	50.00	72.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,239
50X72X8 HMS5 RG	1.969	2.835	0.315	50.00	72.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
50X72X8 HMS5 V	1.969	2.835	0.315	50.00	72.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182
50X72X8 HMSA10 RG	1.969	2.835	0.315	50.00	72.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
50X72X8 HMSA10 V	1.969	2.835	0.315	50.00	72.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
50X75X10 HMS5 RG	1.969	2.953	0.394	50.00	75.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
50X75X10 HMS5 V	1.969	2.953	0.394	50.00	75.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
50X75X10 HMSA10 RG	1.969	2.953	0.394	50.00	75.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
50X75X10 HMSA10 V	1.969	2.953	0.394	50.00	75.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
50X80X10 HMS5 RG	1.969	3.150	0.394	50.00	80.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	267
50X80X10 HMS5 V	1.969	3.150	0.394	50.00	80.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,273
50X80X10 HMSA10 RG	1.969	3.150	0.394	50.00	80.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	299
50X80X10 HMSA10 V	1.969	3.150	0.394	50.00	80.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,336
50X80X8 HMS5 RG	1.969	3.150	0.315	50.00	80.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	267
50X80X8 HMS5 V	1.969	3.150	0.315	50.00	80.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,273
50X80X8 HMSA10 RG	1.969	3.150	0.315	50.00	80.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	299
50X80X8 HMSA10 V	1.969	3.150	0.315	50.00	80.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,336
50X85X10 HMS5 RG	1.969	3.346	0.394	50.00	85.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	302
50X85X10 HMS5 V	1.969	3.346	0.394	50.00	85.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,448
50X85X10 HMSA10 RG	1.969	3.346	0.394	50.00	85.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	339
50X85X10 HMSA10 V	1.969	3.346	0.394	50.00	85.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,523
50X90X10 HMS5 RG	1.969	3.543	0.394	50.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
50X90X10 HMS5 V	1.969	3.543	0.394	50.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,511
50X90X10 HMSA10 RG	1.969	3.543	0.394	50.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354
50X90X10 HMSA10 V	1.969	3.543	0.394	50.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
19607	1.969	2.623	0.313	50.00	66.62	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	994
50X65X8 CRW1 V	1.969	2.559	0.315	50.00	65	8	V (VITON)	CRW1	Wave Seal, metal OD	1,116
50X68X8 CRW1 R	1.969	2.677	0.315	50.00	68	8	R (NITRILE)	CRW1	Wave Seal, metal OD	735
50X68X8 CRW1 V	1.969	2.677	0.315	50.00	68	8	V (VITON)	CRW1	Wave Seal, metal OD	1,349
50X70X8 CRW1 R	1.969	2.756	0.315	50.00	70	8	R (NITRILE)	CRW1	Wave Seal, metal OD	823
50X70X8 CRW1 V	1.969	2.756	0.315	50.00	70	8	V (VITON)	CRW1	Wave Seal, metal OD	1,361
50X72X8 CRW1 R	1.969	2.835	0.315	50.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	832
50X72X8 CRW1 V	1.969	2.835	0.315	50.00	72	8	V (VITON)	CRW1	Wave Seal, metal OD	1,426
50X80X8 CRW1 R	1.969	3.150	0.315	50.00	80	8	R (NITRILE)	CRW1	Wave Seal, metal OD	965
50X80X8 CRW1 V	1.969	3.150	0.315	50.00	80	8	V (VITON)	CRW1	Wave Seal, metal OD	1,435
50X85X8 CRW1 R	1.969	3.346	0.315	50.00	85	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,080
50X90X8 CRW1 R	1.969	3.543	0.315	50.00	90	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,074
50X90X8 CRW1 V	1.969	3.543	0.315	50.00	90	8	V (VITON)	CRW1	Wave Seal, metal OD	1,757
99196	1.969	0.000	0.551	50.00	0	14		SSLEEVE	SSLEEVE	2,386
99198	1.980	0.000	0.563	50.30	0	14.3		SSLEEVE	SSLEEVE	2,742
19760	2.000	2.623	0.313	50.80	66.62	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	469
19777	2.000	2.623	0.313	50.80	66.62	7.95	V (VITON)	CRWA1	Wave Seal, metal OD	1,541
19778	2.000	2.686	0.375	50.80	68.22	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	648
19785	2.000	2.716	0.375	50.80	68.99	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	661

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
19823	2.000	2.750	0.313	50.80	69.85	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,924
19831	2.000	2.750	0.313	50.80	69.85	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	686
19848	2.000	2.835	0.469	50.80	72	11.91	R (NITRILE)	CRWH1	Wave Seal, metal OD	847
19884	2.000	2.875	0.313	50.80	73.03	7.95	V (VITON)	CRW1	Wave Seal, metal OD	2,178
19886	2.000	2.875	0.313	50.80	73.03	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	666
19922	2.000	2.880	0.375	50.80	73.15	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	892
19969	2.000	2.997	0.375	50.80	76.12	9.53	R (NITRILE)	CRWH1	Wave Seal, metal OD	763
19979	2.000	2.997	0.375	50.80	76.12	9.53	V (VITON)	CRWH1	Wave Seal, metal OD	2,859
19992	2.000	3.000	0.313	50.80	76.2	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	473
20002	2.000	3.000	0.375	50.80	76.2	9.53	V (VITON)	CRWH1	Wave Seal, metal OD	2,735
20045	2.000	3.061	0.375	50.80	77.75	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	773
20070	2.000	3.125	0.375	50.80	79.38	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	783
20079	2.000	3.150	0.375	50.80	80.01	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	959
20098	2.000	3.189	0.469	50.80	81	11.91	R (NITRILE)	CRWH1	Wave Seal, metal OD	892
20109	2.000	3.251	0.438	50.80	82.58	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,583
20124	2.000	3.371	0.438	50.80	85.62	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,022
20144	2.000	3.623	0.438	50.80	92.02	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,371
20158	2.000	4.003	0.438	50.80	101.68	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,882
50 VA R	2.000	2.590	0.280	50.00	65	7	R (NITRILE)	VR 1	V-RING	235
99199	2.000	0.000	0.563	50.80	0	14.3		SSLEEVE	SSLEEVE	2,497
99200	2.000	0.000	0.875	50.80	0	22.23		SSLEEVE		2,214
51X65X7 CRWA1 R	2.008	2.559	0.276	51.00	65	7	R (NITRILE)	CRWA1	Wave Seal, metal OD	974
52X68X8 CRW1 R	2.047	2.677	0.315	52.00	68	8	R (NITRILE)	CRW1	Wave Seal, metal OD	643
52X68X8 CRW1 V	2.047	2.677	0.315	52.00	68	8	V (VITON)	CRW1	Wave Seal, metal OD	1,316
52X70X8 CRW1 R	2.047	2.756	0.315	52.00	70	8	R (NITRILE)	CRW1	Wave Seal, metal OD	853
52X72X8 CRW1 R	2.047	2.835	0.315	52.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	920
52X72X8 CRW1 V	2.047	2.835	0.315	52.00	72	8	V (VITON)	CRW1	Wave Seal, metal OD	1,413
52X85X8 CRW1 R	2.047	3.346	0.315	52.00	85	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,114
99878	2.047	0.000	0.500	52.00	0	12.7		SSLEEVE	SSLEEVE	2,709
52X63X8 HMS5 RG	2.047	2.480	0.315	52.00	63.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
52X63X8 HMS5 V	2.047	2.480	0.315	52.00	63.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
52X63X8 HMSA10 RG	2.047	2.480	0.315	52.00	63.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
52X63X8 HMSA10 V	2.047	2.480	0.315	52.00	63.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
52X65X8 HMS5 RG	2.047	2.559	0.315	52.00	65.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	195
52X65X8 HMS5 V	2.047	2.559	0.315	52.00	65.00	8.00	V(VITON)	HMS5	Rubber OD seal	893
52X65X8 HMSA10 RG	2.047	2.559	0.315	52.00	65.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	219
52X65X8 HMSA10 V	2.047	2.559	0.315	52.00	65.00	8.00	V(VITON)	HMSA10	Rubber OD seal	939
52X68X8 HMS5 RG	2.047	2.677	0.315	52.00	68.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	219
52X68X8 HMS5 V	2.047	2.677	0.315	52.00	68.00	8.00	V(VITON)	HMS5	Rubber OD seal	999
52X68X8 HMSA10 RG	2.047	2.677	0.315	52.00	68.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	242
52X68X8 HMSA10 V	2.047	2.677	0.315	52.00	68.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,047
52X72X10 HMS5 RG	2.047	2.835	0.394	52.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
52X72X10 HMS5 V	2.047	2.835	0.394	52.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
52X72X10 HMSA10 RG	2.047	2.835	0.394	52.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
52X72X10 HMSA10 V	2.047	2.835	0.394	52.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
52X72X8 HMS5 RG	2.047	2.835	0.394	52.00	72	10	R(NITRILE)	HMS5	Rubber OD seal	251
52X72X8 HMS5 V	2.047	2.835	0.394	52.00	72	10	V(VITON)	HMS5	Rubber OD seal	1,182
52X72X8 HMSA10 RG	2.047	2.835	0.394	52.00	72	10	R(NITRILE)	HMSA10	Rubber OD seal	276
52X72X8 HMSA10 V	2.047	2.835	0.394	52.00	72	10	V(VITON)	HMSA10	Rubber OD seal	1,239
52X80X10 HMS5 RG	2.047	3.150	0.394	52.00	80.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	267
52X80X10 HMS5 V	2.047	3.150	0.394	52.00	80.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,273
52X80X10 HMSA10 RG	2.047	3.150	0.394	52.00	80.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	299

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
52X80X10 HMSA10 V	2.047	3.150	0.394	52.00	80.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,336
52X85X10 HMS5 RG	2.047	3.346	0.394	52.00	85.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	302
52X85X10 HMS5 V	2.047	3.346	0.394	52.00	85.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,448
52X85X10 HMSA10 RG	2.047	3.346	0.394	52.00	85.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	339
52X85X10 HMSA10 V	2.047	3.346	0.394	52.00	85.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,523
20520	2.063	2.561	0.313	52.40	65.05	7.95	V (VITON)	CRW1	Wave Seal, metal OD	1,460
20530	2.063	2.750	0.313	52.40	69.85	7.95	R (NITRILE)	CRWH1	Wave Seal, metal OD	965
20538	2.063	2.842	0.438	52.40	72.19	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,341
20586	2.063	2.997	0.438	52.40	76.12	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	990
20594	2.063	3.000	0.375	52.40	76.2	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	643
20643	2.063	3.061	0.313	52.40	77.75	7.95	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,269
20702	2.063	3.189	0.375	52.40	81	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	768
20749	2.063	3.251	0.438	52.40	82.58	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	746
99205	2.063	0.000	0.781	52.32	0	19.84		SSLEEVE	SSLEEVE	2,396
21061	2.125	2.750	0.500	53.98	69.85	12.7	R (NITRILE)	CRWA1	Wave Seal, metal OD	573
21063	2.125	2.750	0.375	53.98	69.85	9.53	V (VITON)	CRW1	Wave Seal, metal OD	1,563
21069	2.125	2.763	0.250	53.98	70.18	6.35	R (NITRILE)	CRW1	Wave Seal, metal OD	538
21091	2.125	2.875	0.438	53.98	73.03	11.13	V (VITON)	CRW1	Wave Seal, metal OD	1,825
21098	2.125	2.875	0.438	53.98	73.03	11.13	R (NITRILE)	CRW1	Wave Seal, metal OD	743
21134	2.125	2.997	0.438	53.98	76.12	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,152
21163	2.125	3.000	0.375	53.98	76.2	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	663
21171	2.125	3.000	0.438	53.98	76.2	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	2,891
21210	2.125	3.061	0.500	53.98	77.75	12.7	R (NITRILE)	CRW1	Wave Seal, metal OD	718
21215	2.125	3.061	0.438	53.98	77.75	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	2,443
21234	2.125	3.125	0.438	53.98	79.38	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	807
21302	2.125	3.251	0.438	53.98	82.58	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	726
21336	2.125	3.350	0.438	53.98	85.09	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,106
21352	2.125	3.371	0.375	53.98	85.62	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	696
21358	2.125	3.543	0.438	53.98	89.99	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,035
55 VA R	2.125	2.715	0.280	55.00	70	7	R (NITRILE)	VR 1	V-RING	282
99210	2.125	0.000	0.500	54.00	0	12.7		SSLEEVE	SSLEEVE	2,335
54X65X8 CRW1 R	2.126	2.559	0.315	54.00	65	8	R (NITRILE)	CRW1	Wave Seal, metal OD	802
54X73X11 CRW1 R	2.126	2.874	0.433	54.00	73	11	R (NITRILE)	CRW1	Wave Seal, metal OD	907
55X100X8 CRW1 R	2.165	3.937	0.315	55.00	100	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,279
55X73X8 CRW1 V	2.165	2.874	0.315	55.00	73	8	V (VITON)	CRW1	Wave Seal, metal OD	5,526
55X90X8 CRW1 R	2.165	3.543	0.315	55.00	90	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,137
99215	2.165	0.000	0.787	55.00	0	19.99		SSLEEVE	SSLEEVE	2,388
55X100X12 HMS5 RG	2.165	3.937	0.472	55.00	100.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	354
55X100X12 HMS5 V	2.165	3.937	0.472	55.00	100.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,869
55X100X12 HMSA10 RG	2.165	3.937	0.472	55.00	100.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	391
55X100X12 HMSA10 V	2.165	3.937	0.472	55.00	100.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,961
55X68X8 HMS5 RG	2.165	2.677	0.315	55.00	68.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	219
55X68X8 HMS5 V	2.165	2.677	0.315	55.00	68.00	8.00	V(VITON)	HMS5	Rubber OD seal	999
55X68X8 HMSA10 RG	2.165	2.677	0.315	55.00	68.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	242
55X68X8 HMSA10 V	2.165	2.677	0.315	55.00	68.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,047
55X70X10 HMS5 RG	2.165	2.756	0.394	55.00	70.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	219
55X70X10 HMS5 V	2.165	2.756	0.394	55.00	70.00	10.00	V(VITON)	HMS5	Rubber OD seal	999
55X70X10 HMSA10 RG	2.165	2.756	0.394	55.00	70.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	242
55X70X10 HMSA10 V	2.165	2.756	0.394	55.00	70.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,047
55X70X8 HMS5 RG	2.165	2.756	0.315	55.00	70.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	219
55X70X8 HMS5 V	2.165	2.756	0.315	55.00	70.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,192
55X70X8 HMSA10 RG	2.165	2.756	0.315	55.00	70.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	242

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
55X70X8 HMSA10 V	2.165	2.756	0.315	55.00	70.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,047
55X72X10 HMS5 RG	2.165	2.835	0.394	55.00	72.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
55X72X10 HMS5 V	2.165	2.835	0.394	55.00	72.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
55X72X10 HMSA10 RG	2.165	2.835	0.394	55.00	72.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
55X72X10 HMSA10 V	2.165	2.835	0.394	55.00	72.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,536
55X72X8 HMS5 RG	2.165	2.835	0.315	55.00	72.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
55X72X8 HMS5 V	2.165	2.835	0.315	55.00	72.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182
55X72X8 HMSA10 RG	2.165	2.835	0.315	55.00	72.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
55X72X8 HMSA10 V	2.165	2.835	0.315	55.00	72.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
55X75X10 HMS5 RG	2.165	2.953	0.394	55.00	75.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	251
55X75X10 HMS5 V	2.165	2.953	0.394	55.00	75.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,182
55X75X10 HMSA10 RG	2.165	2.953	0.394	55.00	75.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	276
55X75X10 HMSA10 V	2.165	2.953	0.394	55.00	75.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,239
55X78X10 HMS5 RG	2.165	3.071	0.394	55.00	78.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	267
55X78X10 HMS5 V	2.165	3.071	0.394	55.00	78.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,273
55X78X10 HMSA10 RG	2.165	3.071	0.394	55.00	78.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	299
55X78X10 HMSA10 V	2.165	3.071	0.394	55.00	78.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,336
55X78X12 HMS5 RG	2.165	3.071	0.472	55.00	78.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	267
55X78X12 HMS5 V	2.165	3.071	0.472	55.00	78.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,273
55X78X12 HMSA10 RG	2.165	3.071	0.472	55.00	78.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	299
55X78X12 HMSA10 V	2.165	3.071	0.472	55.00	78.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,336
55X80X10 HMS5 RG	2.165	3.150	0.394	55.00	80.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	267
55X80X10 HMS5 V	2.165	3.150	0.394	55.00	80.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,273
55X80X10 HMSA10 RG	2.165	3.150	0.394	55.00	80.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	299
55X80X10 HMSA10 V	2.165	3.150	0.394	55.00	80.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,336
55X80X8 HMS5 RG	2.165	3.150	0.315	55.00	80.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	267
55X80X8 HMS5 V	2.165	3.150	0.315	55.00	80.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,273
55X80X8 HMSA10 RG	2.165	3.150	0.315	55.00	80.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	299
55X80X8 HMSA10 V	2.165	3.150	0.315	55.00	80.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,336
55X85X10 HMS5 RG	2.165	3.346	0.394	55.00	85.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	302
55X85X10 HMS5 V	2.165	3.346	0.394	55.00	85.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,448
55X85X10 HMSA10 RG	2.165	3.346	0.394	55.00	85.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	339
55X85X10 HMSA10 V	2.165	3.346	0.394	55.00	85.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,523
55X85X8 HMS5 RG	2.165	3.346	0.315	55.00	85.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	302
55X85X8 HMS5 V	2.165	3.346	0.315	55.00	85.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,448
55X85X8 HMSA10 RG	2.165	3.346	0.315	55.00	85.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	339
55X85X8 HMSA10 V	2.165	3.346	0.315	55.00	85.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,523
55X90X10 HMS5 RG	2.165	3.543	0.394	55.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
55X90X10 HMS5 V	2.165	3.543	0.394	55.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,511
55X90X10 HMSA10 RG	2.165	3.543	0.394	55.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354
55X90X10 HMSA10 V	2.165	3.543	0.394	55.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
21736	2.188	2.875	0.438	55.58	73.03	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	888
21749	2.188	2.997	0.438	55.58	76.12	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,231
21759	2.188	3.000	0.375	55.58	76.2	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	605
21763	2.188	3.000	0.375	55.58	76.2	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	2,146
21787	2.188	3.061	0.500	55.58	77.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,340
21840	2.188	3.251	0.438	55.58	82.58	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,029
21890	2.188	3.350	0.438	55.58	85.09	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,207
21910	2.188	3.371	0.438	55.58	85.62	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,435
99218	2.188	0.000	0.781	55.60	0	19.84		SSLLEEVE	SSLLEEVE	2,575
56X72X8 HMS5 RG	2.205	2.835	0.315	56.00	72.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
56X72X8 HMS5 V	2.205	2.835	0.315	56.00	72.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
56X72X8 HMSA10 RG	2.205	2.835	0.315	56.00	72.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
56X72X8 HMSA10 V	2.205	2.835	0.315	56.00	72.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
56X75X8 CRW1 R	2.205	2.953	0.315	56.00	75	8	R (NITRILE)	CRW1	Wave Seal, metal OD	912
99220	2.205	0.000	0.500	56.00	0	12.7		SSLEEVE	SSLEEVE	2,578
99230	2.230	0.000	0.781	56.64	0	19.84		SSLEEVE	SSLEEVE	2,749
99226	2.240	0.000	0.764	56.90	0	19.41		SSLEEVE	SSLEEVE	2,401
22424	2.244	3.189	0.433	57.00	81	11	R (NITRILE)	CRW1	Wave Seal, metal OD	1,179
57X67X7 HMS5 RG	2.244	2.638	0.276	57.00	67.00	7.00	R(NITRILE)	HMS5	Rubber OD seal	219
57X67X7 HMS5 V	2.244	2.638	0.276	57.00	67.00	7.00	V(VITON)	HMS5	Rubber OD seal	999
57X67X7 HMSA10 RG	2.244	2.638	0.276	57.00	67.00	7.00	R(NITRILE)	HMSA10	Rubber OD seal	242
57X67X7 HMSA10 V	2.244	2.638	0.276	57.00	67.00	7.00	V(VITON)	HMSA10	Rubber OD seal	1,047
22328	2.250	2.875	0.313	57.15	73.03	7.95	R (NITRILE)	CRWA1	Wave Seal, metal OD	586
22336	2.250	2.997	0.438	57.15	76.12	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	708
22353	2.250	3.000	0.375	57.15	76.2	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	651
22363	2.250	3.000	0.375	57.15	76.2	9.53	V (VITON)	CRW1	Wave Seal, metal OD	2,198
22382	2.250	3.061	0.375	57.15	77.75	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	533
22400	2.250	3.125	0.375	57.15	79.38	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	638
22440	2.250	3.251	0.375	57.15	82.58	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	778
22449	2.250	3.251	0.438	57.15	82.58	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	2,231
22492	2.250	3.350	0.438	57.15	85.09	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	989
22558	2.250	3.371	0.438	57.15	85.62	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	987
22561	2.250	3.371	0.438	57.15	85.62	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	2,637
22583	2.250	3.500	0.438	57.15	88.9	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	858
22590	2.250	3.500	0.438	57.15	88.9	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	2,994
22618	2.250	3.623	0.438	57.15	92.02	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,256
22626	2.250	3.751	0.438	57.15	95.28	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,097
22644	2.250	3.876	0.438	57.15	98.45	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,353
22647	2.250	4.003	0.438	57.15	101.68	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,296
99225	2.250	0.000	0.781	57.20	0	19.84		SSLEEVE		2,371
99227	2.250	0.000	0.313	57.20	0	7.95		SSLEEVE	SSLEEVE	2,629
58X72X8 CRW1 R	2.283	2.835	0.315	58.00	72	8	R (NITRILE)	CRW1	Wave Seal, metal OD	910
58X75X8 CRW1 R	2.283	2.953	0.315	58.00	75	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,009
58X80X8 CRW1 R	2.283	3.150	0.315	58.00	80	8	R (NITRILE)	CRW1	Wave Seal, metal OD	910
58X80X8 CRW1 V	2.283	3.150	0.315	58.00	80	8	V (VITON)	CRW1	Wave Seal, metal OD	1,480
58X85X8 CRW1 R	2.283	3.346	0.315	58.00	85	8	R (NITRILE)	CRW1	Wave Seal, metal OD	2,186
58X90X8 CRW1 R	2.283	3.543	0.315	58.00	90	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,189
99219	2.283	0.000	0.787	58.00	0	19.837		SSLEEVE		2,986
58X72X8 HMS5 RG	2.283	2.835	0.315	58.00	72.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
58X72X8 HMS5 V	2.283	2.835	0.315	58.00	72.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182
58X72X8 HMSA10 RG	2.283	2.835	0.315	58.00	72.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
58X72X8 HMSA10 V	2.283	2.835	0.315	58.00	72.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
58X80X10 HMS5 RG	2.283	3.150	0.394	58.00	80.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	267
58X80X10 HMS5 V	2.283	3.150	0.394	58.00	80.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,273
58X80X10 HMSA10 RG	2.283	3.150	0.394	58.00	80.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	299
58X80X10 HMSA10 V	2.283	3.150	0.394	58.00	80.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,336
58X80X12 HMS5 RG	2.283	3.150	0.472	58.00	80.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	267
58X80X12 HMS5 V	2.283	3.150	0.472	58.00	80.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,273
58X80X12 HMSA10 RG	2.283	3.150	0.472	58.00	80.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	299
58X80X12 HMSA10 V	2.283	3.150	0.472	58.00	80.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,336
58X80X8 HMS5 RG	2.283	3.150	0.315	58.00	80.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	267
58X80X8 HMS5 V	2.283	3.150	0.315	58.00	80.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,273
58X80X8 HMSA10 RG	2.283	3.150	0.315	58.00	80.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	299

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
58X80X8 HMSA10 V	2.283	3.150	0.315	58.00	80.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,336
23030	2.313	2.997	0.375	58.75	76.12	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	623
23040	2.313	3.000	0.438	58.75	76.2	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	2,832
23046	2.313	3.061	0.313	58.75	77.75	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	638
23061	2.313	3.125	0.375	58.75	79.38	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	600
23063	2.313	3.125	0.375	58.75	79.38	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	2,378
23093	2.313	3.251	0.438	58.75	82.58	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,157
23099	2.313	3.251	0.438	58.75	82.58	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	3,113
23167	2.313	3.371	0.438	58.75	85.62	11.13	R (NITRILE)	CRW1	Wave Seal, metal OD	670
23184	2.313	3.500	0.313	58.75	88.9	7.95	R (NITRILE)	CRW1	Wave Seal, metal OD	1,002
99231	2.313	0.000	0.781	58.72	0	19.84		SSLEEVE	SSLEEVE	3,295
99233	2.328	0.000	0.750	59.18	0	19.05		SSLEEVE	SSLEEVE	2,156
60X105X8 CRW1 R	2.362	4.134	0.315	60.00	105	8	R (NITRILE)	CRW1	Wave Seal, metal OD	3,749
60X75X8 CRW1 R	2.362	2.953	0.315	60.00	75	8	R (NITRILE)	CRW1	Wave Seal, metal OD	675
60X80X8 CRW1 V	2.362	3.150	0.315	60.00	80	8	V (VITON)	CRW1	Wave Seal, metal OD	1,526
99235	2.362	0.000	0.787	60.00	0	20		SSLEEVE	SSLEEVE	2,510
99241	2.362	0.000	0.370	60.00	0	9.4		SSLEEVE	SSLEEVE	2,614
60X110X8 HMS5 RG	2.362	4.331	0.315	60.00	110.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	441
60X110X8 HMS5 V	2.362	4.331	0.315	60.00	110.00	8.00	V(VITON)	HMS5	Rubber OD seal	2,061
60X110X8 HMSA10 RG	2.362	4.331	0.315	60.00	110.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	489
60X110X8 HMSA10 V	2.362	4.331	0.315	60.00	110.00	8.00	V(VITON)	HMSA10	Rubber OD seal	2,166
60X72X8 HMS5 RG	2.362	2.835	0.315	60.00	72.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
60X72X8 HMS5 V	2.362	2.835	0.315	60.00	72.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182
60X72X8 HMSA10 RG	2.362	2.835	0.315	60.00	72.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
60X72X8 HMSA10 V	2.362	2.835	0.315	60.00	72.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
60X75X8 HMS5 RG	2.362	2.953	0.315	60.00	75.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	251
60X75X8 HMS5 V	2.362	2.953	0.315	60.00	75.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,182
60X75X8 HMSA10 RG	2.362	2.953	0.315	60.00	75.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	276
60X75X8 HMSA10 V	2.362	2.953	0.315	60.00	75.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,239
60X80X10 HMS5 RG	2.362	3.150	0.394	60.00	80.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	267
60X80X10 HMS5 V	2.362	3.150	0.394	60.00	80.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,273
60X80X10 HMSA10 RG	2.362	3.150	0.394	60.00	80.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	299
60X80X10 HMSA10 V	2.362	3.150	0.394	60.00	80.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,336
60X80X8 HMS5 RG	2.362	3.150	0.315	60.00	80.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	267
60X80X8 HMS5 V	2.362	3.150	0.315	60.00	80.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,273
60X80X8 HMSA10 RG	2.362	3.150	0.315	60.00	80.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	299
60X80X8 HMSA10 V	2.362	3.150	0.315	60.00	80.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,336
60X82X12 HMS5 RG	2.362	3.228	0.472	60.00	82.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	302
60X82X12 HMS5 V	2.362	3.228	0.472	60.00	82.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,448
60X82X12 HMSA10 RG	2.362	3.228	0.472	60.00	82.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	339
60X82X12 HMSA10 V	2.362	3.228	0.472	60.00	82.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,523
60X85X10 HMS5 RG	2.362	3.346	0.394	60.00	85.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	302
60X85X10 HMS5 V	2.362	3.346	0.394	60.00	85.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,448
60X85X10 HMSA10 RG	2.362	3.346	0.394	60.00	85.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	339
60X85X10 HMSA10 V	2.362	3.346	0.394	60.00	85.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,523
60X85X8 HMS5 RG	2.362	3.346	0.315	60.00	85.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	302
60X85X8 HMS5 V	2.362	3.346	0.315	60.00	85.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,448
60X85X8 HMSA10 RG	2.362	3.346	0.315	60.00	85.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	339
60X85X8 HMSA10 V	2.362	3.346	0.315	60.00	85.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,523
60X90X10 HMS5 RG	2.362	3.543	0.394	60.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
60X90X10 HMS5 V	2.362	3.543	0.394	60.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,511
60X90X10 HMSA10 RG	2.362	3.543	0.394	60.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
60X90X10 HMSA10 V	2.362	3.543	0.394	60.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
60X90X8 HMS5 RG	2.362	3.543	0.315	60.00	90.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	321
60X90X8 HMS5 V	2.362	3.543	0.315	60.00	90.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,511
60X90X8 HMSA10 RG	2.362	3.543	0.315	60.00	90.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	354
60X90X8 HMSA10 V	2.362	3.543	0.315	60.00	90.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,588
60X95X10 HMS5 RG	2.362	3.740	0.394	60.00	95.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	332
60X95X10 HMS5 V	2.362	3.740	0.394	60.00	95.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,775
60X95X10 HMSA10 RG	2.362	3.740	0.394	60.00	95.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	369
60X95X10 HMSA10 V	2.362	3.740	0.394	60.00	95.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,859
23632	2.375	2.997	0.438	60.33	76.12	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,306
23641	2.375	3.000	0.375	60.33	76.2	9.53	V (VITON)	CRW1	Wave Seal, metal OD	2,088
23644	2.375	3.061	0.438	60.33	77.75	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	827
23646	2.375	3.125	0.375	60.33	79.38	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	703
23655	2.375	3.061	0.438	60.33	77.75	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	2,039
23656	2.375	3.125	0.438	60.33	79.38	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	2,991
23678	2.375	3.251	0.438	60.33	82.58	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	2,821
23742	2.375	3.371	0.438	60.33	85.62	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	820
23755	2.375	3.481	0.438	60.33	88.42	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	832
23771	2.375	3.500	0.375	60.33	88.9	9.53	V (VITON)	CRWH1	Wave Seal, metal OD	2,263
23779	2.375	3.500	0.375	60.33	88.9	9.53	R (NITRILE)	CRWH1	Wave Seal, metal OD	898
23808	2.375	3.543	0.438	60.33	89.99	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,025
23820	2.375	3.601	0.438	60.33	91.47	11.13	R (NITRILE)	CRW1	Wave Seal, metal OD	1,244
23839	2.375	3.623	0.438	60.33	92.02	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	959
23844	2.375	3.876	0.438	60.33	98.45	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,256
60 VA R	2.375	2.965	0.280	60.00	75	7	R (NITRILE)	VR 1	V-RING	264
99237	2.375	0.000	0.781	60.38	0	19.84		SSLEEVE	SSLEEVE	2,286
24255	2.438	3.125	0.500	61.93	79.38	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,303
24263	2.438	3.251	0.438	61.93	82.58	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	820
24286	2.438	3.350	0.375	61.93	85.09	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	1,857
24320	2.438	3.371	0.438	61.93	85.62	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,420
24340	2.438	3.481	0.438	61.93	88.42	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,511
24370	2.438	3.500	0.438	61.93	88.9	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	989
24372	2.438	3.500	0.438	61.93	88.9	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	3,203
24445	2.438	3.543	0.438	61.93	89.99	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,473
99242	2.438	0.000	0.500	62.00	0	12.7		SSLEEVE	SSLEEVE	2,495
99243	2.438	0.000	0.781	61.90	0	19.84		SSLEEVE	SSLEEVE	2,535
62X80X10 HMS5 RG	2.441	3.150	0.394	62.00	80.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	267
62X80X10 HMS5 V	2.441	3.150	0.394	62.00	80.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,273
62X80X10 HMSA10 RG	2.441	3.150	0.394	62.00	80.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	299
62X80X10 HMSA10 V	2.441	3.150	0.394	62.00	80.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,336
62X85X10 HMS5 RG	2.441	3.346	0.394	62.00	85.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	302
62X85X10 HMS5 V	2.441	3.346	0.394	62.00	85.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,448
62X85X10 HMSA10 RG	2.441	3.346	0.394	62.00	85.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	339
62X85X10 HMSA10 V	2.441	3.346	0.394	62.00	85.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,523
62X90X10 HMS5 RG	2.441	3.543	0.394	62.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
62X90X10 HMS5 V	2.441	3.543	0.394	62.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,511
62X90X10 HMSA10 RG	2.441	3.543	0.394	62.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354
62X90X10 HMSA10 V	2.441	3.543	0.394	62.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
62X85X8 CRW1 R	2.441	3.346	0.315	62.00	85	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,059
62X90X8 CRW1 R	2.441	3.543	0.315	62.00	90	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,122
99244	2.441	0.000	0.500	62.00	0	12.7		SSLEEVE	SSLEEVE	2,966
63X78X8 CRW1 R	2.480	3.071	0.315	63.00	78	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,403

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
63X80X8 CRW1 R	2.480	3.150	0.315	63.00	80	8	R (NITRILE)	CRW1	Wave Seal, metal OD	994
63X85X8 CRW1 R	2.480	3.346	0.315	63.00	85	8	R (NITRILE)	CRW1	Wave Seal, metal OD	2,141
63X85X10 HMS5 RG	2.480	3.346	0.394	63.00	85.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	302
63X85X10 HMS5 V	2.480	3.346	0.394	63.00	85.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,448
63X85X10 HMSA10 RG	2.480	3.346	0.394	63.00	85.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	339
63X85X10 HMSA10 V	2.480	3.346	0.394	63.00	85.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,523
63X90X10 HMS5 RG	2.480	3.543	0.394	63.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
63X90X10 HMS5 V	2.480	3.543	0.394	63.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,511
63X90X10 HMSA10 RG	2.480	3.543	0.394	63.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354
63X90X10 HMSA10 V	2.480	3.543	0.394	63.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
99249	2.492	0.000	0.781	63.30	0	19.84		SSLEEVE	SSLEEVE	2,822
24881	2.500	3.189	0.438	63.50	81	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	827
24883	2.500	3.189	0.438	63.50	81	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	2,508
24889	2.500	3.245	0.438	63.50	82.42	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	927
24897	2.500	3.251	0.375	63.50	82.58	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	713
24899	2.500	3.251	0.375	63.50	82.58	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	1,244
24931	2.500	3.350	0.438	63.50	85.09	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	705
24936	2.500	3.371	0.438	63.50	85.62	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	2,667
24951	2.500	3.428	0.375	63.50	87.07	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	605
24954	2.500	3.371	0.438	63.50	85.62	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	733
24980	2.500	3.500	0.438	63.50	88.9	11.13	R (NITRILE)	CRW1	Wave Seal, metal OD	715
24984	2.500	3.500	0.438	63.50	88.9	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	1,585
25043	2.500	3.543	0.438	63.50	89.99	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	746
25074	2.500	3.623	0.375	63.50	92.02	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	777
25076	2.500	3.623	0.375	63.50	92.02	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	2,859
25091	2.500	3.751	0.438	63.50	95.28	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,122
25100	2.500	3.876	0.438	63.50	98.45	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,563
25108	2.500	4.003	0.375	63.50	101.68	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,079
65 VA R	2.500	3.090	0.280	65.00	80	7	R (NITRILE)	VR 1	V-RING	245
99248	2.500	0.000	0.500	63.50	0	12.7		SSLEEVE	SSLEEVE	2,388
99250	2.500	0.000	0.781	63.50	0	19.84		SSLEEVE	SSLEEVE	2,488
99253	2.500	0.000	0.555	63.50	0	14.1		SSLEEVE	SSLEEVE	3,410
99251	2.516	0.000	0.781	63.83	0	19.84		SSLEEVE	SSLEEVE	2,483
64X80X8 HMS5 RG	2.520	3.150	0.315	64.00	80.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	267
64X80X8 HMS5 V	2.520	3.150	0.315	64.00	80.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,273
64X80X8 HMSA10 RG	2.520	3.150	0.315	64.00	80.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	299
64X80X8 HMSA10 V	2.520	3.150	0.315	64.00	80.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,336
65X120X8 CRW1 R	2.559	4.724	0.315	65.00	120	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,378
65X90X8 CRW1 R	2.559	3.543	0.315	65.00	90	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,187
65X90X8 CRW1 V	2.559	3.543	0.315	65.00	90	8	V (VITON)	CRW1	Wave Seal, metal OD	1,855
99254	2.559	0.000	0.787	65.00	0	19.99		SSLEEVE	SSLEEVE	2,607
65X100X10 HMS5 RG	2.559	3.937	0.394	65.00	100.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	354
65X100X10 HMS5 V	2.559	3.937	0.394	65.00	100.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,869
65X100X10 HMSA10 RG	2.559	3.937	0.394	65.00	100.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	391
65X100X10 HMSA10 V	2.559	3.937	0.394	65.00	100.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,961
65X80X8 HMS5 RG	2.559	3.150	0.315	65.00	80.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	267
65X80X8 HMS5 V	2.559	3.150	0.315	65.00	80.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,273
65X80X8 HMSA10 RG	2.559	3.150	0.315	65.00	80.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	299
65X80X8 HMSA10 V	2.559	3.150	0.315	65.00	80.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,336
65X85X10 HMS5 RG	2.559	3.346	0.394	65.00	85.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	302
65X85X10 HMS5 V	2.559	3.346	0.394	65.00	85.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,448
65X85X10 HMSA10 RG	2.559	3.346	0.394	65.00	85.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	339

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
65X85X10 HMSA10 V	2.559	3.346	0.394	65.00	85.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,523
65X85X12 HMS5 RG	2.559	3.346	0.472	65.00	85.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	302
65X85X12 HMS5 V	2.559	3.346	0.472	65.00	85.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,448
65X85X12 HMSA10 RG	2.559	3.346	0.472	65.00	85.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	339
65X85X12 HMSA10 V	2.559	3.346	0.472	65.00	85.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,523
65X88X12 HMS5 RG	2.559	3.465	0.472	65.00	88.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	321
65X88X12 HMS5 V	2.559	3.465	0.472	65.00	88.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,511
65X88X12 HMSA10 RG	2.559	3.465	0.472	65.00	88.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	354
65X88X12 HMSA10 V	2.559	3.465	0.472	65.00	88.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,588
65X90X10 HMS5 RG	2.559	3.543	0.394	65.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
65X90X10 HMS5 V	2.559	3.543	0.394	65.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,511
65X90X10 HMSA10 RG	2.559	3.543	0.394	65.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354
65X90X10 HMSA10 V	2.559	3.543	0.394	65.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
65X95X10 HMS5 RG	2.559	3.740	0.394	65.00	95.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	332
65X95X10 HMS5 V	2.559	3.740	0.394	65.00	95.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,775
65X95X10 HMSA10 RG	2.559	3.740	0.394	65.00	95.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	369
65X95X10 HMSA10 V	2.559	3.740	0.394	65.00	95.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,859
99256	2.563	0.000	0.781	65.10	0	19.84		SSLEEVE	SSLEEVE	2,672
99259	2.598	0.000	0.781	66.00	0	19.84		SSLEEVE	SSLEEVE	2,386
99261	2.621	0.000	0.781	66.57	0	19.84		SSLEEVE	SSLEEVE	2,395
26110	2.625	3.251	0.438	66.68	82.58	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,015
26122	2.625	3.350	0.375	66.08	85.09	9.53	V (VITON)	CRW1	Wave Seal, metal OD	2,258
26123	2.625	3.350	0.375	66.68	85.09	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	696
26153	2.625	3.371	0.438	66.68	85.62	11.13	R (NITRILE)	CRWHA1	Wave Seal, metal OD	802
26177	2.625	3.500	0.375	66.68	88.9	9.53	V (VITON)	CRW1	Wave Seal, metal OD	2,017
26186	2.625	3.500	0.375	66.68	88.9	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	950
26194	2.625	3.543	0.438	66.68	89.99	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,074
26284	2.625	3.751	0.375	66.68	95.28	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	782
26299	2.625	3.751	0.438	66.68	95.28	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	3,716
26328	2.625	3.876	0.438	66.68	98.45	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,331
26354	2.625	4.003	0.375	66.68	101.68	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	882
26359	2.625	4.370	0.438	66.68	111	11.13	R (NITRILE)	CRWHA1	Wave Seal, metal OD	1,311
99264	2.625	0.000	0.781	66.65	0	19.84		SSLEEVE	SSLEEVE	2,321
68X100X10 CRW1 R	2.677	3.937	0.394	68.00	100	10	R (NITRILE)	CRW1	Wave Seal, metal OD	2,303
68X88X8 CRW1 R	2.677	3.465	0.315	68.00	88	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,137
68X90X8 CRW1 V	2.677	3.543	0.315	68.00	90	8	V (VITON)	CRW1	Wave Seal, metal OD	1,707
68X95X10 CRW1 R	2.677	3.740	0.394	68.00	95	10	R (NITRILE)	CRW1	Wave Seal, metal OD	3,853
99266	2.677	0.000	0.750	68.00	0	19.05		SSLEEVE	SSLEEVE	2,986
68X90X10 HMS5 RG	2.677	3.543	0.394	68.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
68X90X10 HMS5 V	2.677	3.543	0.394	68.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,511
68X90X10 HMSA10 RG	2.677	3.543	0.394	68.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354
68X90X10 HMSA10 V	2.677	3.543	0.394	68.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
26761	2.688	3.751	0.438	68.28	95.28	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,062
26921	2.688	3.876	0.438	68.28	98.45	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,672
26975	2.688	4.003	0.469	68.28	101.68	11.91	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,368
99268	2.730	0.000	0.781	69.34	0	19.84		SSLEEVE	SSLEEVE	2,834
99273	2.743	0.000	0.781	69.67	0	19.84		SSLEEVE	SSLEEVE	2,986
27268	2.750	3.500	0.375	69.85	88.9	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	746
27272	2.750	3.500	0.375	69.85	88.9	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	1,947
27284	2.750	3.538	0.438	69.85	89.87	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,319
27293	2.750	3.543	0.433	69.85	89.99	10.998	V (VITON)	CRWH1	Wave Seal, metal OD	2,533
27324	2.750	3.623	0.438	69.85	92.02	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	2,801

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
27334	2.750	3.623	0.438	69.85	92.02	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,057
27426	2.750	3.765	0.438	69.85	95.63	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,149
27467	2.750	3.876	0.438	69.85	98.45	11.13	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,199
27525	2.750	3.936	0.438	69.85	99.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,695
27539	2.750	4.003	0.375	69.85	101.68	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	2,447
27541	2.750	4.003	0.438	69.85	101.68	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,156
27600	2.750	4.249	0.438	69.85	107.92	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,608
27625	2.750	4.331	0.500	69.85	110.01	12.7	R (NITRILE)	CRWHA1	Wave Seal, metal OD	1,546
70 VA R	2.750	3.460	0.350	70.00	88	9	R (NITRILE)	VR 1	V-RING	371
99267	2.750	0.000	1.438	69.85	0	36.53		SSLEEVE	SSLEEVE	3,283
99269	2.750	0.000	1.125	70.00	0	28.58		SSLEEVE	SSLEEVE	2,425
99272	2.750	0.000	0.406	70.00	0	10.31		SSLEEVE	SSLEEVE	2,714
99274	2.750	0.000	0.781	69.80	0	19.84		SSLEEVE		2,288
99275	2.750	0.000	0.781	70.00	0	19.84		SSLEEVE		2,300
70X100X10 HMS5 RG	2.756	3.937	0.394	70.00	100.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	354
70X100X10 HMS5 V	2.756	3.937	0.394	70.00	100.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,869
70X100X10 HMSA10 RG	2.756	3.937	0.394	70.00	100.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	391
70X100X10 HMSA10 V	2.756	3.937	0.394	70.00	100.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,961
70X110X10 HMS5 RG	2.756	4.331	0.394	70.00	110.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	441
70X110X10 HMS5 V	2.756	4.331	0.394	70.00	110.00	10.00	V(VITON)	HMS5	Rubber OD seal	2,061
70X110X10 HMSA10 RG	2.756	4.331	0.394	70.00	110.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	489
70X110X10 HMSA10 V	2.756	4.331	0.394	70.00	110.00	10.00	V(VITON)	HMSA10	Rubber OD seal	2,166
70X110X12 HMS5 RG	2.756	4.331	0.472	70.00	110.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	441
70X110X12 HMS5 V	2.756	4.331	0.472	70.00	110.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,061
70X110X12 HMSA10 RG	2.756	4.331	0.472	70.00	110.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	489
70X110X12 HMSA10 V	2.756	4.331	0.472	70.00	110.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,166
70X85X8 HMS5 RG	2.756	3.346	0.315	70.00	85.00	8.00	R(NITRILE)	HMS5	Rubber OD seal	302
70X85X8 HMS5 V	2.756	3.346	0.315	70.00	85.00	8.00	V(VITON)	HMS5	Rubber OD seal	1,448
70X85X8 HMSA10 RG	2.756	3.346	0.315	70.00	85.00	8.00	R(NITRILE)	HMSA10	Rubber OD seal	339
70X85X8 HMSA10 V	2.756	3.346	0.315	70.00	85.00	8.00	V(VITON)	HMSA10	Rubber OD seal	1,523
70X90X10 HMS5 RG	2.756	3.543	0.394	70.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
70X90X10 HMS5 V	2.756	3.543	0.394	70.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,254
70X90X10 HMSA10 RG	2.756	3.543	0.394	70.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354
70X90X10 HMSA10 V	2.756	3.543	0.394	70.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
70X90X12 HMS5 RG	2.756	3.543	0.472	70.00	90.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	321
70X90X12 HMS5 V	2.756	3.543	0.472	70.00	90.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,511
70X90X12 HMSA10 RG	2.756	3.543	0.472	70.00	90.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	354
70X90X12 HMSA10 V	2.756	3.543	0.472	70.00	90.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,588
70X92X12 HMS5 RG	2.756	3.622	0.472	70.00	92.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	332
70X92X12 HMS5 V	2.756	3.622	0.472	70.00	92.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,775
70X92X12 HMSA10 RG	2.756	3.622	0.472	70.00	92.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	369
70X92X12 HMSA10 V	2.756	3.622	0.472	70.00	92.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,859
70X95X10 HMS5 RG	2.756	3.740	0.394	70.00	95.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	332
70X95X10 HMS5 V	2.756	3.740	0.394	70.00	95.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,775
70X95X10 HMSA10 RG	2.756	3.740	0.394	70.00	95.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	369
70X95X10 HMSA10 V	2.756	3.740	0.394	70.00	95.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,859
70X100X10 CRW1 R	2.756	3.937	0.394	70.00	100	10	R (NITRILE)	CRW1	Wave Seal, metal OD	1,191
70X88X8 CRW1 R	2.756	3.465	0.315	70.00	88	8	R (NITRILE)	CRW1	Wave Seal, metal OD	952
70X88X8 CRW1 V	2.756	3.465	0.315	70.00	88	8	V (VITON)	CRW1	Wave Seal, metal OD	1,702
70X90X10 CRW1 V	2.756	3.543	0.394	70.00	90	10	V (VITON)	CRW1	Wave Seal, metal OD	1,870
99276	2.756	0.000	0.787	70.00	0	19.99		SSLEEVE	SSLEEVE	2,846
28035	2.813	3.751	0.438	71.42	95.28	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,366

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
28116	2.813	3.876	0.438	71.42	98.45	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,941
28175	2.813	4.003	0.438	71.42	101.68	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,279
99281	2.813	0.000	0.594	71.42	0	15.09		SSLEEVE	SSLEEVE	2,769
72X100X10 HMS5 RG	2.835	3.937	0.394	72.00	100.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	352
72X100X10 HMS5 V	2.835	3.937	0.394	72.00	100.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,869
72X100X10 HMSA10 RG	2.835	3.937	0.394	72.00	100.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	391
72X100X10 HMSA10 V	2.835	3.937	0.394	72.00	100.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,961
72X90X10 HMS5 RG	2.835	3.543	0.394	72.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
72X90X10 HMS5 V	2.835	3.543	0.394	72.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,511
72X90X10 HMSA10 RG	2.835	3.543	0.394	72.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354
72X90X10 HMSA10 V	2.835	3.543	0.394	72.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
72X95X10 HMS5 RG	2.835	3.740	0.394	72.00	95.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	332
72X95X10 HMS5 V	2.835	3.740	0.394	72.00	95.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,775
72X95X10 HMSA10 RG	2.835	3.740	0.394	72.00	95.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	369
72X95X10 HMSA10 V	2.835	3.740	0.394	72.00	95.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,859
72X88X8 CRW1 R	2.835	3.465	0.315	72.00	88	8	R (NITRILE)	CRW1	Wave Seal, metal OD	1,154
99284	2.835	0.000	0.750	72.00	0	19.05		SSLEEVE	SSLEEVE	2,866
99282	2.838	0.000	0.500	72.16	0	12.7		SSLEEVE	SSLEEVE	2,727
28425	2.844	3.939	0.500	72.24	100.05	12.7	R (NITRILE)	CRWA1	Wave Seal, metal OD	611
99286	2.869	0.000	0.781	72.87	0	19.84		SSLEEVE	SSLEEVE	2,856
28654	2.875	3.623	0.438	73.03	92.02	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,366
28669	2.875	3.751	0.375	73.03	95.28	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	743
28670	2.875	3.751	0.375	73.03	95.25	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	2,488
28745	2.875	3.876	0.438	73.03	98.45	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	845
28748	2.875	3.876	0.438	73.03	98.45	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	3,317
28778	2.875	4.003	0.375	73.03	101.68	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,059
28779	2.875	4.003	0.375	73.03	101.68	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	2,670
28817	2.875	4.125	0.375	73.03	104.78	9.53	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,465
28848	2.875	4.501	0.433	73.03	114.33	11	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,662
99287	2.875	0.000	0.781	73.00	0	19.84		SSLEEVE	SSLEEVE	2,704
29218	2.938	3.623	0.375	74.63	92.03	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	853
29223	2.938	3.751	0.375	74.63	95.28	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	743
29226	2.938	3.751	0.375	74.63	95.28	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	2,595
29262	2.938	3.876	0.375	74.63	98.45	9.53	V (VITON)	CRWHA1	Wave Seal, metal OD	2,971
29316	2.938	4.003	0.438	74.63	101.68	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,009
29465	2.938	4.501	0.438	74.63	114.33	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,503
99293	2.940	0.000	0.781	74.68	0	19.84		SSLEEVE	SSLEEVE	2,313
75X100X10 HMS5 RG	2.953	3.937	0.394	75.00	100.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	352
75X100X10 HMS5 V	2.953	3.937	0.394	75.00	100.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,869
75X100X10 HMSA10 RG	2.953	3.937	0.394	75.00	100.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	391
75X100X10 HMSA10 V	2.953	3.937	0.394	75.00	100.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,961
75X100X12 HMS5 RG	2.953	3.937	0.472	75.00	100.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	354
75X100X12 HMS5 V	2.953	3.937	0.472	75.00	100.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,869
75X100X12 HMSA10 RG	2.953	3.937	0.472	75.00	100.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	391
75X100X12 HMSA10 V	2.953	3.937	0.472	75.00	100.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,961
75X105X10 HMS5 RG	2.953	4.134	0.394	75.00	105.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	419
75X105X10 HMS5 V	2.953	4.134	0.394	75.00	105.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,966
75X105X10 HMSA10 RG	2.953	4.134	0.394	75.00	105.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	461
75X105X10 HMSA10 V	2.953	4.134	0.394	75.00	105.00	10.00	V(VITON)	HMSA10	Rubber OD seal	2,067
75X110X12 HMS5 RG	2.953	4.331	0.472	75.00	110.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	441
75X110X12 HMS5 V	2.953	4.331	0.472	75.00	110.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,061
75X110X12 HMSA10 RG	2.953	4.331	0.472	75.00	110.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	489

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
75X110X12 HMSA10 V	2.953	4.331	0.472	75.00	110.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,166
75X120X12 HMS5 RG	2.953	4.724	0.472	75.00	120.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	458
75X120X12 HMS5 V	2.953	4.724	0.472	75.00	120.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,398
75X120X12 HMSA10 RG	2.953	4.724	0.472	75.00	120.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	509
75X120X12 HMSA10 V	2.953	4.724	0.472	75.00	120.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,525
75X90X10 HMS5 RG	2.953	3.543	0.394	75.00	90.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	321
75X90X10 HMS5 V	2.953	3.543	0.394	75.00	90.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,511
75X90X10 HMSA10 RG	2.953	3.543	0.394	75.00	90.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	354
75X90X10 HMSA10 V	2.953	3.543	0.394	75.00	90.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,588
75X95X10 HMS5 RG	2.953	3.740	0.394	75.00	95.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	332
75X95X10 HMS5 V	2.953	3.740	0.394	75.00	95.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,775
75X95X10 HMSA10 RG	2.953	3.740	0.394	75.00	95.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	369
75X95X10 HMSA10 V	2.953	3.740	0.394	75.00	95.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,859
75X95X12 HMS5 RG	2.953	3.740	0.472	75.00	95.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	332
75X95X12 HMS5 V	2.953	3.740	0.472	75.00	95.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,775
75X95X12 HMSA10 RG	2.953	3.740	0.472	75.00	95.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	369
75X95X12 HMSA10 V	2.953	3.740	0.472	75.00	95.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,859
75X100X10 CRW1 R	2.953	3.937	0.394	75.00	100	10	R (NITRILE)	CRW1	Wave Seal, metal OD	1,149
75X100X10 CRW1 V	2.953	3.937	0.394	75.00	100	10	V (VITON)	CRW1	Wave Seal, metal OD	1,919
75X110X10 CRW1 R	2.953	4.331	0.394	75.00	110	10	R (NITRILE)	CRW1	Wave Seal, metal OD	1,226
75X115X12 CRW1 R	2.953	4.528	0.472	75.00	115	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,536
75X95X10 CRW1 V	2.953	3.740	0.394	75.00	95	10	V (VITON)	CRW1	Wave Seal, metal OD	1,592
99289	2.953	0.000	0.594	75.00	0	15.09	SSLEEVE	SSLEEVE	SSLEEVE	2,640
99292	2.974	0.000	0.813	75.54	0	20.62	SSLEEVE	SSLEEVE	SSLEEVE	2,425
29841	3.000	3.500	0.375	76.20	88.9	9.53	V (VITON)	CRW1	Wave Seal, metal OD	2,600
29865	3.000	3.751	0.375	76.20	95.28	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	772
29868	3.000	3.751	0.375	76.20	95.28	9.53	V (VITON)	CRW1	Wave Seal, metal OD	2,981
30000	3.000	4.125	0.438	76.20	104.78	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,226
30033	3.000	4.249	0.438	76.20	107.92	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,566
30060	3.000	4.331	0.438	76.20	110	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,420
30070	3.000	4.376	0.438	76.20	111.15	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,316
30125	3.000	4.999	0.438	76.20	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,249
75 VA R	3.000	3.710	0.350	75.00	93	9	R (NITRILE)	VR 1	V-RING	367
99300	3.000	0.000	0.813	76.28	0	20.65	SSLEEVE	SSLEEVE	SSLEEVE	2,258
99301	3.011	0.000	0.500	76.48	0	12.7	SSLEEVE	SSLEEVE	SSLEEVE	2,872
78X100X10 HMS5 RG	3.071	3.937	0.394	78.00	100.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	354
78X100X10 HMS5 V	3.071	3.937	0.394	78.00	100.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,869
78X100X10 HMSA10 RG	3.071	3.937	0.394	78.00	100.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	391
78X100X10 HMSA10 V	3.071	3.937	0.394	78.00	100.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,961
99306	3.071	0.000	0.750	78.00	0	19.05	SSLEEVE	SSLEEVE	SSLEEVE	2,747
31132	3.125	3.811	0.355	79.38	96.8	9.02	V (VITON)	CRW1	Wave Seal, metal OD	2,315
31135	3.125	3.811	0.355	79.38	96.8	9.02	R (NITRILE)	CRW1	Wave Seal, metal OD	1,087
31139	3.125	4.003	0.375	79.38	101.68	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,012
31152	3.125	4.003	0.375	79.38	101.68	9.53	V (VITON)	CRWHA1	Wave Seal, metal OD	2,156
31227	3.125	4.249	0.438	79.38	107.92	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,700
31237	3.125	4.249	0.438	79.38	107.92	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	4,255
31250	3.125	4.376	0.438	79.38	111.15	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,860
31269	3.125	4.501	0.438	79.38	114.33	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,702
31299	3.125	4.626	0.438	79.38	117.5	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,732
31327	3.125	4.751	0.438	79.38	120.68	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,855
31333	3.125	4.999	0.438	79.38	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,804
31353	3.125	5.251	0.438	79.38	133.38	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,587

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
80 VA R	3.125	3.835	0.350	80.00	98	9	R (NITRILE)	VR 1	V-RING	489
99311	3.125	0.000	0.688	79.32	0	17.48		SSLLEEVE	SSLLEEVE	2,687
80X100X10 HMS5 RG	3.150	3.937	0.394	80.00	100.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	352
80X100X10 HMS5 V	3.150	3.937	0.394	80.00	100.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,869
80X100X10 HMSA10 RG	3.150	3.937	0.394	80.00	100.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	391
80X100X10 HMSA10 V	3.150	3.937	0.394	80.00	100.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,961
80X100X12 HMS5 RG	3.150	3.937	0.472	80.00	100.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	354
80X100X12 HMS5 V	3.150	3.937	0.472	80.00	100.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,869
80X100X12 HMSA10 RG	3.150	3.937	0.472	80.00	100.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	391
80X100X12 HMSA10 V	3.150	3.937	0.472	80.00	100.00	12.00	V(VITON)	HMSA10	Rubber OD seal	1,961
80X105X10 HMS5 RG	3.150	4.134	0.394	80.00	105.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	419
80X105X10 HMS5 V	3.150	4.134	0.394	80.00	105.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,966
80X105X10 HMSA10 RG	3.150	4.134	0.394	80.00	105.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	461
80X105X10 HMSA10 V	3.150	4.134	0.394	80.00	105.00	10.00	V(VITON)	HMSA10	Rubber OD seal	2,067
80X110X10 HMS5 RG	3.150	4.331	0.394	80.00	110.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	441
80X110X10 HMS5 V	3.150	4.331	0.394	80.00	110.00	10.00	V(VITON)	HMS5	Rubber OD seal	2,061
80X110X10 HMSA10 RG	3.150	4.331	0.394	80.00	110.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	489
80X110X10 HMSA10 V	3.150	4.331	0.394	80.00	110.00	10.00	V(VITON)	HMSA10	Rubber OD seal	2,166
80X110X12 HMS5 RG	3.150	4.331	0.472	80.00	110.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	441
80X110X12 HMS5 V	3.150	4.331	0.472	80.00	110.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,061
80X110X12 HMSA10 RG	3.150	4.331	0.472	80.00	110.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	489
80X110X12 HMSA10 V	3.150	4.331	0.472	80.00	110.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,166
80X95X10 HMS5 RG	3.150	3.740	0.394	80.00	95.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	332
80X95X10 HMS5 V	3.150	3.740	0.394	80.00	95.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,775
80X95X10 HMSA10 RG	3.150	3.740	0.394	80.00	95.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	369
80X95X10 HMSA10 V	3.150	3.740	0.394	80.00	95.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,859
31511	3.150	3.946	0.394	80.00	100.22	10	V (VITON)	CRW1	Wave Seal, metal OD	1,503
80X100X10 CRW1 R	3.150	3.937	0.394	80.00	100	10	R (NITRILE)	CRW1	Wave Seal, metal OD	1,251
80X100X10 CRW1 V	3.150	3.937	0.394	80.00	100	10	V (VITON)	CRW1	Wave Seal, metal OD	1,910
80X105X10 CRW1 R	3.150	4.134	0.394	80.00	105	10	R (NITRILE)	CRW1	Wave Seal, metal OD	1,733
80X105X10 CRW1 V	3.150	4.134	0.394	80.00	105	10	V (VITON)	CRW1	Wave Seal, metal OD	2,326
80X110X10 CRW1 R	3.150	4.331	0.394	80.00	110	10	R (NITRILE)	CRW1	Wave Seal, metal OD	1,404
80X125X10 CRW1 R	3.150	4.921	0.394	80.00	125	10	R (NITRILE)	CRW1	Wave Seal, metal OD	1,971
80X125X10 CRW1 V	3.150	4.921	0.394	80.00	125	10	V (VITON)	CRW1	Wave Seal, metal OD	2,831
80X130X12 CRWA1 R	3.150	5.118	0.472	80.00	130	12	R (NITRILE)	CRWA1	Wave Seal, metal OD	2,178
80X140X12 CRW1 R	3.150	5.512	0.472	80.00	140	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,767
99313	3.150	0.000	0.750	80.00	0	19.05		SSLLEEVE	SSLLEEVE	2,762
99315	3.150	0.000	0.827	80.00	0	21.01		SSLLEEVE	SSLLEEVE	2,545
99317	3.150	0.000	0.433	80.00	0	11		SSLLEEVE	SSLLEEVE	2,715
31758	3.188	4.249	0.438	80.98	107.92	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,688
31825	3.188	4.376	0.438	80.98	111.15	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,565
31855	3.188	4.501	0.438	80.98	114.33	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,485
31870	3.188	4.626	0.438	80.98	117.5	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,613
31955	3.188	4.999	0.438	80.98	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,383
32289	3.228	3.920	0.500	82.00	99.57	12.7	V (VITON)	HMSA7	Rubber OD seal	1,647
99328	3.228	0.000	0.660	82.00	0	16.76		SSLLEEVE	SSLLEEVE	2,590
32332	3.250	3.876	0.375	82.55	98.45	9.53	V (VITON)	CRS1	METAL OD	2,333
32344	3.250	4.003	0.375	82.55	101.68	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	960
32393	3.250	4.249	0.375	82.55	107.92	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	934
32403	3.250	4.249	0.438	82.55	107.92	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	4,195
32424	3.250	4.376	0.438	82.55	111.15	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,394
32477	3.250	4.501	0.375	82.55	114.33	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	843
32540	3.250	4.626	0.438	82.55	117.5	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,418

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
32560	3.250	4.751	0.438	82.55	120.68	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,548
32582	3.250	4.999	0.438	82.55	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,635
99324	3.250	0.000	0.595	82.63	0	15.11		SSLEEVE	SSLEEVE	2,632
99325	3.250	0.000	0.813	82.63	0	20.65		SSLEEVE		2,590
99331	3.310	0.000	0.813	84.00	0	20.65		SSLEEVE	SSLEEVE	2,338
33033	3.313	4.125	0.438	84.15	104.78	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,488
33136	3.313	4.500	0.438	84.15	114.3	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,369
99332	3.342	0.000	0.669	85.00	0	16.99		SSLEEVE	SSLEEVE	3,163
99333	3.342	0.000	0.827	85.00	0	21.01		SSLEEVE	SSLEEVE	3,083
85X105X10 CRW1 V	3.346	4.134	0.394	85.00	105	10	V (VITON)	CRW1	Wave Seal, metal OD	1,895
99334	3.346	0.000	0.399	85.00	0	10.13		SSLEEVE		2,976
85X100X10 HMS5 RG	3.346	3.937	0.394	85.00	100.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	354
85X100X10 HMS5 V	3.346	3.937	0.394	85.00	100.00	10.00	V(VITON)	HMS5	Rubber OD seal	1,869
85X100X10 HMSA10 RG	3.346	3.937	0.394	85.00	100.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	391
85X100X10 HMSA10 V	3.346	3.937	0.394	85.00	100.00	10.00	V(VITON)	HMSA10	Rubber OD seal	1,961
85X105X12 HMS5 RG	3.346	4.134	0.472	85.00	105.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	419
85X105X12 HMS5 V	3.346	4.134	0.472	85.00	105.00	12.00	V(VITON)	HMS5	Rubber OD seal	1,966
85X105X12 HMSA10 RG	3.346	4.134	0.472	85.00	105.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	461
85X105X12 HMSA10 V	3.346	4.134	0.472	85.00	105.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,067
85X110X12 HMS5 RG	3.346	4.331	0.472	85.00	110.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	441
85X110X12 HMS5 V	3.346	4.331	0.472	85.00	110.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,061
85X110X12 HMSA10 RG	3.346	4.331	0.472	85.00	110.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	489
85X110X12 HMSA10 V	3.346	4.331	0.472	85.00	110.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,166
85X115X12 HMS5 RG	3.346	4.528	0.472	85.00	115.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	458
85X115X12 HMS5 V	3.346	4.528	0.472	85.00	115.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,411
85X115X12 HMSA10 RG	3.346	4.528	0.472	85.00	115.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	509
85X115X12 HMSA10 V	3.346	4.528	0.472	85.00	115.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,533
85X120X12 HMS5 RG	3.346	4.724	0.472	85.00	120.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	458
85X120X12 HMS5 V	3.346	4.724	0.472	85.00	120.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,398
85X120X12 HMSA10 V	3.346	4.724	0.472	85.00	120.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,525
85X130X12 HMS5 RG	3.346	5.118	0.472	85.00	130.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	615
85X130X12 HMS5 V	3.346	5.118	0.472	85.00	130.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,777
85X130X12 HMSA10 RG	3.346	5.118	0.472	85.00	130.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	681
85X130X12 HMSA10 V	3.346	5.118	0.472	85.00	130.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,917
85X120X12 HMSA10 RG	3.346	4.724	0.472	85.00	120.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	521
33645	3.375	4.125	0.375	85.73	104.78	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	1,091
33665	3.375	4.249	0.438	85.73	107.92	11.13	R (NITRILE)	CRWHA1	Wave Seal, metal OD	1,762
33699	3.375	4.376	0.375	85.73	111.15	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	1,732
33700	3.375	4.376	0.375	85.73	111.15	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	920
33733	3.375	4.501	0.438	85.73	114.33	11.13	V (VITON)	CRWA1	Wave Seal, metal OD	3,161
33735	3.375	4.501	0.438	85.73	114.33	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,418
33772	3.375	4.626	0.438	85.73	117.5	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,506
33807	3.375	4.686	0.438	85.73	119.02	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,099
33837	3.375	4.999	0.438	85.73	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,335
33866	3.375	5.251	0.438	85.73	133.38	11.13	R (NITRILE)	CRWHA1	Wave Seal, metal OD	3,497
34647	3.375	4.125	0.375	85.73	104.78	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	2,902
85 VA R	3.375	4.085	0.350	85.00	103	9	R (NITRILE)	VR 1	V-RING	367
99337	3.375	0.000	0.813	85.75	0	20.65		SSLEEVE	SSLEEVE	2,682
34256	3.438	4.249	0.375	87.33	107.92	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	1,353
34279	3.438	4.501	0.375	87.33	114.32	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,204
34336	3.438	4.626	0.438	87.33	117.5	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,727
34398	3.438	4.876	0.438	87.33	123.85	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,358

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
34407	3.438	4.999	0.438	87.33	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,907
99339	3.438	0.000	0.781	87.33	0	19.84		SSLEEVE	SSLEEVE	2,939
34611	3.465	4.252	0.427	88.00	108	10.85	V (VITON)	HMS4	Rubber OD seal	1,353
99340	3.480	0.000	0.781	88.39	0	19.84		SSLEEVE	SSLEEVE	3,023
34857	3.500	4.249	0.438	88.90	107.92	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	4,606
34860	3.500	4.376	0.375	88.90	111.15	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	977
34866	3.500	4.376	0.375	88.90	111.15	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	1,815
34985	3.500	4.626	0.438	88.90	117.5	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,541
35080	3.500	4.999	0.438	88.90	126.97	11.13	V (VITON)	CRWA1	Wave Seal, metal OD	2,104
35082	3.500	4.999	0.438	88.90	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,518
35086	3.500	5.126	0.438	88.90	130.2	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,842
35096	3.500	5.251	0.438	88.90	133.38	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,752
90 VA R	3.500	4.210	0.350	90.00	108	9	R (NITRILE)	VR 1	V-RING	496
99350	3.500	0.000	0.813	89.00	0	20.65		SSLEEVE	SSLEEVE	2,346
90X110X12 CRW1 R	3.543	4.331	0.472	90.00	110	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,348
90X115X12 CRWA1 R	3.543	4.528	0.472	90.00	115	12	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,608
90X140X12 CRWA1 R	3.543	5.512	0.472	90.00	140	12	R (NITRILE)	CRWA1	Wave Seal, metal OD	2,527
99352	3.543	0.000	0.438	90.00	0	11.13		SSLEEVE	SSLEEVE	3,200
99354	3.543	0.000	0.906	90.00	0	23.01		SSLEEVE	SSLEEVE	3,063
90X110X10 HMS5 RG	3.543	4.331	0.394	90.00	110.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	441
90X110X10 HMS5 V	3.543	4.331	0.394	90.00	110.00	10.00	V(VITON)	HMS5	Rubber OD seal	2,061
90X110X10 HMSA10 RG	3.543	4.331	0.394	90.00	110.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	489
90X110X10 HMSA10 V	3.543	4.331	0.394	90.00	110.00	10.00	V(VITON)	HMSA10	Rubber OD seal	2,166
90X110X12 HMS5 RG	3.543	4.331	0.472	90.00	110.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	441
90X110X12 HMS5 V	3.543	4.331	0.472	90.00	110.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,061
90X110X12 HMSA10 RG	3.543	4.331	0.472	90.00	110.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	489
90X110X12 HMSA10 V	3.543	4.331	0.472	90.00	110.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,166
90X115X12 HMS5 RG	3.543	4.528	0.472	90.00	115.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	458
90X115X12 HMS5 V	3.543	4.528	0.472	90.00	115.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,411
90X115X12 HMSA10 RG	3.543	4.528	0.472	90.00	115.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	509
90X115X12 HMSA10 V	3.543	4.528	0.472	90.00	115.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,533
90X120X12 HMS5 RG	3.543	4.724	0.472	90.00	120.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	458
90X120X12 HMS5 V	3.543	4.724	0.472	90.00	120.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,398
90X120X12 HMSA10 V	3.543	4.724	0.472	90.00	120.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,525
90X120X12 HMSA10 RG	3.543	4.724	0.472	90.00	120.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	521
35716	3.563	4.999	0.438	90.50	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,674
99356	3.563	0.000	0.813	90.50	0	20.65		SSLEEVE	SSLEEVE	2,986
99360	3.621	0.000	0.813	92.00	0	20.65		SSLEEVE	SSLEEVE	4,294
36153	3.625	4.376	0.375	92.08	111.15	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	3,427
36155	3.625	4.376	0.375	92.08	111.15	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,015
36220	3.625	4.751	0.438	92.08	120.68	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,647
36359	3.625	4.999	0.375	92.08	126.97	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	3,584
36361	3.625	4.999	0.375	92.08	126.97	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,157
99362	3.625	0.000	0.813	92.10	0	20.65		SSLEEVE	SSLEEVE	2,861
99363	3.625	0.000	0.500	92.10	0	12.7		SSLEEVE	SSLEEVE	2,538
36740	3.688	4.501	0.438	93.68	114.33	11.13	R (NITRILE)	CRWHA1	Wave Seal, metal OD	2,024
36770	3.688	4.751	0.438	93.68	120.68	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,583
99366	3.730	0.000	0.781	94.74	0	19.84		SSLEEVE	SSLEEVE	3,312
95X115X12 CRW1 R	3.740	4.528	0.472	95.00	115	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,408
95X115X12 CRW1 V	3.740	4.528	0.472	95.00	115	12	V (VITON)	CRW1	Wave Seal, metal OD	2,423
95X120X12 CRW1 R	3.740	4.724	0.472	95.00	120	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,521
95X120X12 CRW1 V	3.740	4.724	0.472	95.00	120	12	V (VITON)	CRW1	Wave Seal, metal OD	2,275

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
99369	3.740	0.000	0.827	95.00	0	21.01		SSLEEVE	SSLEEVE	2,882
95X115X12 HMS5 RG	3.740	4.528	0.472	95.00	115.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	458
95X115X12 HMS5 V	3.740	4.528	0.472	95.00	115.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,411
95X115X12 HMSA10 RG	3.740	4.528	0.472	95.00	115.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	509
95X115X12 HMSA10 V	3.740	4.528	0.472	95.00	115.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,533
95X120X12 HMS5 RG	3.740	4.724	0.472	95.00	120.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	458
95X120X12 HMS5 V	3.740	4.724	0.472	95.00	120.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,398
95X120X12 HMSA10 V	3.740	4.724	0.472	95.00	120.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,525
95X125X12 HMS5 RG	3.740	4.921	0.472	95.00	125.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	558
95X125X12 HMS5 V	3.740	4.921	0.472	95.00	125.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,510
95X125X12 HMSA10 RG	3.740	4.921	0.472	95.00	125.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	616
95X125X12 HMSA10 V	3.740	4.921	0.472	95.00	125.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,642
95X120X12 HMSA10 RG	3.740	4.724	0.472	95.00	120.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	521
37328	3.750	4.501	0.375	95.25	114.33	9.53	V (VITON)	CRW1	Wave Seal, metal OD	2,939
37330	3.750	4.501	0.469	95.25	114.33	11.91	P(POLY ACRYLATE)CRWHA1		Wave Seal, metal OD	1,521
37388	3.750	4.751	0.375	95.25	120.68	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	1,239
37405	3.750	4.751	0.438	95.25	120.68	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	4,325
37433	3.750	4.876	0.438	95.25	123.85	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,036
37524	3.750	4.999	0.375	95.25	126.97	9.53	V (VITON)	CRW1	Wave Seal, metal OD	3,687
37525	3.750	4.999	0.375	95.25	126.97	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	1,271
37574	3.750	5.251	0.438	95.25	133.38	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,867
37577	3.750	5.251	0.438	95.25	133.38	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	5,838
95 VA R	3.750	4.460	0.350	95.00	113	9	R (NITRILE)	VR 1	V-RING	402
99372	3.753	0.000	0.688	95.33	0	17.48		SSLEEVE	SSLEEVE	2,568
98X120X12 CRW1 V	3.858	4.724	0.472	98.00	120	12	V (VITON)	CRW1	Wave Seal, metal OD	2,188
38646	3.875	4.751	0.375	98.43	120.68	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	3,363
38649	3.875	4.751	0.375	98.43	120.68	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	4,195
38669	3.875	4.876	0.500	98.43	123.85	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,575
38678	3.875	4.876	0.500	98.43	123.85	12.7	V (VITON)	CRWHA1	Wave Seal, metal OD	5,114
38691	3.875	4.999	0.375	98.43	126.97	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	1,733
38694	3.875	4.999	0.375	98.43	126.97	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	3,539
38730	3.875	5.251	0.438	98.43	133.38	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,463
38745	3.875	5.376	0.438	98.43	136.55	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,829
38774	3.875	5.690	0.500	98.43	144.53	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,012
100X120X12 CRW1 R	3.937	4.724	0.472	100.00	120	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,510
100X120X12 CRW1 V	3.937	4.724	0.472	100.00	120	12	V (VITON)	CRW1	Wave Seal, metal OD	2,163
100X130X12 CRW1 R	3.937	5.118	0.472	100.00	130	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,867
100X135X12 CRWA1 R	3.937	5.315	0.472	100.00	135	12	R (NITRILE)	CRWA1	Wave Seal, metal OD	2,154
100X140X12 CRWA1 R	3.937	5.512	0.472	100.00	140	12	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,792
100X120X10 HMS5 RG	3.937	4.724	0.394	100.00	120.00	10.00	R(NITRILE)	HMS5	Rubber OD seal	458
100X120X10 HMS5 V	3.937	4.724	0.394	100.00	120.00	10.00	V(VITON)	HMS5	Rubber OD seal	2,398
100X120X10 HMSA10 V	3.937	4.724	0.394	100.00	120.00	10.00	V(VITON)	HMSA10	Rubber OD seal	2,525
100X120X12 HMS5 RG	3.937	4.724	0.472	100.00	120.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	458
100X120X12 HMS5 V	3.937	4.724	0.472	100.00	120.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,398
100X120X12 HMSA10 V	3.937	4.724	0.472	100.00	120.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,525
100X125X12 HMS5 RG	3.937	4.921	0.472	100.00	125.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	558
100X125X12 HMS5 V	3.937	4.921	0.472	100.00	125.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,510
100X125X12 HMSA10 RG	3.937	4.921	0.472	100.00	125.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	616
100X125X12 HMSA10 V	3.937	4.921	0.472	100.00	125.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,642
100X130X12 HMS5 RG	3.937	5.118	0.472	100.00	130.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	615
100X130X12 HMS5 V	3.937	5.118	0.472	100.00	130.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,777
100X130X12 HMSA10 RG	3.937	5.118	0.472	100.00	130.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	681
100X130X12 HMSA10 V	3.937	5.118	0.472	100.00	130.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,917

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
100X140X12 HMS5 RG	3.937	5.512	0.472	100.00	140.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	610
100X140X12 HMS5 V	3.937	5.512	0.472	100.00	140.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,916
100X140X12 HMSA10 RG	3.937	5.512	0.472	100.00	140.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	676
100X140X12 HMSA10 V	3.937	5.512	0.472	100.00	140.00	12.00	V(VITON)	HMSA10	Rubber OD seal	3,068
100X150X12 HMS5 RG	3.937	5.906	0.472	100.00	150.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	865
100X150X12 HMS5 V	3.937	5.906	0.472	100.00	150.00	12.00	V(VITON)	HMS5	Rubber OD seal	4,163
100X150X12 HMSA10 RG	3.937	5.906	0.472	100.00	150.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	964
100X150X12 HMSA10 V	3.937	5.906	0.472	100.00	150.00	12.00	V(VITON)	HMSA10	Rubber OD seal	4,370
100X120X10 HMSA10 RG	3.937	4.724	0.394	100.00	120.00	10.00	R(NITRILE)	HMSA10	Rubber OD seal	521
100X120X12 HMSA10 RG	3.937	4.724	0.472	100.00	120.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	521
39245	3.938	4.876	0.438	100.03	123.85	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,369
39275	3.938	4.999	0.438	100.03	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,865
39276	3.938	4.999	0.438	100.03	126.97	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	5,571
39304	3.938	5.126	0.472	100.03	130.2	12	V (VITON)	CRWHA1	Wave Seal, metal OD	6,124
39320	3.938	5.251	0.438	100.03	133.38	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,077
39350	3.938	5.375	0.438	100.03	136.53	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,066
39423	3.938	5.501	0.438	100.03	139.73	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,153
99393	3.938	0.000	0.813	100.00	0	20.65		SSLEEVE	SSLEEVE	2,821
100 VA R	4.000	4.710	0.350	100.00	118	9	R (NITRILE)	VR 1	V-RING	407
39851	4.000	4.876	0.438	101.60	123.85	11.13	R (NITRILE)	CRW1	Wave Seal, metal OD	1,189
39975	4.000	5.126	0.438	101.60	130.2	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,057
39996	4.000	5.251	0.438	101.60	133.38	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	5,351
39997	4.000	5.251	0.438	101.60	133.38	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,628
40020	4.000	5.310	0.500	101.60	134.87	12.7	R (NITRILE)	CRWHA1	Wave Seal, metal OD	1,999
40036	4.000	5.376	0.438	101.60	136.55	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,902
40049	4.000	5.501	0.438	101.60	139.73	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,775
40077	4.000	5.626	0.375	101.60	142.9	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	2,024
40108	4.000	5.751	0.438	101.60	146.08	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,006
40138	4.000	6.001	0.500	101.60	152.43	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,463
40158	4.000	6.250	0.500	101.60	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,063
99401	4.000	0.000	0.500	101.65	0	12.7		SSLEEVE	SSLEEVE	3,190
99409	4.094	0.000	0.787	104.00	0	19.99		SSLEEVE	SSLEEVE	3,786
41125	4.125	4.999	0.438	104.78	126.97	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,627
41126	4.125	4.999	0.438	104.78	126.97	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	3,594
41170	4.125	5.126	0.438	104.78	130.2	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,186
41171	4.125	5.126	0.438	104.78	130.2	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	5,815
41185	4.125	5.251	0.438	104.78	133.38	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,123
41186	4.125	5.251	0.438	104.78	133.38	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	5,952
41265	4.125	5.501	0.438	104.78	139.73	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,129
41287	4.125	5.751	0.438	104.78	146.08	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,406
41305	4.125	6.001	0.438	104.78	152.43	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,043
99412	4.125	0.000	0.813	104.80	0	20.65		SSLEEVE	SSLEEVE	4,093
105X140X12 HMSA10 RG	4.134	5.512	0.472	105.00	140.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	708
105X130X12 HMS5 RG	4.134	5.118	0.472	105.00	130.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	615
105X130X12 HMS5 V	4.134	5.118	0.472	105.00	130.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,777
105X130X12 HMSA10 RG	4.134	5.118	0.472	105.00	130.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	681
105X130X12 HMSA10 V	4.134	5.118	0.472	105.00	130.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,911
105X140X12 HMS5 RG	4.134	5.512	0.472	105.00	140.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	610
105X140X12 HMS5 V	4.134	5.512	0.472	105.00	140.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,916
105X140X12 HMSA10 V	4.134	5.512	0.472	105.00	140.00	12.00	V(VITON)	HMSA10	Rubber OD seal	3,068
105X130X12 CRW1 R	4.134	5.118	0.472	105.00	130	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,885
105X130X12 CRW1 V	4.134	5.118	0.472	105.00	130	12	V (VITON)	CRW1	Wave Seal, metal OD	2,570

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
105X135X12 CRWA1 R	4.134	5.315	0.472	105.00	135	12	R (NITRILE)	CRWA1	Wave Seal, metal OD	2,343
105X140X12 CRWA1 R	4.134	5.512	0.472	105.00	140	12	R (NITRILE)	CRWA1	Wave Seal, metal OD	2,006
105X160X12 CRW1 R	4.134	6.299	0.472	105.00	160	12	R (NITRILE)	CRW1	Wave Seal, metal OD	3,151
99413	4.134	0.000	0.787	105.00	0	19.99		SSLEEVE	SSLEEVE	4,375
99418	4.188	0.000	0.813	106.35	0	20.65		SSLEEVE	SSLEEVE	4,898
99423	4.234	0.000	0.781	107.44	0	19.84		SSLEEVE	SSLEEVE	4,616
110 VA R	4.250	5.080	0.410	110.00	131	10.5	R (NITRILE)	VR 1	V-RING	428
42419	4.250	5.251	0.375	107.95	133.38	9.53	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,655
42433	4.250	5.251	0.438	107.95	133.38	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	4,728
42474	4.250	5.373	0.438	107.95	136.47	11.13	V (VITON)	CRWA1	Wave Seal, metal OD	4,162
42475	4.250	5.376	0.438	107.95	136.55	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,992
42528	4.250	5.501	0.438	107.95	139.73	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,834
42557	4.250	5.626	0.438	107.95	142.9	11.13	R (NITRILE)	CRWA1	Wave Seal, metal OD	1,869
42573	4.250	5.751	0.438	107.95	146.08	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,777
42592	4.250	5.876	0.500	107.95	149.25	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	7,794
42616	4.250	6.001	0.500	107.95	152.43	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,460
42644	4.250	6.250	0.500	107.95	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,548
99424	4.250	0.000	0.813	108.00	0	20.65		SSLEEVE	SSLEEVE	4,081
43073	4.313	5.501	0.438	109.55	139.73	11.13	R (NITRILE)	CRWHA1	Wave Seal, metal OD	2,154
99435	4.328	0.000	0.509	110.00	0	12.93		SSLEEVE	SSLEEVE	4,596
110X140X12 HMSA10 RG	4.331	5.512	0.472	110.00	140.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	708
110X130X12 HMS5 RG	4.331	5.118	0.472	110.00	130.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	615
110X130X12 HMS5 V	4.331	5.118	0.472	110.00	130.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,777
110X130X12 HMSA10 RG	4.331	5.118	0.472	110.00	130.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	681
110X130X12 HMSA10 V	4.331	5.118	0.472	110.00	130.00	12.00	V(VITON)	HMSA10	Rubber OD seal	2,917
110X140X12 HMS5 RG	4.331	5.512	0.472	110.00	140.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	610
110X140X12 HMS5 V	4.331	5.512	0.472	110.00	140.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,916
110X140X12 HMSA10 V	4.331	5.512	0.472	110.00	140.00	12.00	V(VITON)	HMSA10	Rubber OD seal	3,068
110X150X12 HMS5 RG	4.331	5.906	0.472	110.00	150.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	865
110X150X12 HMS5 V	4.331	5.906	0.472	110.00	150.00	12.00	V(VITON)	HMS5	Rubber OD seal	4,163
110X150X12 HMSA10 RG	4.331	5.906	0.472	110.00	150.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	964
110X150X12 HMSA10 V	4.331	5.906	0.472	110.00	150.00	12.00	V(VITON)	HMSA10	Rubber OD seal	4,370
110X130X12 CRW1 R	4.331	5.118	0.472	110.00	130	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,869
110X130X12 CRW1 V	4.331	5.118	0.472	110.00	130	12	V (VITON)	CRW1	Wave Seal, metal OD	2,886
110X135X12 CRW1 V	4.331	5.315	0.472	110.00	135	12	V (VITON)	CRW1	Wave Seal, metal OD	4,464
110X140X12 CRW1 R	4.331	5.512	0.472	110.00	140	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,752
110X140X12 CRW1 V	4.331	5.512	0.472	110.00	140	12	V (VITON)	CRW1	Wave Seal, metal OD	3,135
110X145X12 CRW1 R	4.331	5.709	0.472	110.00	145	12	R (NITRILE)	CRW1	Wave Seal, metal OD	2,168
110X160X12 CRWH1 R	4.331	6.299	0.472	110.00	160	12	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,550
43345	4.331	5.626	0.472	110.00	142.9	12	V (VITON)	CRWHA1	Wave Seal, metal OD	6,278
43650	4.375	5.376	0.438	111.13	136.55	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,500
43691	4.375	5.501	0.438	111.13	139.73	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,458
43751	4.375	5.751	0.438	111.13	146.08	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,953
43771	4.375	6.001	0.500	111.13	152.43	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,717
43820	4.375	6.250	0.500	111.13	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,602
99437	4.375	0.000	0.813	111.10	0	20.65		SSLEEVE	SSLEEVE	4,733
99438	4.409	0.000	0.750	112.00	0	19.05		SSLEEVE	SSLEEVE	5,104
44275	4.438	5.501	0.500	112.73	139.73	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,052
44276	4.438	5.501	0.500	112.73	139.73	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	5,686
44295	4.438	5.751	0.500	112.73	146.08	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,600
44320	4.438	6.001	0.500	112.73	152.43	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,931
44350	4.438	6.250	0.500	112.73	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,644

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
99439	4.438	0.000	1.000	112.72	0	25.4		SSLEEVE	SSLEEVE	5,334
44913	4.500	5.251	0.438	114.30	133.38	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	1,688
44917	4.500	5.251	0.438	114.30	133.38	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	6,004
44920	4.500	5.376	0.438	114.30	136.55	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,214
44926	4.500	5.376	0.438	114.30	136.55	11.13	V (VITON)	CRWHA1	Wave Seal, metal OD	6,904
44959	4.500	5.501	0.375	114.30	139.73	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	1,541
44973	4.500	5.501	0.438	114.30	139.73	11.13	V (VITON)	CRWH1	Wave Seal, metal OD	6,219
45032	4.500	5.626	0.438	114.30	142.9	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,517
45064	4.500	5.751	0.375	114.30	146.08	9.53	V (VITON)	CRWA1	Wave Seal, metal OD	4,835
45069	4.500	5.751	0.438	114.30	146.08	11.13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,066
45110	4.500	6.001	0.500	114.30	152.43	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,704
45112	4.500	6.001	0.500	114.30	152.43	12.7	V (VITON)	CRWHA1	Wave Seal, metal OD	7,760
45150	4.500	6.250	0.500	114.30	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,478
99450	4.500	0.000	0.813	114.30	0	20.65		SSLEEVE	SSLEEVE	4,728
115X140X12 HMSA10 RG	4.528	5.512	0.472	115.00	140.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	708
115X140X12 HMS5 RG	4.528	5.512	0.472	115.00	140.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	610
115X140X12 HMS5 V	4.528	5.512	0.472	115.00	140.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,916
115X140X12 HMSA10 V	4.528	5.512	0.472	115.00	140.00	12.00	V(VITON)	HMSA10	Rubber OD seal	3,068
115X135X12 CRW1 R	4.528	5.315	0.472	115.00	135	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,622
115X140X12 CRW1 R	4.528	5.512	0.472	115.00	140	12	R (NITRILE)	CRW1	Wave Seal, metal OD	1,587
115X140X12 CRW1 V	4.528	5.512	0.472	115.00	140	12	V (VITON)	CRW1	Wave Seal, metal OD	2,949
115X145X12 CRW1 R	4.528	5.709	0.472	115.00	145	12	R (NITRILE)	CRW1	Wave Seal, metal OD	2,650
115X150X12 CRW1 R	4.528	5.905	0.472	115.00	150	12	R (NITRILE)	CRW1	Wave Seal, metal OD	2,841
115X160X12 CRW1 R	4.528	6.299	0.472	115.00	160	12	R (NITRILE)	CRW1	Wave Seal, metal OD	2,844
99452	4.528	0.000	0.813	115.00	0	20.65		SSLEEVE	SSLEEVE	5,434
120 VA R	4.625	5.455	0.410	120.00	141	10.5	R (NITRILE)	VR 1	V-RING	436
46144	4.625	5.626	0.500	117.48	142.9	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,186
46155	4.625	5.626	0.500	117.48	142.9	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	5,666
46200	4.625	5.751	0.500	117.48	146.08	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,821
46285	4.625	6.001	0.500	117.48	152.43	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,963
46324	4.625	6.250	0.500	117.48	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,991
99463	4.625	0.000	1.000	117.48	0	25.4		SSLEEVE	SSLEEVE	4,998
46800	4.688	5.751	0.512	119.08	146.08	13	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,432
99468	4.688	0.000	0.813	119.00	0	20.65		SSLEEVE	SSLEEVE	5,845
120X140X12 CRWA1 R	4.724	5.512	0.472	120.00	140	12	R (NITRILE)	CRWA1	Wave Seal, metal OD	2,011
120X145X12 CRW1 R	4.724	5.709	0.472	120.00	145	12	R (NITRILE)	CRW1	Wave Seal, metal OD	2,552
120X150X12 CRW1 R	4.724	5.906	0.472	120.00	150	12	R (NITRILE)	CRW1	Wave Seal, metal OD	2,532
120X160X12 CRWH1 R	4.724	6.299	0.472	120.00	160	12	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,973
99471	4.724	0.000	0.315	120.00	0	8		SSLEEVE	SSLEEVE	5,787
99473	4.724	0.000	0.787	120.00	0	19.99		SSLEEVE	SSLEEVE	5,640
120X140X12 HMSA10 RG	4.724	5.512	0.472	120.00	140.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	708
120X140X12 HMS5 RG	4.724	5.512	0.472	120.00	140.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	610
120X140X12 HMS5 V	4.724	5.512	0.472	120.00	140.00	12.00	V(VITON)	HMS5	Rubber OD seal	2,916
120X140X12 HMSA10 V	4.724	5.512	0.472	120.00	140.00	12.00	V(VITON)	HMSA10	Rubber OD seal	3,068
120X150X12 HMS5 RG	4.724	5.906	0.472	120.00	150.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	865
120X150X12 HMS5 V	4.724	5.906	0.472	120.00	150.00	12.00	V(VITON)	HMS5	Rubber OD seal	4,163
120X150X12 HMSA10 RG	4.724	5.906	0.472	120.00	150.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	964
120X150X12 HMSA10 V	4.724	5.906	0.472	120.00	150.00	12.00	V(VITON)	HMSA10	Rubber OD seal	4,370
120X160X12 HMS5 RG	4.724	6.299	0.472	120.00	160.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	932
120X160X12 HMS5 V	4.724	6.299	0.472	120.00	160.00	12.00	V(VITON)	HMS5	Rubber OD seal	4,522
120X160X12 HMSA10 RG	4.724	6.299	0.472	120.00	160.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	1,037
120X160X12 HMSA10 V	4.724	6.299	0.472	120.00	160.00	12.00	V(VITON)	HMSA10	Rubber OD seal	4,741

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
47379	4.750	5.751	0.500	120.65	146.08	12.7	V (VITON)	CRW1	Wave Seal, metal OD	6,531
47383	4.750	5.751	0.500	120.65	146.08	12.7	R (NITRILE)	CRW1	Wave Seal, metal OD	1,426
47441	4.750	5.875	0.500	120.65	149.23	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,814
47474	4.750	6.001	0.500	120.65	152.43	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,602
47583	4.750	6.250	0.500	120.65	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,455
47586	4.750	6.250	0.500	120.65	158.75	12.7	V (VITON)	CRWHA1	Wave Seal, metal OD	10,528
99475	4.750	0.000	0.500	120.65	0	12.7		SSLEEVE	SSLEEVE	4,833
99472	4.803	0.000	0.787	122.00	0	19.99		SSLEEVE	SSLEEVE	5,690
48692	4.875	6.001	0.500	123.83	152.43	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	10,356
48693	4.875	6.001	0.500	123.83	152.43	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,502
48726	4.875	6.126	0.500	123.83	155.6	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	4,367
48769	4.875	6.250	0.500	123.83	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,953
99487	4.875	0.000	0.625	123.83	0	15.88		SSLEEVE	SSLEEVE	6,194
49274	4.921	6.375	0.500	125.00	161.93	12.7	V (VITON)	CRWHA1	Wave Seal, metal OD	9,661
99492	4.921	0.000	1.024	125.00	0	26.01		SSLEEVE	SSLEEVE	5,898
125X150X12 HMS5 RG	4.921	5.906	0.472	125.00	150.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	865
125X150X12 HMS5 V	4.921	5.906	0.472	125.00	150.00	12.00	V(VITON)	HMS5	Rubber OD seal	4,163
125X150X12 HMSA10 RG	4.921	5.906	0.472	125.00	150.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	964
125X150X12 HMSA10 V	4.921	5.906	0.472	125.00	150.00	12.00	V(VITON)	HMSA10	Rubber OD seal	4,370
49251	4.938	6.001	0.500	125.43	152.43	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,819
49301	4.938	6.250	0.500	125.43	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,827
49920	5.000	5.751	0.500	127.00	146.08	12.7	V (VITON)	HMS1	Rubber OD seal	5,539
49927	5.000	6.001	0.500	127.00	152.43	12.7	V (VITON)	CRWHA1	Wave Seal, metal OD	6,119
49960	5.000	6.126	0.500	127.00	155.6	12.7	V (VITON)	CRW1	Wave Seal, metal OD	5,773
49984	5.000	6.250	0.500	127.00	158.75	12.7	R (NITRILE)	CRW1	Wave Seal, metal OD	1,964
49991	5.000	6.250	0.500	127.00	158.75	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	9,653
50130	5.000	6.375	0.500	127.00	161.93	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,971
50148	5.000	6.500	0.500	127.00	165.1	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,161
50151	5.000	6.500	0.500	127.00	165.1	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	8,681
50168	5.000	6.750	0.500	127.00	171.45	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,756
99499	5.000	0.000	0.813	127.00	0	20.65		SSLEEVE	SSLEEVE	6,443
99494	5.114	0.000	0.750	130.00	0	19.05		SSLEEVE	SSLEEVE	7,958
130X160X12 CRW1 R	5.118	6.299	0.472	130.00	160	12	R (NITRILE)	CRW1	Wave Seal, metal OD	2,408
130X170X12 CRW1 R	5.118	6.693	0.472	130.00	170	12	R (NITRILE)	CRW1	Wave Seal, metal OD	5,848
130X160X12 HMS5 RG	5.118	6.299	0.472	130.00	160.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	932
130X160X12 HMS5 V	5.118	6.299	0.472	130.00	160.00	12.00	V(VITON)	HMS5	Rubber OD seal	4,522
130X160X12 HMSA10 RG	5.118	6.299	0.472	130.00	160.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	1,037
130X160X12 HMSA10 V	5.118	6.299	0.472	130.00	160.00	12.00	V(VITON)	HMSA10	Rubber OD seal	4,741
130X160X15 HMS5 RG	5.118	6.299	0.591	130.00	160.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	932
130X160X15 HMS5 V	5.118	6.299	0.591	130.00	160.00	15.00	V(VITON)	HMS5	Rubber OD seal	4,522
130X160X15 HMSA10 RG	5.118	6.299	0.591	130.00	160.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,037
130X160X15 HMSA10 V	5.118	6.299	0.591	130.00	160.00	15.00	V(VITON)	HMSA10	Rubber OD seal	4,741
130 VA R	5.125	5.955	0.410	130.00	151	10.5	R (NITRILE)	VR 1	V-RING	892
51248	5.125	6.375	0.500	130.18	161.93	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,013
51252	5.125	6.250	0.500	130.18	158.75	12.7	R (NITRILE)	CRWHA1	Wave Seal, metal OD	3,213
51253	5.125	6.250	0.500	130.18	158.75	12.7	V (VITON)	CRWA1	Wave Seal, metal OD	6,895
51255	5.125	6.375	0.500	130.18	161.93	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	9,175
51800	5.188	6.250	0.500	131.78	158.75	12.7	R (NITRILE)	HDW1	LDS,metal OD	15,432
51852	5.188	6.501	0.625	131.78	165.13	15.88	V (VITON)	CRWH1	Wave Seal, metal OD	8,191
52440	5.250	6.001	0.375	133.35	152.43	9.53	R (NITRILE)	CRW1	Wave Seal, metal OD	2,445
52445	5.250	6.250	0.500	133.35	158.75	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	2,647
52447	5.250	6.250	0.500	133.35	158.75	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	8,607
52488	5.250	6.500	0.500	133.35	165.1	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,323
52489	5.250	6.500	0.500	133.35	165.1	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	9,601

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
52648	5.250	6.750	0.500	133.35	171.45	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,677
52649	5.250	6.750	0.500	133.35	171.45	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	9,322
99525	5.250	0.000	0.813	133.35	0	20.65		SSLEEVE	SSLEEVE	8,026
99533	5.311	0.000	0.807	135.00	0	20.5		SSLEEVE	SSLEEVE	8,609
135X170X12 HMS5 RG	5.315	6.693	0.472	135.00	170.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	944
135X170X12 HMS5 V	5.315	6.693	0.472	135.00	170.00	12.00	V(VITON)	HMS5	Rubber OD seal	4,572
135X170X12 HMSA10 V	5.315	6.693	0.472	135.00	170.00	12.00	V(VITON)	HMSA10	Rubber OD seal	4,803
135X170X12 HMSA10 RG	5.315	6.693	0.472	135.00	170.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	1,062
53701	5.375	6.625	0.500	136.53	168.28	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,462
53702	5.375	6.625	0.500	136.53	168.28	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	9,718
53771	5.375	6.750	0.500	136.53	171.45	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	9,085
99537	5.375	0.000	0.813	136.53	0	20.65		SSLEEVE	SSLEEVE	9,340
99548	5.438	0.000	1.500	138.13	0	38.1		SSLEEVE	SSLEEVE	6,548
99547	5.476	0.000	0.563	139.00	0	14.3		SSLEEVE	SSLEEVE	9,482
140 VA R	5.500	6.330	0.410	140.00	161	10.5	R (NITRILE)	VR 1	V-RING	785
54925	5.500	6.250	0.500	139.70	158.75	12.7	R (NITRILE)	CRWA1	Wave Seal, metal OD	2,690
54931	5.500	6.500	0.500	139.70	165.1	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,141
54934	5.500	6.500	0.500	139.70	165.1	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	8,051
54959	5.500	6.750	0.500	139.70	171.45	12.7	R (NITRILE)	CRW1	Wave Seal, metal OD	2,647
54974	5.500	6.750	0.500	139.70	171.45	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	11,294
99549	5.500	0.000	0.813	139.75	0	20.65		SSLEEVE	SSLEEVE	8,322
140X160X12 HMS5 RG	5.512	6.299	0.472	140.00	160.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	932
140X160X12 HMS5 V	5.512	6.299	0.472	140.00	160.00	12.00	V(VITON)	HMS5	Rubber OD seal	4,522
140X160X12 HMSA10 RG	5.512	6.299	0.472	140.00	160.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	1,037
140X160X12 HMSA10 V	5.512	6.299	0.472	140.00	160.00	12.00	V(VITON)	HMSA10	Rubber OD seal	4,741
140X170X12 HMS5 RG	5.512	6.693	0.472	140.00	170.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	944
140X170X12 HMS5 V	5.512	6.693	0.472	140.00	170.00	12.00	V(VITON)	HMS5	Rubber OD seal	4,572
140X170X12 HMSA10 V	5.512	6.693	0.472	140.00	170.00	12.00	V(VITON)	HMSA10	Rubber OD seal	4,803
140X170X15 HMS5 RG	5.512	6.693	0.591	140.00	170.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	944
140X170X15 HMS5 V	5.512	6.693	0.591	140.00	170.00	15.00	V(VITON)	HMS5	Rubber OD seal	4,572
140X170X15 HMSA10 V	5.512	6.693	0.591	140.00	170.00	15.00	V(VITON)	HMSA10	Rubber OD seal	4,803
140X180X12 HMS5 RG	5.512	7.087	0.472	140.00	180.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	1,064
140X180X12 HMS5 V	5.512	7.087	0.472	140.00	180.00	12.00	V(VITON)	HMS5	Rubber OD seal	5,145
140X180X12 HMSA10 RG	5.512	7.087	0.472	140.00	180.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	1,186
140X180X12 HMSA10 V	5.512	7.087	0.472	140.00	180.00	12.00	V(VITON)	HMSA10	Rubber OD seal	5,402
140X170X12 HMSA10 RG	5.512	6.693	0.472	140.00	170.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	1,062
140X170X15 HMSA10 RG	5.512	6.693	0.591	140.00	170.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,062
140X160X12 CRW1 R	5.512	6.299	0.472	140.00	160	12	R (NITRILE)	CRW1	Wave Seal, metal OD	5,758
140X170X12 CRW1 R	5.512	6.693	0.472	140.00	170	12	R (NITRILE)	CRW1	Wave Seal, metal OD	4,340
140X170X12 CRW1 V	5.512	6.693	0.472	140.00	170	12	V (VITON)	CRW1	Wave Seal, metal OD	5,923
99552	5.512	0.000	0.807	140.00	0	20.5		SSLEEVE	SSLEEVE	8,951
56102	5.625	6.625	0.500	142.88	168.28	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	11,039
56136	5.625	6.875	0.500	142.88	174.63	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,382
99560	5.625	0.000	0.875	142.88	0	22.23		SSLEEVE	SSLEEVE	6,839
145X175X15 HMS5 RG	5.709	6.890	0.591	145.00	175.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	1,064
145X175X15 HMS5 V	5.709	6.890	0.591	145.00	175.00	15.00	V(VITON)	HMS5	Rubber OD seal	5,145
145X175X15 HMSA10 RG	5.709	6.890	0.591	145.00	175.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,186
145X175X15 HMSA10 V	5.709	6.890	0.591	145.00	175.00	15.00	V(VITON)	HMSA10	Rubber OD seal	5,402
99571	5.709	0.000	0.750	145.00	0	19.05		SSLEEVE	SSLEEVE	8,519
99562	5.734	0.000	0.563	145.54	0	14.3		SSLEEVE	SSLEEVE	8,940
57506	5.750	6.625	0.500	146.05	168.28	12.7	V (VITON)	CRW1	Wave Seal, metal OD	7,874
57510	5.750	6.750	0.500	146.05	171.45	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,395

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
57521	5.750	7.000	0.500	146.05	177.8	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,788
57522	5.750	6.750	0.500	146.05	171.45	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	10,823
57523	5.750	7.000	0.500	146.05	177.8	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	11,533
99575	5.750	0.000	0.813	146.05	0	20.65		SSLLEEVE	SSLLEEVE	9,260
148X170X15 HMS5 RG	5.827	6.693	0.591	148.00	170.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	944
148X170X15 HMSA10 V	5.827	6.693	0.591	148.00	170.00	15.00	V(VITON)	HMSA10	Rubber OD seal	4,803
148X170X15 HMSA10 RG	5.827	6.693	0.591	148.00	170.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,062
150 VA R	5.875	6.705	0.410	150.00	171	10.5	R (NITRILE)	VR 1	V-RING	708
58716	5.875	7.125	0.500	149.23	180.98	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,945
58717	5.875	7.125	0.500	149.23	180.98	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	12,138
99587	5.875	0.000	1.000	149.23	0	25.4		SSLLEEVE	SSLLEEVE	9,168
99595	5.905	0.000	1.024	150.00	0	26.01		SSLLEEVE	SSLLEEVE	7,816
150X180X12 HMS5 RG	5.906	7.087	0.472	150.00	180.00	12.00	R(NITRILE)	HMS5	Rubber OD seal	1,064
150X180X12 HMS5 V	5.906	7.087	0.472	150.00	180.00	12.00	V(VITON)	HMS5	Rubber OD seal	5,145
150X180X12 HMSA10 RG	5.906	7.087	0.472	150.00	180.00	12.00	R(NITRILE)	HMSA10	Rubber OD seal	1,186
150X180X12 HMSA10 V	5.906	7.087	0.472	150.00	180.00	12.00	V(VITON)	HMSA10	Rubber OD seal	5,402
150X180X15 HMS5 RG	5.906	7.087	0.591	150.00	180.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	1,064
150X180X15 HMS5 V	5.906	7.087	0.591	150.00	180.00	15.00	V(VITON)	HMS5	Rubber OD seal	5,145
150X180X15 HMSA10 RG	5.906	7.087	0.591	150.00	180.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,186
150X180X15 HMSA10 V	5.906	7.087	0.591	150.00	180.00	15.00	V(VITON)	HMSA10	Rubber OD seal	5,402
99596	5.938	0.000	1.000	150.83	0	25.4		SSLLEEVE	SSLLEEVE	9,240
60000	6.000	6.750	0.500	152.40	171.45	12.7	V (VITON)	CRW1	Wave Seal, metal OD	3,363
60026	6.000	7.500	0.500	152.40	190.5	12.7	V (VITON)	CRWHA1	Wave Seal, metal OD	12,066
60028	6.000	7.500	0.500	152.40	190.5	12.7	R (NITRILE)	CRWHA1	Wave Seal, metal OD	3,803
99599	6.000	0.000	1.000	152.37	0	25.4		SSLLEEVE	SSLLEEVE	7,286
99606	6.097	0.000	1.024	155.00	0	26.01		SSLLEEVE	SSLLEEVE	8,639
155X180X15 HMS5 RG	6.102	7.087	0.591	155.00	180.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	1,064
155X180X15 HMS5 V	6.102	7.087	0.591	155.00	180.00	15.00	V(VITON)	HMS5	Rubber OD seal	5,145
155X180X15 HMSA10 RG	6.102	7.087	0.591	155.00	180.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,186
155X180X15 HMSA10 V	6.102	7.087	0.591	155.00	180.00	15.00	V(VITON)	HMSA10	Rubber OD seal	5,402
61210	6.125	7.125	0.625	155.58	180.98	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	4,414
61212	6.125	7.125	0.550	155.58	180.98	13.97	V (VITON)	CRWA	Wave Seal, metal OD	12,062
61255	6.125	7.625	0.625	155.58	193.68	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,724
61256	6.125	7.625	0.625	155.58	193.68	15.88	P(POLY ACRYLITE)	CRWH1	Wave Seal, metal OD	6,981
99620	6.203	0.000	0.813	157.56	0	20.65		SSLLEEVE	SSLLEEVE	9,183
160 VA R	6.250	7.190	0.470	160.00	184	12	R (NITRILE)	VR 1	V-RING	1,501
62482	6.250	7.252	0.500	158.75	184.2	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,186
62495	6.250	7.500	0.500	158.75	190.5	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,779
62497	6.250	7.500	0.500	158.75	190.5	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	7,583
62535	6.250	7.750	0.500	158.75	196.85	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,601
62572	6.250	7.875	0.625	158.75	200.03	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	4,571
99625	6.250	0.000	1.031	158.75	0	26.19		SSLLEEVE	SSLLEEVE	13,054
160X190X15 CRW1 V	6.299	7.480	0.591	160.00	190	15	V (VITON)	CRW1	Wave Seal, metal OD	14,547
99630	6.299	0.000	1.000	160.00	0	25.4		SSLLEEVE	SSLLEEVE	12,543
160X185X15 HMS5 RG	6.299	7.283	0.591	160.00	185.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	1,369
160X185X15 HMS5 V	6.299	7.283	0.591	160.00	185.00	15.00	V(VITON)	HMS5	Rubber OD seal	5,758
160X185X15 HMSA10 RG	6.299	7.283	0.591	160.00	185.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,525
160X185X15 HMSA10 V	6.299	7.283	0.591	160.00	185.00	15.00	V(VITON)	HMSA10	Rubber OD seal	6,045
160X190X15 HMS5 RG	6.299	7.480	0.591	160.00	190.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	1,369
160X190X15 HMS5 V	6.299	7.480	0.591	160.00	190.00	15.00	V(VITON)	HMS5	Rubber OD seal	5,758
160X190X15 HMSA10 RG	6.299	7.480	0.591	160.00	190.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,525
160X190X15 HMSA10 V	6.299	7.480	0.591	160.00	190.00	15.00	V(VITON)	HMSA10	Rubber OD seal	6,045

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
63700	6.375	7.375	0.625	161.93	187.33	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	5,805
165X190X15 HMS5 RG	6.496	7.480	0.591	165.00	190.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	1,369
165X190X15 HMS5 V	6.496	7.480	0.591	165.00	190.00	15.00	V(VITON)	HMS5	Rubber OD seal	5,758
165X190X15 HMSA10 RG	6.496	7.480	0.591	165.00	190.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,525
165X190X15 HMSA10 V	6.496	7.480	0.591	165.00	190.00	15.00	V(VITON)	HMSA10	Rubber OD seal	6,045
64994	6.500	7.500	0.500	165.10	190.5	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	3,163
64998	6.500	7.500	0.500	165.10	190.5	12.7	V (VITON)	CRWH1	Wave Seal, metal OD	12,159
65021	6.500	8.000	0.500	165.10	203.2	12.7	R (NITRILE)	CRW1	Wave Seal, metal OD	3,831
99650	6.500	0.000	1.000	165.10	0	25.4		SSLEEVE	SSLEEVE	14,415
66241	6.625	8.125	0.500	168.28	206.38	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	6,156
99640	6.688	0.000	1.250	170.00	0	31.75		SSLEEVE	SSLEEVE	14,471
170X200X15 HMS5 RG	6.693	7.874	0.591	170.00	200.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	1,510
170X200X15 HMS5 V	6.693	7.874	0.591	170.00	200.00	15.00	V(VITON)	HMS5	Rubber OD seal	6,359
170X200X15 HMSA10 RG	6.693	7.874	0.591	170.00	200.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,682
170X200X15 HMSA10 V	6.693	7.874	0.591	170.00	200.00	15.00	V(VITON)	HMSA10	Rubber OD seal	6,673
170 VA R	6.750	7.690	0.470	170.00	194	12	R (NITRILE)	VR 1	V-RING	1,244
67510	6.750	7.750	0.500	171.45	196.85	12.7	R (NITRILE)	HDW1	LDS,metal OD	13,889
67515	6.750	8.000	0.500	171.45	203.2	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	5,743
67533	6.750	8.250	0.500	171.45	209.55	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	6,116
99675	6.750	0.000	0.813	171.45	0	20.65		SSLEEVE	SSLEEVE	18,046
68745	6.875	8.375	0.500	174.63	212.73	12.7	R (NITRILE)	CRWH1	Wave Seal, metal OD	7,069
99687	6.890	0.000	1.102	175.00	0	27.99		SSLEEVE	SSLEEVE	17,196
180 VA R	7.000	7.940	0.470	180.00	204	12	R (NITRILE)	VR 1	V-RING	1,590
70016	7.000	8.000	0.630	177.80	203.2	16.002	R (NITRILE)	CRWH1	Wave Seal, metal OD	4,407
70052	7.000	8.500	0.625	177.80	215.9	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	5,117
70054	7.000	8.500	0.625	177.80	215.9	15.88	V (VITON)	CRWHA1	Wave Seal, metal OD	19,960
99700	7.000	0.000	1.000	177.80	0	25.4		SSLEEVE	SSLEEVE	16,511
180X210X15 HMS5 RG	7.087	8.268	0.591	180.00	210.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	1,772
180X210X15 HMS5 V	7.087	8.268	0.591	180.00	210.00	15.00	V(VITON)	HMS5	Rubber OD seal	7,786
180X210X15 HMSA10 RG	7.087	8.268	0.591	180.00	210.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	1,964
180X210X15 HMSA10 V	7.087	8.268	0.591	180.00	210.00	15.00	V(VITON)	HMSA10	Rubber OD seal	8,170
99721	7.087	0.000	1.299	180.00	0	32.99		SSLEEVE	SSLEEVE	18,519
71245	7.125	8.625	0.625	180.98	219.08	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	7,366
72515	7.250	8.250	0.625	184.15	209.55	15.88	R (NITRILE)	CRW1	Wave Seal, metal OD	3,135
72539	7.250	8.750	0.625	184.15	222.25	15.88	R (NITRILE)	CRWHA1	Wave Seal, metal OD	5,506
72542	7.250	8.750	0.750	184.15	222.25	19.05	P(POLY ACRYLATE)	CRWH1	Wave Seal, metal OD	13,836
72570	7.250	9.055	0.625	184.15	230	15.88	R (NITRILE)	CRWHA1	Wave Seal, metal OD	14,023
99725	7.250	0.000	1.250	184.00	0	31.75		SSLEEVE	SSLEEVE	16,167
99726	7.278	0.000	1.260	185.00	0	32		SSLEEVE	SSLEEVE	14,432
73745	7.375	8.875	0.625	187.33	225.43	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	8,365
188X215X16 CRWH1 R	7.402	8.465	0.630	188.00	215	16	R (NITRILE)	CRWH1	Wave Seal, metal OD	17,525
99745	7.453	0.000	0.813	189.20	0	20.65		SSLEEVE	SSLEEVE	20,117
190X220X15 HMS5 RG	7.480	8.661	0.591	190.00	220.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	2,283
190X220X15 HMS5 V	7.480	8.661	0.591	190.00	220.00	15.00	V(VITON)	HMS5	Rubber OD seal	9,088
190X220X15 HMSA10 RG	7.480	8.661	0.591	190.00	220.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	2,533
190X220X15 HMSA10 V	7.480	8.661	0.591	190.00	220.00	15.00	V(VITON)	HMSA10	Rubber OD seal	9,539
190X225X15 HMS5 RG	7.480	8.858	0.591	190.00	225.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	2,418
190X225X15 HMS5 V	7.480	8.858	0.591	190.00	225.00	15.00	V(VITON)	HMS5	Rubber OD seal	9,631
190X225X15 HMSA10 RG	7.480	8.858	0.591	190.00	225.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	2,685
190X225X15 HMSA10 V	7.480	8.858	0.591	190.00	225.00	15.00	V(VITON)	HMSA10	Rubber OD seal	10,105
190 VA R	7.500	8.440	0.470	190.00	214	12	R (NITRILE)	VR 1	V-RING	1,981
75030	7.500	8.500	0.625	190.50	215.9	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	4,771

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
75050	7.500	9.000	0.625	190.50	228.6	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	5,735
99750	7.500	0.000	0.813	190.50	0	20.65		SSLLEEVE	SSLLEEVE	21,085
76215	7.625	8.625	0.563	193.68	219.08	14.3	R (NITRILE)	CRWH1	Wave Seal, metal OD	8,388
76255	7.625	9.125	0.625	193.68	231.78	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	16,136
77506	7.750	8.750	0.500	196.85	222.25	12.7	R (NITRILE)	HDW1	LDS,metal OD	16,450
77540	7.750	9.250	0.625	196.85	234.95	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	7,879
99775	7.750	0.000	1.000	196.85	0	25.4		SSLLEEVE	SSLLEEVE	20,964
200X230X15 HMS5 V	7.874	9.055	0.591	200.00	230.00	15.00	V(VITON)	HMS5	Rubber OD seal	9,636
200X230X15 HMSA10 V	7.874	9.055	0.591	200.00	230.00	15.00	V(VITON)	HMSA10	Rubber OD seal	10,105
200X230X15 HMSA10 RG	7.874	9.055	0.591	200.00	230.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	2,682
200X230X15 HMS5 RG	7.874	9.055	0.591	200.00	230.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	2,416
78738	7.875	9.375	0.625	200.03	238.13	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	17,036
99787	7.875	0.000	1.359	200.00	0	34.52		SSLLEEVE	SSLLEEVE	18,636
99799	7.938	0.000	1.000	201.63	0	25.4		SSLLEEVE	SSLLEEVE	20,912
79960	8.000	9.000	0.625	203.20	228.6	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	6,762
79997	8.000	9.250	0.625	203.20	234.95	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	6,837
80010	8.000	9.500	0.625	203.20	241.3	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	12,542
99800	8.000	0.000	1.000	203.20	0	25.4		SSLLEEVE	SSLLEEVE	22,355
82510	8.250	9.250	0.625	209.55	234.95	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	6,381
82560	8.250	10.250	0.625	209.55	260.35	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	9,233
210X240X15 HMS5 RG	8.268	9.449	0.591	210.00	240.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	2,769
210X240X15 HMSA10 RG	8.268	9.449	0.591	210.00	240.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	3,071
210X240X15 HMS5 V	8.268	9.449	0.591	210.00	240.00	15.00	V(VITON)	HMS5	Rubber OD seal	9,731
210X240X15 HMSA10 V	8.268	9.449	0.591	210.00	240.00	15.00	V(VITON)	HMSA10	Rubber OD seal	10,200
85002	8.500	9.750	0.625	215.90	247.65	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	16,827
85015	8.500	10.500	0.625	215.90	266.7	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	15,977
85085	8.500	10.625	0.625	215.90	269.88	15.88	R (NITRILE)	CRWHA1	Wave Seal, metal OD	8,069
220X250X16 CRWH1 R	8.661	9.843	0.630	220.00	250	16	R (NITRILE)	CRWH1	Wave Seal, metal OD	25,938
220X250X15 HMS5 V	8.661	9.843	0.591	220.00	250.00	15.00	V(VITON)	HMS5	Rubber OD seal	12,597
220X250X15 HMSA10 V	8.661	9.843	0.591	220.00	250.00	15.00	V(VITON)	HMSA10	Rubber OD seal	13,218
220X250X15 HMS5 RG	8.661	9.843	0.591	220.00	250.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	3,135
220X250X15 HMSA10 RG	8.661	9.843	0.591	220.00	250.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	3,485
90006	9.000	10.000	0.625	228.60	254	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	8,990
230X260X15 HMS5 V	9.055	10.236	0.591	230.00	260.00	15.00	V(VITON)	HMS5	Rubber OD seal	14,434
230X260X15 HMSA10 V	9.055	10.236	0.591	230.00	260.00	15.00	V(VITON)	HMSA10	Rubber OD seal	15,150
230X260X15 HMSA10 RG	9.055	10.236	0.591	230.00	260.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	4,118
230X260X15 HMS5 RG	9.055	10.236	0.591	230.00	260.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	3,714
240X270X15 HMS5 V	9.449	10.630	0.591	240.00	270.00	15.00	V(VITON)	HMS5	Rubber OD seal	16,351
240X270X15 HMSA10 V	9.449	10.630	0.591	240.00	270.00	15.00	V(VITON)	HMSA10	Rubber OD seal	17,174
240X270X15 HMSA10 RG	9.449	10.630	0.591	240.00	270.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	4,676
240X270X15 HMS5 RG	9.449	10.630	0.591	240.00	270.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	4,217
95048	9.500	10.500	0.438	241.30	266.7	11.13	R (NITRILE)	CRW1	Wave Seal, metal OD	16,182
96245	9.625	11.625	0.625	244.48	295.28	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	23,033
97542	9.750	11.125	0.625	247.65	282.58	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	24,604
250X285X15 HMS5 V	9.843	11.220	0.591	250.00	285.00	15.00	V(VITON)	HMS5	Rubber OD seal	20,960
250X285X15 HMSA10 V	9.843	11.220	0.591	250.00	285.00	15.00	V(VITON)	HMSA10	Rubber OD seal	22,046
250X280X15 HMS5 V	9.843	11.024	0.591	250.00	280.00	15.00	V(VITON)	HMS5	Rubber OD seal	18,534
250X280X15 HMSA10 V	9.843	11.024	0.591	250.00	280.00	15.00	V(VITON)	HMSA10	Rubber OD seal	19,476
250X285X15 HMSA10 RG	9.843	11.220	0.591	250.00	285.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	6,102
250X285X15 HMS5 RG	9.843	11.220	0.591	250.00	285.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	5,491
250X280X15 HMS5 RG	9.843	11.024	0.591	250.00	280.00	15.00	R(NITRILE)	HMS5	Rubber OD seal	4,828
250X280X15 HMSA10 RG	9.843	11.024	0.591	250.00	280.00	15.00	R(NITRILE)	HMSA10	Rubber OD seal	5,359

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022, Edition No. 1, Effective from 16th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
100042	10.000	11.000	0.375	254.00	279.4	9.53	R (NITRILE)	HMS4	Rubber OD seal	5,690
100044	10.000	11.252	0.625	254.00	285.8	15.88	R (NITRILE)	CRWHA1	Wave Seal, metal OD	9,290
102520	10.250	11.250	0.563	260.35	285.75	14.3	R (NITRILE)	CRWH1	Wave Seal, metal OD	12,772
102540	10.250	12.250	0.625	260.35	311.15	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	17,760
107551	10.750	12.750	0.625	273.05	323.85	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	12,983
110030	11.000	12.250	0.625	279.40	311.15	15.88	R (NITRILE)	CRWHA1	Wave Seal, metal OD	13,113
110051	11.000	13.000	0.625	279.40	330.2	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	15,095
280X320X20 CRWA1 R	11.024	12.598	0.787	280.00	320	20	R (NITRILE)	CRWA1	Wave Seal, metal OD	14,145
280X320X20 CRWA1 V	11.024	12.598	0.787	280.00	320	20	V (VITON)	CRWA1	Wave Seal, metal OD	21,419
113740	11.375	13.000	0.625	288.93	330.2	15.88	R (NITRILE)	CRW1	Wave Seal, metal OD	12,179
115021	11.500	13.000	0.625	292.10	330.2	15.88	R (NITRILE)	CRWH1	Wave Seal, metal OD	15,666
GH 100X84.5X6.3-AD1				84.50	100.00	6.30	PTFE	GH	Piston Seal	1,665
GH 125X104X8.1-AD1				104.00	125.00	8.10	PTFE	GH	Piston Seal	3,357
GH 125X109.5X6.3-AD1				109.50	125.00	6.30	PTFE	GH	Piston Seal	2,680
GH 160X139X8.1-AD3				139.00	160.00	8.10	PTFE	GH	Piston Seal	9,392
GH 160X144.5X6.3-AD1				144.50	160.00	6.30	PTFE	GH	Piston Seal	4,397
GH 200X179X8.1-AD1				179.00	200.00	8.10	PTFE	GH	Piston Seal	5,543
GH 25X17.5X3.2-AD1				17.50	25.00	3.20	PTFE	GH	Piston Seal	626
GH 40X29X4.2-AD1				29.00	40.00	4.20	PTFE	GH	Piston Seal	813
GH 40X32.5X3.2-AD1				32.50	40.00	3.20	PTFE	GH	Piston Seal	758
GH 50X34.5X6.3-AD1				34.50	50.00	6.30	PTFE	GH	Piston Seal	1,045
GH 50X39X4.2-AD1				39.00	50.00	4.20	PTFE	GH	Piston Seal	743
GH 63X52X4.2-AD2				52.00	63.00	4.20	PTFE	GH	Piston Seal	3,246
GH 80X64.5X6.3-AD1				64.50	80.00	6.30	PTFE	GH	Piston Seal	1,471
GH 80X69X4.2-AD1				69.00	80.00	4.20	PTFE	GH	Piston Seal	1,341
MCW-30X40X7-E6Q				30.00	40.00	7.00	TPU	MCW	Wiper	1,136
MCW-50X60X7-E6Q				50.00	60.00	7.00	TPU	MCW	Wiper	521
MCW-60X70X5-E6Q				60.00	70.00	5.00	TPU	MCW	Wiper	1,174
MCW-65X75X5-E6Q				65.00	75.00	5.00	TPU	MCW	Wiper	1,065
MCW-80X100X7-E6Q				80.00	100.00	7.00	TPU	MCW	Wiper	1,371
MCW-90X110X7-E6Q				90.00	110.00	7.00	TPU	MCW	Wiper	1,721
MD 100X80X25-L				80.00	100.00	25.00		MD	Piston Seal	770
MD 100X85X20-L				85.00	100.00	20.00		MD	Piston Seal	770
MD 125X100X32-L				100.00	125.00	32.00		MD	Piston Seal	1,116
MD 125X105X25.4-L				105.00	125.00	25.40		MD	Piston Seal	875
MD 125X108X26.5-L				108.00	125.00	26.50		MD	Piston Seal	875
MD 130X105X25.4-L				105.00	130.00	25.40		MD	Piston Seal	999
MD 140X115X25.4-L				115.00	140.00	25.40		MD	Piston Seal	1,040
MD 140X115X25.4X9.5-L				115.00	140.00	25.4X9.5		MD	Piston Seal	1,593
MD 150X125X25.4-L				125.00	150.00	25.40		MD	Piston Seal	1,209
MD 150X125X25.4X9.5-L				125.00	150.00	25.4X9.5		MD	Piston Seal	1,869
MD 160X140X25-L				140.00	160.00	25.00		MD	Piston Seal	1,259
MD 165X140X25.4X9.5-L				140.00	165.00	25.4X9.5		MD	Piston Seal	2,032
MD 180X150X35.4-L				150.00	180.00	35.40		MD	Piston Seal	1,593
MD 180X155X25.4X12.7-L				155.00	180.00	25.4X12.7		MD	Piston Seal	1,595
MD 200X170X35.4-L				170.00	200.00	35.40		MD	Piston Seal	1,855
MD 200X175X25.4X12.7-L				175.00	200.00	25.4X12.7		MD	Piston Seal	2,839
MD 220X190X35.4-L				190.00	220.00	35.40		MD	Piston Seal	2,022
MD 220X195X25.4X12.7-L				195.00	220.00	25.4X12.7		MD	Piston Seal	2,022
MD 250X220X35.4-L				220.00	250.00	35.40		MD	Piston Seal	2,410
MD 250X225X25.4X12.7-L				225.00	250.00	25.4X12.7		MD	Piston Seal	3,884
MD 280X250X35.4X9.5-L				250.00	280.00	35.4X9.5		MD	Piston Seal	11,817
MD 32X22X12.5-L				22.00	32.00	12.50		MD	Piston Seal	344
MD 32X24X10-L				24.00	32.00	10.00		MD	Piston Seal	339

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
MD 35X25X16.4-L				25.00	35.00	16.40		MD	Piston Seal	367
MD 40X24X18.4-L				24.00	40.00	18.40		MD	Piston Seal	386
MD 40X30X12.5-L				30.00	40.00	12.50		MD	Piston Seal	364
MD 50X34X18.4-L				34.00	50.00	18.40		MD	Piston Seal	424
MD 50X35X20-L				35.00	50.00	20.00		MD	Piston Seal	411
MD 63X47X18.4-L				47.00	63.00	18.40		MD	Piston Seal	501
MD 65X50X18.4-L				50.00	65.00	18.40		MD	Piston Seal	514
MD 80X60X22.4-L				60.00	80.00	22.40		MD	Piston Seal	626
MD 80X65X20-L				65.00	80.00	20.00		MD	Piston Seal	606
PA 100X110X7X10				110.00	100.00	7X10	TPU	PA	Wiper	441
PA 110X120X7X10				120.00	110.00	7X10	TPU	PA	Wiper	468
PA 120X130X7X10				130.00	120.00	7X10	TPU	PA	Wiper	524
PA 20X30X7X10				20.00	30.00	7X10	TPU	PA	Wiper	199
PA 25X35X7X10				25.00	35.00	7X10	TPU	PA	Wiper	207
PA 28X38X7X10				28.00	38.00	7X10	TPU	PA	Wiper	215
PA 30X40X7X10				30.00	40.00	7X10	TPU	PA	Wiper	217
PA 35X45X7X10				35.00	45.00	7X10	TPU	PA	Wiper	220
PA 40X50X7X10				40.00	50.00	7X10	TPU	PA	Wiper	234
PA 45X55X7X10				45.00	55.00	7X10	TPU	PA	Wiper	244
PA 50X60X7X10				50.00	60.00	7X10	TPU	PA	Wiper	254
PA 55X65X7X10				55.00	65.00	7X10	TPU	PA	Wiper	261
PA 55X70X7X10				55.00	70.00	7X10	TPU	PA	Wiper	277
PA 60X70X7X10				60.00	70.00	7X10	TPU	PA	Wiper	277
PA 63X75X7X10				63.00	75.00	7X10	TPU	PA	Wiper	282
PA 63X78X7X10				63.00	78.00	7X10	TPU	PA	Wiper	297
PA 70X80X7X10				70.00	80.00	7X10	TPU	PA	Wiper	306
PA 75X85X7X10				75.00	85.00	7X10	TPU	PA	Wiper	317
PA 90X100X7X10				90.00	100.00	7X10	TPU	PA	Wiper	389
PAD 100X114X8X11				100.00	114.00	8X11	TPU	PAD	Wiper	463
PAD 110X126X9X12				110.00	126.00	9X12	TPU	PAD	Wiper	526
PAD 30X42X6X9				30.00	42.00	6X9	TPU	PAD	Wiper	376
PAD 35X47X7X10				35.00	47.00	7X10	TPU	PAD	Wiper	252
PAD 40X52X7X10				40.00	52.00	7X10	TPU	PAD	Wiper	264
PAD 45X57X7X10				45.00	57.00	7X10	TPU	PAD	Wiper	269
PAD 50X62X7X10				50.00	62.00	7X10	TPU	PAD	Wiper	282
PAD 55X69X8X11				55.00	69.00	8X11	TPU	PAD	Wiper	299
PAD 60X74X8X11				60.00	74.00	8X11	TPU	PAD	Wiper	311
PAD 70X84X8X11				70.00	84.00	8X11	TPU	PAD	Wiper	342
PAD 75X89X8X11				75.00	89.00	8X11	TPU	PAD	Wiper	359
PAD 80X94X8X11				80.00	94.00	8X11	TPU	PAD	Wiper	384
PAD 85X99X8X11				85.00	99.00	8X11	TPU	PAD	Wiper	423
PAD 90X104X8X11				90.00	104.00	8X11	TPU	PAD	Wiper	439
PAD 95X109X8X11				95.00	109.00	8X11	TPU	PAD	Wiper	449
S9B-40X55.1X6.3-AD1				40.00	55.10	6.30	PTFE	S9B	Rod Seal	995
ZBR-20X28X5.7-E6W				20.00	28.00	5.70	TPU	ZBR	Rod Seal	254
ZBR-45X55X7-E6W				45.00	55.00	7.00	TPU	ZBR	Rod Seal	336
ZBR-50X65X11-E6W				50.00	65.00	11.00	TPU	ZBR	Rod Seal	517
ZBR-60X70X11-E6W				60.00	70.00	11.00	TPU	ZBR	Rod Seal	262
ZBR-60X75X10-E6W				60.00	75.00	10.00	TPU	ZBR	Rod Seal	389
ZBR-65X78X11-E6W				65.00	78.00	11.00	TPU	ZBR	Rod Seal	397
ZBR-65X80X10-E6W				65.00	80.00	10.00	TPU	ZBR	Rod Seal	397
ZBR-70X85X10-E6W				70.00	85.00	10.00	TPU	ZBR	Rod Seal	496
ZBR-70X85X11-E6W				70.00	85.00	11.00	TPU	ZBR	Rod Seal	426
ZBR-80X95X10-E6W				80.00	95.00	10.00	TPU	ZBR	Rod Seal	392

SKF India Limited – Industrial Market



Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	Shaft inches	Bore inches	Width inches	Shaft mm	Bore mm	Width mm	Lip material	Design	Type	RSP (₹)
ZBR-85X100X11-E6W				85.00	100.00	11.00	TPU	ZBR	Rod Seal	424
ZBR-90X105X12.4-E6W				90.00	105.00	12.40	TPU	ZBR	Rod Seal	461
PA 105X115X7X10				105.00	115.00	7.00	TPU	PA	Wiper	456
PA 115X125X7X10				115.00	125.00	7.00	TPU	PA	Wiper	509
PA 125X140X9X12				125.00	140.00	9.00	TPU	PA	Wiper	456
PA 12X20X4X6				12.00	20.00	4.00	TPU	PA	Wiper	152
PA 140X155X9X12				140.00	155.00	9.00	TPU	PA	Wiper	486
PA 180X195X9X12				180.00	195.00	9.00	TPU	PA	Wiper	498
PA 32X42X7X10				32.00	42.00	7.00	TPU	PA	Wiper	174
PA 32X45X7X10				32.00	45.00	7.00	TPU	PA	Wiper	180
PA 36X45X7X10				36.00	45.00	7.00	TPU	PA	Wiper	180
PA 36X46X7X10				36.00	46.00	7.00	TPU	PA	Wiper	227
PA 45X60X7X10				45.00	60.00	7.00	TPU	PA	Wiper	249
PA 50X65X7X10				50.00	65.00	7.00	TPU	PA	Wiper	267
PA 56X66X7X10				56.00	66.00	7.00	TPU	PA	Wiper	227
PA 63X73X7X10				63.00	73.00	7.00	TPU	PA	Wiper	232
PA 65X75X7X10				65.00	75.00	7.00	TPU	PA	Wiper	296
PA 80X90X7X10				80.00	90.00	7.00	TPU	PA	Wiper	276
PA 85X95X7X10				85.00	95.00	7.00	TPU	PA	Wiper	296
PAD 115X131X9X12				115.00	131.00	9.00	TPU	PAD	Wiper	448
PAD 120X136X9X12				120.00	136.00	9.00	TPU	PAD	Wiper	551
PAD 32X44X7X10				32.00	44.00	7.00	TPU	PAD	Wiper	386
PAD 65X79X8X11				65.00	79.00	8.00	TPU	PAD	Wiper	324
PADV 100X114X8X11				100.00	114.00	8.00	TPU	PADV	Wiper	524
PADV 105X121X9X12				105.00	121.00	9.00	TPU	PADV	Wiper	548
PADV 110X126X9X12				110.00	126.00	9.00	TPU	PADV	Wiper	578
PADV 115X131X9X12				115.00	131.00	9.00	TPU	PADV	Wiper	578
PADV 120X136X9X12				120.00	136.00	9.00	TPU	PADV	Wiper	601
PADV 30X42X6X9				30.00	42.00	6.00	TPU	PADV	Wiper	461
PADV 35X47X7X10				35.00	47.00	7.00	TPU	PADV	Wiper	306
PADV 40X52X7X10				40.00	52.00	7.00	TPU	PADV	Wiper	342
PADV 45X57X7X10				45.00	57.00	7.00	TPU	PADV	Wiper	322
PADV 50X62X7X10				50.00	62.00	7.00	TPU	PADV	Wiper	342
PADV 55X69X8X11				55.00	69.00	8.00	TPU	PADV	Wiper	356
PADV 60X74X8X11				60.00	74.00	8.00	TPU	PADV	Wiper	369
PADV 65X79X8X11				65.00	79.00	8.00	TPU	PADV	Wiper	386
PADV 70X84X8X11				70.00	84.00	8.00	TPU	PADV	Wiper	401
PADV 75X89X8X11				75.00	89.00	8.00	TPU	PADV	Wiper	414
PADV 80X94X8X11				80.00	94.00	8.00	TPU	PADV	Wiper	349
PADV 85X99X8X11				85.00	99.00	8.00	TPU	PADV	Wiper	479
PADV 90X104X8X11				90.00	104.00	8.00	TPU	PADV	Wiper	493
PADV 95X109X8X11				95.00	109.00	8.00	TPU	PADV	Wiper	504
PAK 110X130X10				110.00	130.00	10.00	TPU	PAK	Wiper	782
PAK 120X140X10				120.00	140.00	10.00	TPU	PAK	Wiper	813
PAK 12X20X4				12.00	20.00	4.00	TPU	PAK	Wiper	234
PAK 15X21X5				15.00	21.00	5.00	TPU	PAK	Wiper	259
PAK 20X28X5				20.00	28.00	5.00	TPU	PAK	Wiper	172
PAK 25X32X7				25.00	32.00	7.00	TPU	PAK	Wiper	306
PAK 36X46X7				36.00	46.00	7.00	TPU	PAK	Wiper	347
PAK 50X60X7				50.00	60.00	7.00	TPU	PAK	Wiper	202
PAK 65X75X7				65.00	75.00	7.00	TPU	PAK	Wiper	443
PAK 75X95X10				75.00	95.00	10.00	TPU	PAK	Wiper	579
PAK 90X105X6				90.00	105.00	6.00	TPU	PAK	Wiper	611



Power transmission products


From the brand you trust.

Along with linking mechanical moving components, power transmission products play an important role in overall bearing performance. Backed by deep SKF knowledge about the interplay between bearings and transmissions,

SKF Power transmission products can help customers improve machine maintenance and performance.

SKF Power transmission is a product line that provides a complete range of high quality belts, chains, couplings, pulleys, sprockets, bushings and hubs. Required in virtually every industry, power transmission components enable processes to run by connecting moving parts in machinery.

For more information about SKF Power transmission products, contact your local SKF representative, or visit www.skfptp.com.



SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
Classical wrapped v-belts section "A"		PHG A59	357	PHG A102	648
PHG A18	187	PHG A60	359	PHG A103	648
PHG A19	187	PHG A61	357	PHG A104	653
PHG A20	187			PHG A105	666
PHG A21	180	PHG A62	361		
		PHG A63	357	PHG A106	666
PHG A22	190	PHG A64	366	PHG A107	671
PHG A23	179	PHG A65	386	PHG A108	671
PHG A24	185			PHG A110	671
PHG A25	187	PHG A66	389		
		PHG A67	392	PHG A112	695
PHG A26	185	PHG A68	387	PHG A113	695
PHG A27	195	PHG A69	392	PHG A114	690
PHG A28	204			PHG A116	721
PHG A29	207	PHG A70	397		
		PHG A71	402	PHG A118	736
PHG A30	209	PHG A72	402	PHG A120	730
PHG A31	207	PHG A73	407	PHG A124	765
PHG A32	210			PHG A126	825
PHG A33	225	PHG A74	419		
		PHG A75	419	PHG A128	822
PHG A34	235	PHG A76	426	PHG A130	822
PHG A35	235	PHG A77	426	PHG A132	822
PHG A36	244			PHG A136	880
PHG A37	251	PHG A78	429		
		PHG A79	441	PHG A140	893
PHG A38	251	PHG A80	451	PHG A141	***
PHG A39	262	PHG A81	456	PHG A144	905
PHG A40	267			PHG A148	***
PHG A41	277	PHG A82	459		
		PHG A83	461	PHG A150	***
PHG A42	279	PHG A84	464	PHG A154	994
PHG A43	286	PHG A85	456	PHG A158	984
PHG A44	286			PHG A173	***
PHG A45	291	PHG A86	519		
		PHG A87	519	PHG A180	***
PHG A46	292	PHG A88	528		
PHG A47	292	PHG A89	533	Classical Wrapped V-Belts Section "B"	
PHG A48	307	PHG A90	544	PHG B22	254
PHG A49	309	PHG A91	561	PHG B23	254
		PHG A92	568	PHG B24	254
PHG A50	309	PHG A93	573	PHG B25	266
PHG A51	312				
PHG A52	321	PHG A94	588	PHG B26	266
PHG A53	326	PHG A95	593	PHG B27	267
		PHG A96	605	PHG B28	277
PHG A54	339	PHG A97	630	PHG B29	279
PHG A55	331				
PHG A56	352	PHG A98	610	PHG B29.5	***
PHG A57	342	PHG A99	640	PHG B30	276
		PHG A100	621	PHG B31	299
PHG A58	341	PHG A101	640	PHG B32	294

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHG B33	309	PHG B77	568	PHG B122	1,062
PHG B34	307	PHG B78	568	PHG B123	1,086
PHG B35	316	PHG B79	579	PHG B124	1,065
PHG B36	302	PHG B80	591		
				PHG B125	1,099
PHG B37	321	PHG B81	611	PHG B126	1,065
PHG B38	312	PHG B82	623	PHG B127	1,102
PHG B39	326	PHG B83	628	PHG B128	1,079
PHG B40	324	PHG B84	633		
				PHG B129	1,136
PHG B41	341	PHG B85	641	PHG B130	1,114
PHG B42	354	PHG B86	690	PHG B132	1,126
PHG B43	341	PHG B87	701	PHG B133	***
PHG B44	357	PHG B88	715		
				PHG B134	1,147
PHG B45	359	PHG B89	721	PHG B135	1,186
PHG B46	382	PHG B90	728	PHG B136	1,166
PHG B47	377	PHG B91	775	PHG B138	1,179
PHG B48	392	PHG B92	787		
				PHG B140	1,217
PHG B49	389	PHG B93	797	PHG B141	***
PHG B50	389	PHG B94	803	PHG B142	1,236
PHG B51	402	PHG B95	818	PHG B144	1,259
PHG B52	409	PHG B96	825		
				PHG B145	1,294
PHG B53	411	PHG B97	825	PHG B146	1,283
PHG B54	421	PHG B98	840	PHG B147	1,323
PHG B55	421	PHG B99	843	PHG B148	1,301
PHG B56	438	PHG B100	855		
				PHG B150	1,323
PHG B57	433	PHG B101	865	PHG B151	1,333
PHG B58	461	PHG B102	865	PHG B152	1,348
PHG B59	459	PHG B103	877	PHG B153	***
PHG B60	469	PHG B104	885		
				PHG B154	1,349
PHG B61	473	PHG B105	885	PHG B155	1,403
PHG B62	459	PHG B106	900	PHG B156	1,349
PHG B63	459	PHG B107	917	PHG B158	1,384
PHG B64	468	PHG B108	924		
				PHG B160	1,396
PHG B65	496	PHG B109	934	PHG B162	1,421
PHG B66	506	PHG B110	950	PHG B164	1,471
PHG B67	518	PHG B111	982	PHG B165	1,435
PHG B68	526	PHG B112	969		
				PHG B167	1,421
PHG B69	524	PHG B113	984	PHG B168	1,501
PHG B70	528	PHG B114	995	PHG B169	***
PHG B71	533	PHG B115	1,009	PHG B170	1,421
PHG B72	551	PHG B116	1,017		
				PHG B172	1,528
PHG B73	549	PHG B117	1,035	PHG B173	1,503
PHG B74	556	PHG B118	1,034		
PHG B75	571	PHG B119	1,059		
PHG B76	561	PHG B120	1,039		
		PHG B121	1,074		

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHG B174	1,929	PHG C40	513	PHG C85	1,064
PHG B175	1,503	PHG C42	538	PHG C86	1,080
		PHG C43	556	PHG C87	1,092
PHG B176	***			PHG C88	1,097
PHG B177	1,503	PHG C45	573		
PHG B178	1,560	PHG C46	593	PHG C89	1,114
PHG B180	1,536	PHG C47	605	PHG C90	1,126
		PHG C48	611	PHG C91	1,136
PHG B185	1,553			PHG C92	1,136
PHG B188	***	PHG C49	626		
PHG B190	1,670	PHG C50	638	PHG C93	1,157
PHG B192	***	PHG C51	653	PHG C94	1,169
		PHG C52	661	PHG C95	1,186
PHG B195	1,697			PHG C96	1,186
PHG B197	***	PHG C53	676		
PHG B200	1,767	PHG C54	691	PHG C97	1,211
PHG B204	1,743	PHG C55	698	PHG C98	1,211
		PHG C56	708	PHG C99	1,232
PHG B205	***			PHG C100	1,244
PHG B206	***	PHG C57	721		
PHG B208	1,762	PHG C58	735	PHG C101	1,256
PHG B210	1,789	PHG C59	743	PHG C102	1,273
		PHG C60	752	PHG C103	1,388
PHG B214	1,859			PHG C104	1,294
PHG B215	***	PHG C61	767		
PHG B220	1,857	PHG C62	785	PHG C105	1,316
PHG B222	***	PHG C63	797	PHG C106	1,328
		PHG C64	807	PHG C107	1,460
PHG B225	***			PHG C108	1,366
PHG B230	***	PHG C65	825		
PHG B236	***	PHG C66	835	PHG C109	1,496
PHG B240	***	PHG C67	840	PHG C110	1,388
		PHG C68	855	PHG C111	1,398
PHG B248	***			PHG C112	1,428
PHG B250	***	PHG C69	872		
PHG B265	***	PHG C70	885	PHG C113	1,556
PHG B270	***	PHG C71	893	PHG C114	1,440
		PHG C72	897	PHG C115	1,440
PHG B275	2,376			PHG C116	1,458
PHG B280	***	PHG C73	924		
PHG B285	***	PHG C74	929	PHG C117	1,578
PHG B300	***	PHG C75	942	PHG C118	1,465
		PHG C76	954	PHG C119	1,475
PHG B315	***			PHG C120	1,488
PHG B330	***	PHG C77	965		
PHG B360	***	PHG C78	982	PHG C121	1,600
PHG B433	***	PHG C79	992	PHG C122	1,511
		PHG C80	992	PHG C124	1,538
PHG B512	***			PHG C125	1,627
		PHG C81	1,014		
Classical Wrapped V-Belts		PHG C82	1,024	PHG C126	1,561
Section "C"		PHG C83	1,037	PHG C127	***
PHG C38	499	PHG C84	1,052		

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHG C128	1,585	PHG C180	2,216	PHG C390	***
PHG C130	1,610	PHG C181	2,233		
		PHG C183	***	PHG C394	***
PHG C131	***			PHG C400	***
PHG C132	1,628	PHG C184	***	PHG C418	***
PHG C133	***	PHG C185	2,281	PHG C420	***
PHG C134	1,658	PHG C187	2,300		
		PHG C189	***	PHG C482	***
PHG C135	1,787			PHG C570	8,818
PHG C136	1,683	PHG C190	2,338		
PHG C138	1,703	PHG C195	2,396	Classical Wrapped V-Belts	
PHG C140	1,732	PHG C197	***	Section "D"	
		PHG C200	2,463	PHG D98	***
PHG C142	1,755			PHG D105	2,422
PHG C144	1,785	PHG C204	2,510	PHG D110	2,530
PHG C145	1,879	PHG C208	2,568	PHG D114	***
PHG C146	1,807	PHG C210	2,589		
		PHG C215	2,644	PHG D118	***
PHG C148	1,829			PHG D120	2,759
PHG C150	1,852	PHG C216	***	PHG D124	2,851
PHG C151	***	PHG C218	2,685	PHG D128	2,938
PHG C152	1,875	PHG C220	2,705		
		PHG C225	2,767	PHG D132	3,028
PHG C153	1,944			PHG D134	3,076
PHG C154	1,895	PHG C228	2,809	PHG D135	***
PHG C155	1,912	PHG C230	2,822	PHG D136	3,113
PHG C156	1,924	PHG C236	2,896		
		PHG C238	2,928	PHG D140	***
PHG C157	1,966			PHG D142	***
PHG C158	1,949	PHG C240	2,951	PHG D144	3,295
PHG C159	***	PHG C242	***	PHG D146	***
PHG C160	1,981	PHG C245	3,003		
		PHG C248	***	PHG D147	***
PHG C161	***			PHG D148	***
PHG C162	2,001	PHG C250	3,069	PHG D152	***
PHG C164	2,022	PHG C255	3,131	PHG D158	3,609
PHG C165	2,036	PHG C260	3,200		
		PHG C264	***	PHG D160	***
PHG C166	2,052			PHG D162	3,704
PHG C167	2,054	PHG C270	3,312	PHG D165	***
PHG C168	2,076	PHG C276	***	PHG D170	3,881
PHG C169	***	PHG C280	3,452		
		PHG C285	3,492	PHG D173	3,948
PHG C170	2,098			PHG D175	4,036
PHG C171	***	PHG C290	***	PHG D177	***
PHG C172	2,116	PHG C295	***	PHG D180	4,107
PHG C173	2,129	PHG C300	3,834		
		PHG C315	***	PHG D195	4,437
PHG C175	2,158			PHG D205	***
PHG C176	***	PHG C330	***	PHG D208	***
PHG C177	2,174	PHG C345	***	PHG D210	4,775
PHG C178	2,194	PHG C360	4,412		
				PHG D220	5,000
PHG C179	2,214			PHG D225	***

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHG D228	***	PHG E394	***	PHG AX55	***
PHG D230	5,561			PHG AX56	***
		PHG E418	***	PHG AX57	573
PHG D236	***	PHG E420	***		
PHG D240	5,453	PHG E440	***	PHG AX58	578
PHG D248	***	PHG E480	***	PHG AX59	595
PHG D250	5,673			PHG AX60	605
		PHG E530	***	PHG AX61	608
PHG D255	***				
PHG D264	6,446	Cogged Raw Edge Classical V-Belts		PHG AX62	616
PHG D270	6,124	Section "AX"		PHG AX63	630
PHG D275	***	PHG AX20	299	PHG AX64	648
		PHG AX21	299	PHG AX65	653
PHG D280	6,344	PHG AX22	309		
PHG D285	***	PHG AX23	297	PHG AX66	661
PHG D290	***			PHG AX67	***
PHG D298	6,748	PHG AX24	***	PHG AX68	***
		PHG AX25	302	PHG AX69	***
PHG D300	7,032	PHG AX26	302		
PHG D315	7,388	PHG AX27	302	PHG AX70	693
PHG D328	***			PHG AX71	***
PHG D330	***	PHG AX28	302	PHG AX72	721
		PHG AX29	302	PHG AX73	***
PHG D335	***	PHG AX30	309	PHG AX74	741
PHG D340	***	PHG AX31	316	PHG AX75	752
PHG D348	***			PHG AX76	***
PHG D360	***	PHG AX32	362		
		PHG AX33	362	PHG AX77	***
PHG D374	***	PHG AX34	361	PHG AX78	***
PHG D390	***	PHG AX35	362	PHG AX79	***
PHG D418	***	PHG AX36	379	PHG AX80	***
PHG D420	***	PHG AX37	379		
		PHG AX38	389	PHG AX81	***
PHG D440	***			PHG AX82	***
PHG D445	***	PHG AX39	397	PHG AX83	***
PHG D492	***	PHG AX40	409	PHG AX84	840
PHG D540	***	PHG AX41	***		
		PHG AX42	428	PHG AX85	***
Classical Wrapped V-Belts				PHG AX86	***
Section "E"		PHG AX43	433	PHG AX87	***
PHG E220	***	PHG AX44	444	PHG AX88	***
PHG E238	***	PHG AX45	456		
PHG E240	***	PHG AX46	461	PHG AX89	***
PHG E248	***			PHG AX90	***
		PHG AX47	501	PHG AX91	***
PHG E280	***	PHG AX48	501	PHG AX92	***
PHG E300	***	PHG AX49	501	PHG AX93	***
PHG E315	***	PHG AX50	533	PHG AX94	***
PHG E330	***			PHG AX95	***
		PHG AX51	***		
PHG E340	***	PHG AX52	***	PHG AX96	***
PHG E354	***	PHG AX53	528	PHG AX97	***
PHG E360	***	PHG AX54	***	PHG AX98	***

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHG AX99	***	PHG BX54	902	PHG BX99	***
PHG AX100	***	PHG BX55	924	PHG BX100	1,890
PHG AX101	***	PHG BX56	932	PHG BX101	***
PHG AX102	***	PHG BX57	949	PHG BX102	***
PHG AX103	***	PHG BX58	965	PHG BX103	1,949
PHG AX105	***	PHG BX59	987	PHG BX104	***
PHG AX107	***	PHG BX60	992	PHG BX105	***
PHG AX108	***	PHG BX61	***	PHG BX106	***
PHG AX110	***	PHG BX62	1,034	PHG BX107	***
PHG AX112	***	PHG BX63	1,052	PHG BX108	***
PHG AX113	***	PHG BX64	1,064	PHG BX109	***
PHG AX114	***	PHG BX65	1,080	PHG BX110	2,079
PHG AX118	***	PHG BX66	1,097	PHG BX112	2,114
PHG AX124	***	PHG BX67	1,114	PHG BX113	***
PHG AX136	***	PHG BX68	1,126	PHG BX114	***
		PHG BX69	1,146	PHG BX115	2,174
Cogged Raw Edge Classical V-Belts		PHG BX70	1,157	PHG BX116	***
Section "BX"		PHG BX71	***	PHG BX118	***
PHG BX28	478	PHG BX72	1,186	PHG BX120	***
PHG BX29	493	PHG BX73	***	PHG BX123	***
PHG BX30	513	PHG BX74	1,227	PHG BX124	***
PHG BX31	***	PHG BX75	1,244	PHG BX126	***
PHG BX32	544	PHG BX76	1,263	PHG BX128	***
PHG BX33	***	PHG BX77	1,273	PHG BX132	***
PHG BX34	573	PHG BX78	***	PHG BX133	***
PHG BX35	595	PHG BX79	1,313	PHG BX136	***
PHG BX36	608	PHG BX80	***	PHG BX144	***
PHG BX37	626	PHG BX81	1,339	PHG BX173	***
PHG BX38	648	PHG BX82	1,358		
PHG BX39	655	PHG BX83	***	Cogged Raw Edge Classical V-Belts	
PHG BX40	676	PHG BX84	1,391	Section "CX"	
PHG BX41	691	PHG BX85	1,401	PHG CX39	***
PHG BX42	703	PHG BX86	1,421	PHG CX43	1,236
PHG BX43	721	PHG BX87	***	PHG CX45	***
PHG BX44	741			PHG CX50	***
PHG BX45	752	PHG BX88	1,448	PHG CX51	***
PHG BX46	770	PHG BX89	1,465	PHG CX52	***
PHG BX47	792	PHG BX90	1,488	PHG CX54	1,553
PHG BX48	802	PHG BX92	***	PHG CX55	***
PHG BX49	825	PHG BX93	1,536	PHG CX57	***
PHG BX50	840	PHG BX94	***	PHG CX58	***
PHG BX51	855	PHG BX95	1,565	PHG CX59	1,675
		PHG BX96	***	PHG CX60	1,703
PHG BX52	872	PHG BX97	***		
PHG BX53	885	PHG BX98	***		

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHG CX62	***	PHG CX120	***	PHG SPZ1162	299
PHG CX63	***	PHG CX124	3,898	PHG SPZ1180	302
PHG CX65	***	PHG CX128	***		
PHG CX66	***	PHG CX132	***	PHG SPZ1187	312
				PHG SPZ1200	312
PHG CX67	***	PHG CX158	***	PHG SPZ1212	312
PHG CX68	***	PHG CX165	***	PHG SPZ1237	307
PHG CX69	***	PHG CX167	***		
PHG CX70	1,981	PHG CX185	***	PHG SPZ1250	316
				PHG SPZ1262	***
PHG CX71	2,006	Wrapped Wedge Belts		PHG SPZ1270	331
PHG CX72	***	Section "SPZ"		PHG SPZ1287	***
PHG CX73	***	PHG SPZ600	***		
PHG CX74	***	PHG SPZ630	207	PHG SPZ1312	***
		PHG SPZ670	204	PHG SPZ1320	336
PHG CX75	2,114	PHG SPZ700	209	PHG SPZ1337	341
PHG CX76	2,143			PHG SPZ1340	336
PHG CX77	***	PHG SPZ710	207		
PHG CX78	2,194	PHG SPZ722	204	PHG SPZ1362	347
		PHG SPZ750	***	PHG SPZ1387	341
PHG CX79	***	PHG SPZ760	***	PHG SPZ1400	347
PHG CX80	2,251			PHG SPZ1420	366
PHG CX81	***	PHG SPZ762	***		
PHG CX82	***	PHG SPZ772	207	PHG SPZ1437	371
		PHG SPZ787	207	PHG SPZ1470	366
PHG CX84	***	PHG SPZ800	207	PHG SPZ1487	371
PHG CX85	***			PHG SPZ1500	376
PHG CX86	***	PHG SPZ825	***		
PHG CX87	***	PHG SPZ837	***	PHG SPZ1520	397
		PHG SPZ850	224	PHG SPZ1537	397
PHG CX88	***	PHG SPZ862	***	PHG SPZ1560	397
PHG CX89	***			PHG SPZ1587	399
PHG CX90	***	PHG SPZ875	225		
PHG CX93	***	PHG SPZ900	225	PHG SPZ1600	399
		PHG SPZ925	239	PHG SPZ1612	424
PHG CX95	2,670	PHG SPZ937	244	PHG SPZ1637	***
PHG CX96	***			PHG SPZ1650	428
PHG CX97	***	PHG SPZ950	244		
PHG CX98	***	PHG SPZ962	***	PHG SPZ1662	***
		PHG SPZ987	244	PHG SPZ1700	428
PHG CX99	***	PHG SPZ1000	245	PHG SPZ1737	436
PHG CX101	3,245			PHG SPZ1750	436
PHG CX104	***	PHG SPZ1010	245		
PHG CX105	***	PHG SPZ1024	267	PHG SPZ1762	444
		PHG SPZ1037	267	PHG SPZ1787	438
PHG CX106	***	PHG SPZ1060	267	PHG SPZ1800	436
PHG CX108	***			PHG SPZ1837	***
PHG CX109	***	PHG SPZ1080	276		
PHG CX111	***	PHG SPZ1112	276	PHG SPZ1850	461
		PHG SPZ1120	276	PHG SPZ1862	468
PHG CX114	***	PHG SPZ1137	294	PHG SPZ1887	***
PHG CX115	***			PHG SPZ1900	461
PHG CX116	3,714	PHG SPZ1140	294		
PHG CX118	***	PHG SPZ1150	***	PHG SPZ1937	494
				PHG SPZ1950	***

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products
(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHG SPZ1987	494	PHG SPA1157	***	PHG SPA2000	671
PHG SPZ2000	494				
		PHG SPA1180	429	PHG SPA2032	***
PHG SPZ2030	494	PHG SPA1190	446	PHG SPA2057	721
PHG SPZ2037	499	PHG SPA1200	446	PHG SPA2060	706
PHG SPZ2060	***	PHG SPA1220	438	PHG SPA2082	706
PHG SPZ2120	523				
		PHG SPA1232	429	PHG SPA2120	708
PHG SPZ2160	528	PHG SPA1250	438	PHG SPA2132	735
PHG SPZ2187	539	PHG SPA1257	458	PHG SPA2160	***
PHG SPZ2240	551	PHG SPA1282	459	PHG SPA2182	736
PHG SPZ2280	***				
		PHG SPA1300	479	PHG SPA2240	748
PHG SPZ2360	568	PHG SPA1307	***	PHG SPA2300	762
PHG SPZ2410	590	PHG SPA1320	468	PHG SPA2332	763
PHG SPZ2500	605	PHG SPA1332	489	PHG SPA2360	765
PHG SPZ2540	623				
		PHG SPA1357	489	PHG SPA2400	***
PHG SPZ2650	633	PHG SPA1360	489	PHG SPA2430	775
PHG SPZ2690	***	PHG SPA1382	493	PHG SPA2500	818
PHG SPZ2800	676	PHG SPA1400	494	PHG SPA2532	867
PHG SPZ2840	690				
		PHG SPA1432	509	PHG SPA2582	877
PHG SPZ3000	728	PHG SPA1450	499	PHG SPA2607	885
PHG SPZ3150	***	PHG SPA1457	506	PHG SPA2632	885
PHG SPZ3170	767	PHG SPA1482	***	PHG SPA2650	872
PHG SPZ3350	815				
		PHG SPA1500	521	PHG SPA2682	915
PHG SPZ3550	855	PHG SPA1532	539	PHG SPA2732	915
		PHG SPA1550	539	PHG SPA2800	919
		PHG SPA1582	533	PHG SPA2882	977
Wrapped Wedge Belts					
Section "SPA"					
PHG SPA670	286	PHG SPA1600	541	PHG SPA2900	977
PHG SPA800	306	PHG SPA1632	578	PHG SPA2932	997
PHG SPA850	336	PHG SPA1650	583	PHG SPA3000	984
PHG SPA875	361	PHG SPA1657	578	PHG SPA3150	1,034
PHG SPA900	336	PHG SPA1682	578	PHG SPA3350	1,087
PHG SPA925	***	PHG SPA1700	585	PHG SPA3550	1,174
PHG SPA950	362	PHG SPA1707	***	PHG SPA3750	1,244
PHG SPA975	366	PHG SPA1732	***	PHG SPA3870	***
PHG SPA1000	382	PHG SPA1750	601	PHG SPA4000	1,323
PHG SPA1030	387	PHG SPA1757	***	PHG SPA4250	1,363
PHG SPA1032	***	PHG SPA1782	605	PHG SPA4500	1,486
PHG SPA1040	***	PHG SPA1800	605		
PHG SPA1060	389	PHG SPA1850	641	Wrapped Wedge Belts	
PHG SPA1082	387	PHG SPA1857	655	Section "SPB"	
PHG SPA1090	389	PHG SPA1882	***	PHG SPB1250	605
PHG SPA1107	***	PHG SPA1900	648	PHG SPB1260	623
				PHG SPB1280	621
				PHG SPB1300	***
PHG SPA1120	397	PHG SPA1932	660		
PHG SPA1132	426	PHG SPA1950	671		
PHG SPA1150	406	PHG SPA1982	676		

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHG SPB1320	653	PHG SPB2720	***	PHG SPB6340	***
PHG SPB1340	653			PHG SPB6700	3,365
PHG SPB1400	696	PHG SPB2750	1,338		
PHG SPB1410	696	PHG SPB2800	1,374	PHG SPB7100	3,587
		PHG SPB2840	1,428	PHG SPB7500	***
PHG SPB1450	728	PHG SPB2900	1,465	PHG SPB8000	***
PHG SPB1465	***			PHG SPB9000	***
PHG SPB1500	701	PHG SPB2950	***		
PHG SPB1550	721	PHG SPB3000	1,508	Wrapped Wedge Belts	
		PHG SPB3050	1,480	Section "SPC"	
PHG SPB1600	797	PHG SPB3070	1,503	PHG SPC2000	1,570
PHG SPB1650	828			PHG SPC2020	***
PHG SPB1700	828	PHG SPB3150	1,546	PHG SPC2120	1,653
PHG SPB1720	802	PHG SPB3170	1,530	PHG SPC2240	1,737
		PHG SPB3250	1,598		
PHG SPB1750	902	PHG SPB3320	***	PHG SPC2340	1,847
PHG SPB1800	902			PHG SPC2350	***
PHG SPB1850	954	PHG SPB3350	1,643	PHG SPC2360	1,852
PHG SPB1900	898	PHG SPB3400	***	PHG SPC2400	***
		PHG SPB3450	1,712		
PHG SPB1950	919	PHG SPB3550	1,769	PHG SPC2500	1,939
PHG SPB2000	987			PHG SPC2600	2,057
PHG SPB2020	972	PHG SPB3650	1,819	PHG SPC2650	2,064
PHG SPB2060	1,024	PHG SPB3750	1,879	PHG SPC2700	2,126
		PHG SPB3800	1,834		
PHG SPB2100	1,009	PHG SPB3870	1,932	PHG SPC2800	2,184
PHG SPB2120	1,030			PHG SPC2850	2,248
PHG SPB2150	1,064	PHG SPB3900	***	PHG SPC2900	2,283
PHG SPB2180	1,092	PHG SPB4000	1,981	PHG SPC3000	2,331
		PHG SPB4050	2,006		
PHG SPB2200	1,065	PHG SPB4060	1,989	PHG SPC3050	***
PHG SPB2240	1,114			PHG SPC3100	2,448
PHG SPB2250	1,092	PHG SPB4150	***	PHG SPC3150	2,386
PHG SPB2260	1,097	PHG SPB4250	2,106	PHG SPC3350	2,530
		PHG SPB4310	2,106		
PHG SPB2280	1,142	PHG SPB4370	***	PHG SPC3550	2,682
PHG SPB2300	1,156			PHG SPC3600	***
PHG SPB2360	1,146	PHG SPB4500	2,226	PHG SPC3650	***
PHG SPB2400	1,164	PHG SPB4560	2,244	PHG SPC3750	2,834
		PHG SPB4620	***		
PHG SPB2410	1,179	PHG SPB4750	2,418	PHG SPC3800	2,993
PHG SPB2430	1,174			PHG SPC3850	***
PHG SPB2450	***	PHG SPB4820	2,445	PHG SPC3900	***
PHG SPB2500	1,254	PHG SPB5000	2,478	PHG SPC4000	3,041
		PHG SPB5070	2,517		
PHG SPB2530	1,266	PHG SPB5300	2,637	PHG SPC4100	***
PHG SPB2550	***			PHG SPC4150	***
PHG SPB2580	1,273	PHG SPB5380	2,687	PHG SPC4200	***
PHG SPB2600	1,271	PHG SPB5600	2,809	PHG SPC4250	3,206
		PHG SPB5680	***		
PHG SPB2650	1,333	PHG SPB5880	***	PHG SPC4400	3,465
PHG SPB2680	1,349			PHG SPC4500	3,397
PHG SPB2700	1,318	PHG SPB6000	***	PHG SPC4750	3,602
		PHG SPB6300	***	PHG SPC5000	3,773

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHG SPC5300	4,033	PHG XPZ1320	583	PHG XPA1600	887
PHG SPC5600	4,424	PHG XPZ1340	600	PHG XPA1700	937
PHG SPC5800	***			PHG XPA1800	995
PHG SPC6000	4,639	PHG XPZ1362	611		
		PHG XPZ1400	623	PHG XPA1900	1,052
PHG SPC6300	5,013	PHG XPZ1420	630	PHG XPA2000	1,107
PHG SPC6500	5,134	PHG XPZ1487	***	PHG XPA2120	1,166
PHG SPC6700	5,125			PHG XPA2240	1,237
PHG SPC7100	5,740	PHG XPZ1500	675		
		PHG XPZ1520	671	PHG XPA2360	1,306
PHG SPC7300	***	PHG XPZ1600	711	PHG XPA2500	1,384
PHG SPC7500	5,937	PHG XPZ1700	760	PHG XPA2650	***
PHG SPC8000	6,366			PHG XPA2800	1,780
PHG SPC8300	***	PHG XPZ1800	807		
		PHG XPZ1850	825	PHG XPA3000	1,919
PHG SPC8500	6,695	PHG XPZ1900	850	PHG XPA3150	2,009
PHG SPC9000	7,224	PHG XPZ2000	895	PHG XPA3350	2,129
PHG SPC9500	7,667				
PHG SPC10000	7,963	PHG XPZ2030	900	Cogged Raw Edge Wedge Belts	
		PHG XPZ2120	949	Section "XPB"	
PHG SPC10600	***	PHG XPZ2240	999	PHG XPB1260	***
PHG SPC11200	***	PHG XPZ2280	***	PHG XPB1320	***
PHG SPC11800	***			PHG XPB1340	***
PHG SPC12500	***	PHG XPZ2410	***	PHG XPB1400	1,446
		PHG XPZ2500	***		
Cogged Raw Edge Wedge Belts		Cogged Raw Edge Wedge Belts		PHG XPB1500	1,550
Section "XPZ"		Section "XPA"		PHG XPB1600	1,658
PHG XPZ630	***	PHG XPA800	433	PHG XPB1700	1,757
PHG XPZ710	319	PHG XPA900	499	PHG XPB1800	1,857
PHG XPZ750	326	PHG XPA950	526		
PHG XPZ760	***	PHG XPA1000	***	PHG XPB1900	1,964
				PHG XPB2000	2,067
PHG XPZ787	354			PHG XPB2020	***
PHG XPZ800	***	PHG XPA1030	***	PHG XPB2120	2,184
PHG XPZ850	***	PHG XPA1060	583		
PHG XPZ900	***	PHG XPA1082	600	PHG XPB2150	***
		PHG XPA1107	***	PHG XPB2240	***
PHG XPZ937	421			PHG XPB2280	2,355
PHG XPZ950	428	PHG XPA1120	623	PHG XPB2360	2,432
PHG XPZ1000	444	PHG XPA1157	640		
PHG XPZ1037	468	PHG XPA1180	***	PHG XPB2500	2,583
		PHG XPA1232	***	PHG XPB2530	2,615
PHG XPZ1060	474			PHG XPB2650	3,150
PHG XPZ1080	478	PHG XPA1250	691	PHG XPB2680	3,176
PHG XPZ1120	499	PHG XPA1257	***		
PHG XPZ1140	499	PHG XPA1282	***	PHG XPB2800	3,322
		PHG XPA1320	730	PHG XPB3000	3,567
PHG XPZ1180	526			PHG XPB3150	3,741
PHG XPZ1200	533	PHG XPA1357	753	PHG XPB3350	3,975
PHG XPZ1237	***	PHG XPA1400	775		
PHG XPZ1250	559	PHG XPA1500	830	PHG XPB3550	4,213
		PHG XPA1532	850		
PHG XPZ1270	***				
PHG XPZ1287	578	PHG XPA1582	877		

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Wedge belt pulleys section: SPZ

(For pulleys not listed, please contact SKF)

PCD in mm	1 Groove		2 Grooves		3 Grooves		4 Grooves	
	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
50	PHP 1SPZ50TB	416	PHP 2SPZ50TB	451				
56	PHP 1SPZ56TB	421	PHP 2SPZ56TB	551				
60	PHP 1SPZ60TB	433	PHP 2SPZ60TB	474				
63	PHP 1SPZ63TB	499	PHP 2SPZ63TB	583	PHP 3SPZ63TB	696	PHP 4SPZ63TB	873
67	PHP 1SPZ67TB	526	PHP 2SPZ67TB	635	PHP 3SPZ67TB	748	PHP 4SPZ67TB	927
71	PHP 1SPZ71TB	635	PHP 2SPZ71TB	628	PHP 3SPZ71TB	767	PHP 4SPZ71TB	969
75	PHP 1SPZ75TB	725	PHP 2SPZ75TB	790	PHP 3SPZ75TB	994	PHP 4SPZ75TB	1,117
80	PHP 1SPZ80TB	748	PHP 2SPZ80TB	830	PHP 3SPZ80TB	1,047	PHP 4SPZ80TB	1,194
85	PHP 1SPZ85TB	763	PHP 2SPZ85TB	905	PHP 3SPZ85TB	1,087	PHP 4SPZ85TB	1,232
90	PHP 1SPZ90TB	767	PHP 2SPZ90TB	863	PHP 3SPZ90TB	1,106	PHP 4SPZ90TB	1,284
95	PHP 1SPZ95TB	795	PHP 2SPZ95TB	900	PHP 3SPZ95TB	1,114	PHP 4SPZ95TB	1,348
100	PHP 1SPZ100TB	880	PHP 2SPZ100TB	967	PHP 3SPZ100TB	1,136	PHP 4SPZ100TB	1,353
106	PHP 1SPZ106TB	930	PHP 2SPZ106TB	1,087	PHP 3SPZ106TB	1,249	PHP 4SPZ106TB	1,383
112	PHP 1SPZ112TB	975	PHP 2SPZ112TB	1,117	PHP 3SPZ112TB	1,333	PHP 4SPZ112TB	1,588
118	PHP 1SPZ118TB	990	PHP 2SPZ118TB	1,394	PHP 3SPZ118TB	1,440	PHP 4SPZ118TB	1,698
125	PHP 1SPZ125TB	1,142	PHP 2SPZ125TB	1,456	PHP 3SPZ125TB	1,622	PHP 4SPZ125TB	1,884
132	PHP 1SPZ132TB	1,219	PHP 2SPZ132TB	1,475	PHP 3SPZ132TB	1,735	PHP 4SPZ132TB	2,134
140	PHP 1SPZ140TB	1,481	PHP 2SPZ140TB	1,759	PHP 3SPZ140TB	2,129	PHP 4SPZ140TB	2,343
150	PHP 1SPZ150TB	1,541	PHP 2SPZ150TB	1,847	PHP 3SPZ150TB	2,233	PHP 4SPZ150TB	2,650
160	PHP 1SPZ160TB	1,583	PHP 2SPZ160TB	2,118	PHP 3SPZ160TB	2,547	PHP 4SPZ160TB	3,539
170	PHP 1SPZ170TB	1,879	PHP 2SPZ170TB	2,498	PHP 3SPZ170TB	2,934	PHP 4SPZ170TB	3,639
180	PHP 1SPZ180TB	1,919	PHP 2SPZ180TB	2,527	PHP 3SPZ180TB	3,071	PHP 4SPZ180TB	3,646
190	PHP 1SPZ190TB	1,992	PHP 2SPZ190TB	2,557	PHP 3SPZ190TB	3,166	PHP 4SPZ190TB	4,043
200	PHP 1SPZ200TB	2,305	PHP 2SPZ200TB	2,702	PHP 3SPZ200TB	3,383	PHP 4SPZ200TB	4,442
212			PHP 2SPZ212TB	2,929	PHP 3SPZ212TB	3,846	PHP 4SPZ212TB	4,765
224	PHP 1SPZ224TB	2,695	PHP 2SPZ224TB	3,064	PHP 3SPZ224TB	4,337	PHP 4SPZ224TB	5,099
236	PHP 1SPZ236TB	3,307	PHP 2SPZ236TB	3,682	PHP 3SPZ236TB	4,634	PHP 4SPZ236TB	5,396
250	PHP 1SPZ250TB	3,365	PHP 2SPZ250TB	4,309	PHP 3SPZ250TB	5,013	PHP 4SPZ250TB	5,840
280	PHP 1SPZ280TB	4,108	PHP 2SPZ280TB	4,955	PHP 3SPZ280TB	6,181	PHP 4SPZ280TB	6,338
315	PHP 1SPZ315TB	4,496	PHP 2SPZ315TB	5,078	PHP 3SPZ315TB	6,523	PHP 4SPZ315TB	7,285
355	PHP 1SPZ355TB	4,816	PHP 2SPZ355TB	5,758	PHP 3SPZ355TB	7,766	PHP 4SPZ355TB	8,757
500	PHP 1SPZ400TB	5,588	PHP 2SPZ400TB	7,311	PHP 3SPZ400TB	8,504	PHP 4SPZ400TB	10,215
450	PHP 1SPZ450TB	6,638	PHP 2SPZ450TB	7,717	PHP 3SPZ450TB	9,010	PHP 4SPZ450TB	11,354
500					PHP 3SPZ500TB	11,364	PHP 4SPZ500TB	13,418
630					PHP 3SPZ630TB	17,639	PHP 4SPZ630TB	22,149
710					PHP 3SPZ710TB	26,578	PHP 4SPZ710TB	29,424
800					PHP 3SPZ800TB	28,809	PHP 4SPZ800TB	35,419

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Wedge belt pulleys section: SPZ

(For pulleys not listed, please contact SKF)

PCD in mm	5 Grooves		6 Grooves	
	Designation	RSP (₹)	Designation	RSP (₹)
50				
56				
60				
63				
67				
71				
75				
80				
85	PHP 5SPZ85TB	1,333		
90	PHP 5SPZ90TB	1,358	PHP 6SPZ90TB	1,448
95	PHP 5SPZ95TB	1,406	PHP 6SPZ95TB	1,458
100	PHP 5SPZ100TB	1,551	PHP 6SPZ100TB	1,645
106	PHP 5SPZ106TB	1,598	PHP 6SPZ106TB	1,740
112	PHP 5SPZ112TB	1,759	PHP 6SPZ112TB	1,879
118	PHP 5SPZ118TB	1,910	PHP 6SPZ118TB	2,126
125	PHP 5SPZ125TB	2,126	PHP 6SPZ125TB	2,281
132	PHP 5SPZ132TB	2,416	PHP 6SPZ132TB	2,578
140	PHP 5SPZ140TB	2,615	PHP 6SPZ140TB	3,038
150	PHP 5SPZ150TB	3,090	PHP 6SPZ150TB	3,233
160	PHP 5SPZ160TB	3,988	PHP 6SPZ160TB	3,798
170	PHP 5SPZ170TB	3,988	PHP 6SPZ170TB	3,943
180	PHP 5SPZ180TB	4,200	PHP 6SPZ180TB	4,905
190	PHP 5SPZ190TB	4,918	PHP 6SPZ190TB	5,501
200	PHP 5SPZ200TB	4,982	PHP 6SPZ200TB	5,638
212	PHP 5SPZ212TB	5,073	PHP 6SPZ212TB	5,683
224	PHP 5SPZ224TB	5,277	PHP 6SPZ224TB	5,763
236	PHP 5SPZ236TB	5,523	PHP 6SPZ236TB	6,416
250	PHP 5SPZ250TB	6,488	PHP 6SPZ250TB	6,541
280	PHP 5SPZ280TB	7,590	PHP 6SPZ280TB	7,333
315			PHP 6SPZ315TB	9,132
355	PHP 5SPZ355TB	10,559	PHP 6SPZ355TB	11,453
500	PHP 5SPZ400TB	11,710	PHP 6SPZ400TB	13,550
450	PHP 5SPZ450TB	13,258	PHP 6SPZ450TB	15,751
500	PHP 5SPZ500TB	15,675	PHP 6SPZ500TB	19,140
630	PHP 5SPZ630TB	24,516	PHP 6SPZ630TB	30,123
710	PHP 5SPZ710TB	36,152	PHP 6SPZ710TB	37,957
800	PHP 5SPZ800TB	44,013	PHP 6SPZ800TB	47,199

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Wedge belt pulleys section: SPA

(For pulleys not listed, please contact SKF)

PCD in mm	1 Groove		2 Grooves		3 Grooves		4 Grooves	
	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
63	PHP 1SPA63TB	579	PHP 2SPA63TB	1,490				
67	PHP 1SPA67TB	600	PHP 2SPA67TB	696				
71	PHP 1SPA71TB	630	PHP 2SPA71TB	775	PHP 3SPA71TB	915		
75	PHP 1SPA75TB	653	PHP 2SPA75TB	852	PHP 3SPA75TB	954		
80	PHP 1SPA80TB	696	PHP 2SPA80TB	895	PHP 3SPA80TB	984		
85	PHP 1SPA85TB	752	PHP 2SPA85TB	900	PHP 3SPA85TB	1,057		
90	PHP 1SPA90TB	775	PHP 2SPA90TB	967	PHP 3SPA90TB	1,156	PHP 4SPA90TB	1,338
95	PHP 1SPA95TB	790	PHP 2SPA95TB	1,092	PHP 3SPA95TB	1,239	PHP 4SPA95TB	1,501
100	PHP 1SPA100TB	817	PHP 2SPA100TB	1,156	PHP 3SPA100TB	1,421	PHP 4SPA100TB	1,677
106	PHP 1SPA106TB	965	PHP 2SPA106TB	1,182	PHP 3SPA106TB	1,471	PHP 4SPA106TB	1,810
112	PHP 1SPA112TB	954	PHP 2SPA112TB	1,293	PHP 3SPA112TB	1,617	PHP 4SPA112TB	1,961
118	PHP 1SPA118TB	1,092	PHP 2SPA118TB	1,436	PHP 3SPA118TB	1,698	PHP 4SPA118TB	2,061
125	PHP 1SPA125TB	1,207	PHP 2SPA125TB	1,570	PHP 3SPA125TB	1,864	PHP 4SPA125TB	2,251
132	PHP 1SPA132TB	1,369	PHP 2SPA132TB	1,713	PHP 3SPA132TB	2,174	PHP 4SPA132TB	2,355
140	PHP 1SPA140TB	1,536	PHP 2SPA140TB	1,934	PHP 3SPA140TB	2,620	PHP 4SPA140TB	2,896
150	PHP 1SPA150TB	1,555	PHP 2SPA150TB	2,174	PHP 3SPA150TB	2,787	PHP 4SPA150TB	3,056
160	PHP 1SPA160TB	1,673	PHP 2SPA160TB	2,607	PHP 3SPA160TB	2,916	PHP 4SPA160TB	3,512
170	PHP 1SPA170TB	1,859	PHP 2SPA170TB	2,891	PHP 3SPA170TB	3,579	PHP 4SPA170TB	4,118
180	PHP 1SPA180TB	1,982	PHP 2SPA180TB	2,978	PHP 3SPA180TB	3,726	PHP 4SPA180TB	4,397
190	PHP 1SPA190TB	2,161	PHP 2SPA190TB	3,118	PHP 3SPA190TB	3,955	PHP 4SPA190TB	4,798
200	PHP 1SPA200TB	2,286	PHP 2SPA200TB	3,322	PHP 3SPA200TB	4,010	PHP 4SPA200TB	4,788
212	PHP 1SPA212TB	2,826	PHP 2SPA212TB	4,028	PHP 3SPA212TB	4,688	PHP 4SPA212TB	5,650
224	PHP 1SPA224TB	3,064	PHP 2SPA224TB	4,243	PHP 3SPA224TB	4,775	PHP 4SPA224TB	6,318
236	PHP 1SPA236TB	3,223	PHP 2SPA236TB	4,524	PHP 3SPA236TB	5,289	PHP 4SPA236TB	6,638
250	PHP 1SPA250TB	3,310	PHP 2SPA250TB	4,661	PHP 3SPA250TB	5,342	PHP 4SPA250TB	6,748
265	PHP 1SPA265TB	3,470	PHP 2SPA265TB	4,868	PHP 3SPA265TB	5,589	PHP 4SPA265TB	7,054
280	PHP 1SPA280TB	3,592	PHP 2SPA280TB	5,549	PHP 3SPA280TB	6,022	PHP 4SPA280TB	7,627
300	PHP 1SPA300TB	4,218	PHP 2SPA300TB	6,124			PHP 4SPA300TB	8,786
315	PHP 1SPA315TB	4,846	PHP 2SPA315TB	6,296	PHP 3SPA315TB	8,175	PHP 4SPA315TB	9,198
335	PHP 1SPA335TB	4,982	PHP 2SPA335TB	6,879	PHP 3SPA335TB	9,212	PHP 4SPA335TB	11,458
355	PHP 1SPA355TB	5,172	PHP 2SPA355TB	6,879	PHP 3SPA355TB	9,168	PHP 4SPA355TB	11,458
375	PHP 1SPA375TB	5,327	PHP 2SPA375TB	7,391	PHP 3SPA375TB	9,856	PHP 4SPA375TB	12,243
400	PHP 1SPA400TB	6,022	PHP 2SPA400TB	7,755	PHP 3SPA400TB	10,681	PHP 4SPA400TB	12,958
425	PHP 1SPA425TB	6,438	PHP 2SPA425TB	8,328	PHP 3SPA425TB	11,423	PHP 4SPA425TB	13,941
450	PHP 1SPA450TB	7,560	PHP 2SPA450TB	9,628	PHP 3SPA450TB	12,537	PHP 4SPA450TB	16,752
475			PHP 2SPA475TB	10,291	PHP 3SPA475TB	13,475	PHP 4SPA475TB	17,926
500	PHP 1SPA500TB	10,063	PHP 2SPA500TB	10,715	PHP 3SPA500TB	14,566	PHP 4SPA500TB	17,712
530	PHP 1SPA530TB	10,755			PHP 3SPA530TB	17,126		
560	PHP 1SPA560TB	12,007			PHP 3SPA560TB	19,090	PHP 4SPA560TB	24,509
630	PHP 1SPA630TB	14,492	PHP 2SPA630TB	17,702	PHP 3SPA630TB	22,330	PHP 4SPA630TB	25,494
710								
800					PHP 3SPA800TB	35,027	PHP 4SPA800TB	40,778
900								
1000					PHP 3SPA1000TB	51,907	PHP 4SPA1000TB	62,688

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Wedge belt pulleys section: SPA

(For pulleys not listed, please contact SKF)

PCD in mm	5 Grooves		6 Grooves	
	Designation	RSP (₹)	Designation	RSP (₹)
63				
67				
71				
75				
80				
85				
90				
95				
100	PHP 5SPA100TB	1,981	PHP 6SPA100TB	2,148
106	PHP 5SPA106TB	2,074	PHP 6SPA106TB	2,432
112	PHP 5SPA112TB	2,246	PHP 6SPA112TB	2,655
118	PHP 5SPA118TB	2,373	PHP 6SPA118TB	2,961
125	PHP 5SPA125TB	2,563	PHP 6SPA125TB	2,826
132	PHP 5SPA132TB	2,709	PHP 6SPA132TB	3,424
140	PHP 5SPA140TB	3,103	PHP 6SPA140TB	3,846
150	PHP 5SPA150TB	3,425	PHP 6SPA150TB	4,314
160	PHP 5SPA160TB	3,990	PHP 6SPA160TB	4,943
170	PHP 5SPA170TB	4,315	PHP 6SPA170TB	5,815
180	PHP 5SPA180TB	4,868	PHP 6SPA180TB	6,283
190	PHP 5SPA190TB	5,344	PHP 6SPA190TB	7,031
200	PHP 5SPA200TB	5,583	PHP 6SPA200TB	7,111
212	PHP 5SPA212TB	6,381	PHP 6SPA212TB	8,410
224	PHP 5SPA224TB	7,263	PHP 6SPA224TB	8,606
236	PHP 5SPA236TB	7,543	PHP 6SPA236TB	9,297
250	PHP 5SPA250TB	8,270	PHP 6SPA250TB	8,868
265				
280	PHP 5SPA280TB	10,536	PHP 6SPA280TB	13,679
300	PHP 5SPA300TB	12,191	PHP 6SPA300TB	15,391
315	PHP 5SPA315TB	11,558	PHP 6SPA315TB	15,588
335	PHP 5SPA335TB	14,855	PHP 6SPA335TB	18,151
355	PHP 5SPA355TB	14,040	PHP 6SPA355TB	18,151
375	PHP 5SPA375TB	15,892	PHP 6SPA375TB	19,434
400	PHP 5SPA400TB	16,586	PHP 6SPA400TB	20,758
425	PHP 5SPA425TB	17,739	PHP 6SPA425TB	22,206
450	PHP 5SPA450TB	19,208	PHP 6SPA450TB	22,856
475	PHP 5SPA475TB	20,648	PHP 6SPA475TB	24,457
500	PHP 5SPA500TB	21,765	PHP 6SPA500TB	26,429
530	PHP 5SPA530TB	23,288	PHP 6SPA530TB	28,273
560	PHP 5SPA560TB	29,527	PHP 6SPA560TB	32,333
630	PHP 5SPA630TB	34,405	PHP 6SPA630TB	43,443
710			PHP 6SPA710TB	52,167
800	PHP 5SPA800TB	51,656	PHP 6SPA800TB	57,869
900				
1000	PHP 5SPA1000TB	76,069	PHP 6SPA1000TB	89,046

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Wedge belt pulleys section: SPB

(For pulleys not listed, please contact SKF)

PCD in mm	1 Groove		2 Grooves		3 Grooves		4 Grooves	
	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
100	PHP 1SPB100TB	960	PHP 2SPB100TB	1,418	PHP 3SPB100TB	1,787	PHP 4SPB100TB	2,281
106	PHP 1SPB106TB	1,114	PHP 2SPB106TB	1,453	PHP 3SPB106TB	1,892	PHP 4SPB106TB	2,418
112	PHP 1SPB112TB	1,301	PHP 2SPB112TB	1,568	PHP 3SPB112TB	2,066	PHP 4SPB112TB	2,594
118	PHP 1SPB118TB	1,401	PHP 2SPB118TB	1,632	PHP 3SPB118TB	2,124	PHP 4SPB118TB	2,637
125	PHP 1SPB125TB	1,425	PHP 2SPB125TB	1,874	PHP 3SPB125TB	2,196	PHP 4SPB125TB	2,839
132	PHP 1SPB132TB	1,578	PHP 2SPB132TB	2,079	PHP 3SPB132TB	2,405	PHP 4SPB132TB	2,986
140	PHP 1SPB140TB	1,603	PHP 2SPB140TB	2,181	PHP 3SPB140TB	2,659	PHP 4SPB140TB	3,203
150	PHP 1SPB150TB	1,740	PHP 2SPB150TB	2,380	PHP 3SPB150TB	2,934	PHP 4SPB150TB	3,622
160	PHP 1SPB160TB	2,011	PHP 2SPB160TB	2,619	PHP 3SPB160TB	3,454	PHP 4SPB160TB	3,945
170	PHP 1SPB170TB	2,158	PHP 2SPB170TB	2,896	PHP 3SPB170TB	3,737	PHP 4SPB170TB	4,596
180	PHP 1SPB180TB	2,405	PHP 2SPB180TB	3,737	PHP 3SPB180TB	4,192	PHP 4SPB180TB	5,067
190	PHP 1SPB190TB	2,749	PHP 2SPB190TB	4,093	PHP 3SPB190TB	4,638	PHP 4SPB190TB	5,606
200	PHP 1SPB200TB	2,836	PHP 2SPB200TB	4,233	PHP 3SPB200TB	5,167	PHP 4SPB200TB	6,070
212	PHP 1SPB212TB	3,113	PHP 2SPB212TB	4,375	PHP 3SPB212TB	5,276	PHP 4SPB212TB	6,433
224	PHP 1SPB224TB	3,240	PHP 2SPB224TB	4,654	PHP 3SPB224TB	5,549	PHP 4SPB224TB	7,311
236	PHP 1SPB236TB	3,616	PHP 2SPB236TB	5,043	PHP 3SPB236TB	6,082	PHP 4SPB236TB	8,131
250	PHP 1SPB250TB	3,707	PHP 2SPB250TB	5,638	PHP 3SPB250TB	6,748	PHP 4SPB250TB	8,190
265	PHP 1SPB265TB	3,878	PHP 2SPB265TB	6,156	PHP 3SPB265TB	7,129	PHP 4SPB265TB	9,744
280	PHP 1SPB280TB	4,081	PHP 2SPB280TB	6,628	PHP 3SPB280TB	8,016	PHP 4SPB280TB	10,255
300			PHP 2SPB300TB	7,111	PHP 3SPB300TB	9,021	PHP 4SPB300TB	12,355
315	PHP 1SPB315TB	5,025	PHP 2SPB315TB	7,912	PHP 3SPB315TB	9,477	PHP 4SPB315TB	12,101
335			PHP 2SPB335TB	8,181	PHP 3SPB335TB	10,574	PHP 4SPB335TB	14,521
355	PHP 1SPB355TB	8,696	PHP 2SPB355TB	9,016	PHP 3SPB355TB	11,440	PHP 4SPB355TB	14,546
375	PHP 1SPB375TB	10,394	PHP 2SPB375TB	10,372			PHP 4SPB375TB	19,157
400	PHP 1SPB400TB	12,024	PHP 2SPB400TB	11,910	PHP 3SPB400TB	14,636	PHP 4SPB400TB	16,889
425	PHP 1SPB425TB	12,617					PHP 4SPB425TB	20,382
450	PHP 1SPB450TB	13,230	PHP 2SPB450TB	13,098	PHP 3SPB450TB	17,670	PHP 4SPB450TB	20,389
475	PHP 1SPB475TB	13,514	PHP 2SPB475TB	13,432	PHP 3SPB475TB	19,132	PHP 4SPB475TB	21,809
500	PHP 1SPB500TB	16,196	PHP 2SPB500TB	14,527	PHP 3SPB500TB	21,495	PHP 4SPB500TB	22,670
530	PHP 1SPB530TB	17,639			PHP 3SPB530TB	21,907	PHP 4SPB530TB	24,691
560	PHP 1SPB560TB	18,749	PHP 2SPB560TB	16,940	PHP 3SPB560TB	25,240	PHP 4SPB560TB	26,578
630	PHP 1SPB630TB	23,288	PHP 2SPB630TB	20,715	PHP 3SPB630TB	25,427	PHP 4SPB630TB	30,578
710					PHP 3SPB710TB	37,725	PHP 4SPB710TB	46,737
800					PHP 3SPB800TB	45,098	PHP 4SPB800TB	51,635
900					PHP 3SPB900TB	58,649	PHP 4SPB900TB	70,591
1000					PHP 3SPB1000TB	70,633	PHP 4SPB1000TB	71,900
1120					PHP 3SPB1120TB	84,764		
1250					PHP 3SPB1250TB	93,193	PHP 4SPB1250TB	121,315

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Wedge belt pulleys section: SPB

(For pulleys not listed, please contact SKF)

PCD in mm	5 Grooves		6 Grooves		8 Grooves		10 Grooves	
	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
100								
106								
112								
118								
125	PHP 5SPB125TB	3,113	PHP 6SPB125TB	3,908				
132	PHP 5SPB132TB	3,288	PHP 6SPB132TB	4,063				
140	PHP 5SPB140TB	3,622	PHP 6SPB140TB	4,213	PHP 8SPB140TB	6,089		
150	PHP 5SPB150TB	4,197	PHP 6SPB150TB	4,868				
160	PHP 5SPB160TB	4,688	PHP 6SPB160TB	5,022	PHP 8SPB160TB	7,288		
170	PHP 5SPB170TB	5,092	PHP 6SPB170TB	5,935	PHP 8SPB170TB	7,590		
180	PHP 5SPB180TB	5,735	PHP 6SPB180TB	6,555	PHP 8SPB180TB	9,422		
190	PHP 5SPB190TB	6,278	PHP 6SPB190TB	7,168	PHP 8SPB190TB	9,793		
200	PHP 5SPB200TB	6,894	PHP 6SPB200TB	7,792	PHP 8SPB200TB	11,298		
212	PHP 5SPB212TB	7,031	PHP 6SPB212TB	9,497	PHP 8SPB212TB	12,573		
224	PHP 5SPB224TB	8,459	PHP 6SPB224TB	10,346	PHP 8SPB224TB	14,006	PHP 10SPB224TB	18,393
236	PHP 5SPB236TB	9,903	PHP 6SPB236TB	11,000	PHP 8SPB236TB	15,391	PHP 10SPB236TB	20,035
250	PHP 5SPB250TB	11,630	PHP 6SPB250TB	11,890	PHP 8SPB250TB	17,286	PHP 10SPB250TB	22,318
265	PHP 5SPB265TB	13,121	PHP 6SPB265TB	13,891	PHP 8SPB265TB	19,222		
280	PHP 5SPB280TB	12,246	PHP 6SPB280TB	13,814	PHP 8SPB280TB	20,185	PHP 10SPB280TB	28,701
300	PHP 5SPB300TB	13,530	PHP 6SPB300TB	16,126	PHP 8SPB300TB	20,249		
315	PHP 5SPB315TB	14,076	PHP 6SPB315TB	16,989	PHP 8SPB315TB	22,341	PHP 10SPB315TB	30,386
335	PHP 5SPB335TB	14,785	PHP 6SPB335TB	19,278	PHP 8SPB335TB	23,637	PHP 10SPB335TB	33,983
355	PHP 5SPB355TB	16,860	PHP 6SPB355TB	20,489	PHP 8SPB355TB	25,531	PHP 10SPB355TB	36,414
375	PHP 5SPB375TB	20,227	PHP 6SPB375TB	23,811				
400	PHP 5SPB400TB	19,845	PHP 6SPB400TB	24,462	PHP 8SPB400TB	32,184	PHP 10SPB400TB	45,669
425					PHP 8SPB425TB	35,573		
450	PHP 5SPB450TB	23,475	PHP 6SPB450TB	28,664	PHP 8SPB450TB	35,304	PHP 10SPB450TB	49,844
475	PHP 5SPB475TB	25,050	PHP 6SPB475TB	32,381	PHP 8SPB475TB	38,263		
500	PHP 5SPB500TB	26,934	PHP 6SPB500TB	32,375	PHP 8SPB500TB	39,963	PHP 10SPB500TB	59,811
530			PHP 6SPB530TB	35,923				
560	PHP 5SPB560TB	28,156	PHP 6SPB560TB	37,497	PHP 8SPB560TB	52,243		
630	PHP 5SPB630TB	38,873	PHP 6SPB630TB	44,153	PHP 8SPB630TB	61,914	PHP 10SPB630TB	76,297
710	PHP 5SPB710TB	55,708	PHP 6SPB710TB	60,740	PHP 8SPB710TB	75,709	PHP 10SPB710TB	91,020
800	PHP 5SPB800TB	59,741	PHP 6SPB800TB	67,186	PHP 8SPB800TB	89,385	PHP 10SPB800TB	102,510
900	PHP 5SPB900TB	77,760	PHP 6SPB900TB	97,256	PHP 8SPB900TB	111,467	PHP 10SPB900TB	144,640
1000	PHP 5SPB1000TB	97,543	PHP 6SPB1000TB	101,453	PHP 8SPB1000TB	123,278	PHP 10SPB1000TB	178,353
1120	PHP 5SPB1120TB	117,593	PHP 6SPB1120TB	121,753	PHP 8SPB1120TB	147,920		
1250	PHP 5SPB1250TB	137,256	PHP 6SPB1250TB	142,289	PHP 8SPB1250TB	190,255	PHP 10SPB1250TB	237,598

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Wedge belt pulleys section: SPC

(For pulleys not listed, please contact SKF)

PCD in mm	3 Grooves		4 Grooves		5 Grooves		6 Grooves	
	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
200	PHP 3SPC200TB	8,372	PHP 4SPC200TB	9,791	PHP 5SPC200TB	11,678	PHP 6SPC200TB	13,116
212	PHP 3SPC212TB	9,070	PHP 4SPC212TB	10,389	PHP 5SPC212TB	12,909	PHP 6SPC212TB	14,601
224	PHP 3SPC224TB	10,040	PHP 4SPC224TB	12,473	PHP 5SPC224TB	14,339	PHP 6SPC224TB	16,037
236	PHP 3SPC236TB	11,219	PHP 4SPC236TB	13,472	PHP 5SPC236TB	15,603	PHP 6SPC236TB	17,649
250	PHP 3SPC250TB	12,061	PHP 4SPC250TB	15,215	PHP 5SPC250TB	17,413	PHP 6SPC250TB	18,477
265	PHP 3SPC265TB	14,437	PHP 4SPC265TB	18,572	PHP 5SPC265TB	19,592	PHP 6SPC265TB	21,922
280	PHP 3SPC280TB	15,369	PHP 4SPC280TB	19,367	PHP 5SPC280TB	20,210	PHP 6SPC280TB	23,792
300	PHP 3SPC300TB	16,984	PHP 4SPC300TB	19,278	PHP 5SPC300TB	21,029	PHP 6SPC300TB	25,422
315	PHP 3SPC315TB	17,679	PHP 4SPC315TB	19,900	PHP 5SPC315TB	23,048	PHP 6SPC315TB	26,192
335	PHP 3SPC335TB	18,846	PHP 4SPC335TB	21,591	PHP 5SPC335TB	23,776	PHP 6SPC335TB	28,672
355	PHP 3SPC355TB	19,319	PHP 4SPC355TB	22,685	PHP 5SPC355TB	26,339	PHP 6SPC355TB	29,280
375	PHP 3SPC375TB	21,166	PHP 4SPC375TB	24,703	PHP 5SPC375TB	28,818	PHP 6SPC375TB	32,924
400	PHP 3SPC400TB	22,315	PHP 4SPC400TB	26,630	PHP 5SPC400TB	30,892	PHP 6SPC400TB	35,277
425	PHP 3SPC425TB	26,406	PHP 4SPC425TB	28,495	PHP 5SPC425TB	34,631	PHP 6SPC425TB	39,329
450	PHP 3SPC450TB	29,172	PHP 4SPC450TB	35,140	PHP 5SPC450TB	38,190	PHP 6SPC450TB	46,535
475	PHP 3SPC475TB	31,134	PHP 4SPC475TB	38,253	PHP 5SPC475TB	42,142	PHP 6SPC475TB	47,530
500	PHP 3SPC500TB	35,357	PHP 4SPC500TB	38,868	PHP 5SPC500TB	47,341	PHP 6SPC500TB	51,585
530	PHP 3SPC530TB	35,282	PHP 4SPC530TB	45,629	PHP 5SPC530TB	47,971	PHP 6SPC530TB	54,485
560	PHP 3SPC560TB	41,272	PHP 4SPC560TB	51,466	PHP 5SPC560TB	50,456	PHP 6SPC560TB	61,954
630	PHP 3SPC630TB	44,043	PHP 4SPC630TB	55,194	PHP 5SPC630TB	59,808	PHP 6SPC630TB	65,389
710	PHP 3SPC710TB	51,646	PHP 4SPC710TB	63,784	PHP 5SPC710TB	76,636	PHP 6SPC710TB	84,128
800	PHP 3SPC800TB	62,682	PHP 4SPC800TB	71,282	PHP 5SPC800TB	86,232	PHP 6SPC800TB	88,335
900			PHP 4SPC900TB	85,539	PHP 5SPC900TB	103,961	PHP 6SPC900TB	119,899
1000	PHP 3SPC1000TB	87,939	PHP 4SPC1000TB	98,503	PHP 5SPC1000TB	107,710	PHP 6SPC1000TB	126,808
1120	PHP 3SPC1120TB	105,526	PHP 4SPC1120TB	118,206	PHP 5SPC1120TB	129,858	PHP 6SPC1120TB	152,172
1250	PHP 3SPC1250TB	131,902	PHP 4SPC1250TB	150,799	PHP 5SPC1250TB	157,837	PHP 6SPC1250TB	183,632

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Wedge belt pulleys section: SPC

(For pulleys not listed, please contact SKF)

PCD in mm	8 Grooves		10 Grooves	
	Designation	RSP (₹)	Designation	RSP (₹)
200	PHP 8SPC200TB	17,406		
212	PHP 8SPC212TB	18,572		
224	PHP 8SPC224TB	21,127	PHP 10SPC224TB	31,328
236	PHP 8SPC236TB	22,922	PHP 10SPC236TB	33,083
250	PHP 8SPC250TB	24,850	PHP 10SPC250TB	36,125
265	PHP 8SPC265TB	28,754	PHP 10SPC265TB	40,093
280	PHP 8SPC280TB	29,579	PHP 10SPC280TB	44,011
300	PHP 8SPC300TB	31,419	PHP 10SPC300TB	42,413
315	PHP 8SPC315TB	33,796	PHP 10SPC315TB	50,878
335	PHP 8SPC335TB	34,948	PHP 10SPC335TB	56,857
355	PHP 8SPC355TB	36,920	PHP 10SPC355TB	59,233
375	PHP 8SPC375TB	41,935	PHP 10SPC375TB	65,477
400	PHP 8SPC400TB	44,778	PHP 10SPC400TB	66,870
425	PHP 8SPC425TB	54,203	PHP 10SPC425TB	78,702
450	PHP 8SPC450TB	56,885	PHP 10SPC450TB	78,300
475	PHP 8SPC475TB	62,710	PHP 10SPC475TB	97,944
500	PHP 8SPC500TB	64,385	PHP 10SPC500TB	89,657
530	PHP 8SPC530TB	66,050	PHP 10SPC530TB	100,639
560	PHP 8SPC560TB	69,500	PHP 10SPC560TB	95,544
630	PHP 8SPC630TB	72,486	PHP 10SPC630TB	104,352
710	PHP 8SPC710TB	108,794	PHP 10SPC710TB	126,710
800	PHP 8SPC800TB	111,571	PHP 10SPC800TB	137,646
900	PHP 8SPC900TB	141,613	PHP 10SPC900TB	181,696
1000	PHP 8SPC1000TB	150,900	PHP 10SPC1000TB	198,981
1120	PHP 8SPC1120TB	181,090	PHP 10SPC1120TB	238,773
1250	PHP 8SPC1250TB	213,763	PHP 10SPC1250TB	258,768

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products
(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Taper bushing (Metric bore)

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHF TB1008X10MM	311	PHF TB1215X18MM	***	PHF TB2012X20MM	655
PHF TB1008X11MM	***	PHF TB1215X20MM	***	PHF TB2012X22MM	655
PHF TB1008X12MM	311	PHF TB1215X22MM	***	PHF TB2012X24MM	655
PHF TB1008X14MM	***	PHF TB1215X25MM	***	PHF TB2012X25MM	655
PHF TB1008X15MM	311	PHF TB1215X28MM	501	PHF TB2012X28MM	655
PHF TB1008X16MM	***	PHF TB1215X30MM	***	PHF TB2012X30MM	655
PHF TB1008X18MM	***	PHF TB1215X32MM	***	PHF TB2012X32MM	655
PHF TB1008X19MM	311	PHF TB1610X14MM	509	PHF TB2012X35MM	655
PHF TB1008X20MM	***	PHF TB1610X15MM	509	PHF TB2012X38MM	655
PHF TB1008X22MM	***	PHF TB1610X16MM	509	PHF TB2012X40MM	655
PHF TB1008X24MM	311	PHF TB1610X18MM	509	PHF TB2012X42MM	655
PHF TB1008X25MM	311	PHF TB1610X19MM	509	PHF TB2012X45MM	655
PHF TB1008X9MM	***	PHF TB1610X20MM	509	PHF TB2012X48MM	655
PHF TB1108X10MM	***	PHF TB1610X22MM	509	PHF TB2012X50MM	655
PHF TB1108X11MM	***	PHF TB1610X24MM	509	PHF TB2517X16MM	1,032
PHF TB1108X12MM	346	PHF TB1610X25MM	509	PHF TB2517X18MM	1,032
PHF TB1108X14MM	346	PHF TB1610X28MM	509	PHF TB2517X19MM	1,032
PHF TB1108X15MM	346	PHF TB1610X30MM	509	PHF TB2517X20MM	1,032
PHF TB1108X16MM	346	PHF TB1610X32MM	509	PHF TB2517X22MM	1,032
PHF TB1108X18MM	346	PHF TB1610X35MM	509	PHF TB2517X24MM	1,032
PHF TB1108X19MM	346	PHF TB1610X38MM	509	PHF TB2517X25MM	1,032
PHF TB1108X20MM	346	PHF TB1610X40MM	509	PHF TB2517X28MM	1,032
PHF TB1108X22MM	346	PHF TB1610X42MM	509	PHF TB2517X30MM	1,032
PHF TB1108X24MM	346	PHF TB1615X14MM	573	PHF TB2517X32MM	1,032
PHF TB1108X25MM	346	PHF TB1615X15MM	***	PHF TB2517X35MM	1,032
PHF TB1108X28MM	346	PHF TB1615X16MM	***	PHF TB2517X38MM	1,032
PHF TB1108X9MM	346	PHF TB1615X18MM	***	PHF TB2517X40MM	1,032
PHF TB1210X11MM	***	PHF TB1615X19MM	573	PHF TB2517X42MM	1,032
PHF TB1210X12MM	***	PHF TB1615X20MM	***	PHF TB2517X45MM	1,032
PHF TB1210X14MM	453	PHF TB1615X22MM	***	PHF TB2517X48MM	1,032
PHF TB1210X15MM	453	PHF TB1615X24MM	573	PHF TB2517X50MM	1,032
PHF TB1210X16MM	***	PHF TB1615X25MM	573	PHF TB2517X55MM	1,032
PHF TB1210X18MM	453	PHF TB1615X28MM	573	PHF TB2517X60MM	1,032
PHF TB1210X19MM	453	PHF TB1615X30MM	573	PHF TB3020X25MM	1,748
PHF TB1210X20MM	453	PHF TB1615X32MM	573	PHF TB3020X28MM	1,748
PHF TB1210X22MM	453	PHF TB1615X35MM	573	PHF TB3020X30MM	1,748
PHF TB1210X24MM	453	PHF TB1615X38MM	573	PHF TB3020X32MM	1,748
PHF TB1210X25MM	453	PHF TB1615X40MM	***	PHF TB3020X35MM	1,748
PHF TB1210X28MM	453	PHF TB1615X42MM	573	PHF TB3020X38MM	1,748
PHF TB1210X30MM	453	PHF TB2012X14MM	655	PHF TB3020X40MM	1,748
PHF TB1210X32MM	453	PHF TB2012X15MM	655	PHF TB3020X42MM	1,748
PHF TB1215X11MM	***	PHF TB2012X16MM	655	PHF TB3020X45MM	1,748
PHF TB1215X14MM	***	PHF TB2012X18MM	655	PHF TB3020X48MM	1,748
PHF TB1215X16MM	***	PHF TB2012X19MM	655	PHF TB3020X50MM	1,748

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products
(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Taper bushing (Metric bore)

Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHF TB3020X55MM	1,748	PHF TB3535X75MM	3,970	PHF TB4535X65MM	***
PHF TB3020X60MM	1,748	PHF TB3535X80MM	3,970	PHF TB4535X70MM	***
PHF TB3020X65MM	1,748	PHF TB3535X85MM	3,970	PHF TB4535X75MM	***
PHF TB3020X70MM	1,748	PHF TB3535X90MM	3,970	PHF TB4535X80MM	***
PHF TB3020X75MM	1,748	PHF TB4030X100MM	***	PHF TB4535X85MM	***
PHF TB3030X35MM	***	PHF TB4030X105MM	***	PHF TB4535X90MM	6,386
PHF TB3030X38MM	***	PHF TB4030X110MM	***	PHF TB4535X95MM	***
PHF TB3030X40MM	***	PHF TB4030X115MM	***	PHF TB4545X100MM	7,717
PHF TB3030X42MM	***	PHF TB4030X40MM	***	PHF TB4545X105MM	***
PHF TB3030X48MM	2,458	PHF TB4030X42MM	***	PHF TB4545X110MM	7,717
PHF TB3030X50MM	2,458	PHF TB4030X45MM	***	PHF TB4545X55MM	7,717
PHF TB3030X55MM	2,458	PHF TB4030X48MM	***	PHF TB4545X60MM	7,717
PHF TB3030X60MM	2,458	PHF TB4030X50MM	***	PHF TB4545X65MM	***
PHF TB3030X65MM	***	PHF TB4030X55MM	***	PHF TB4545X70MM	7,717
PHF TB3030X70MM	***	PHF TB4030X60MM	***	PHF TB4545X75MM	7,717
PHF TB3030X75MM	2,458	PHF TB4030X65MM	***	PHF TB4545X80MM	7,717
PHF TB3525X100MM	5,598	PHF TB4030X70MM	***	PHF TB4545X85MM	7,717
PHF TB3525X35MM	3,161	PHF TB4030X75MM	***	PHF TB4545X90MM	7,717
PHF TB3525X38MM	***	PHF TB4030X80MM	4,896	PHF TB4545X95MM	7,717
PHF TB3525X40MM	***	PHF TB4030X85MM	***	PHF TB5040X100MM	***
PHF TB3525X42MM	***	PHF TB4030X90MM	***	PHF TB5040X105MM	***
PHF TB3525X45MM	***	PHF TB4030X95MM	4,896	PHF TB5040X110MM	***
PHF TB3525X48MM	***	PHF TB4040X100MM	5,588	PHF TB5040X115MM	***
PHF TB3525X50MM	***	PHF TB4040X40MM	5,588	PHF TB5040X120MM	***
PHF TB3525X55MM	***	PHF TB4040X42MM	***	PHF TB5040X125MM	***
PHF TB3525X60MM	3,161	PHF TB4040X45MM	***	PHF TB5040X130MM	***
PHF TB3525X65MM	3,161	PHF TB4040X48MM	***	PHF TB5040X75MM	***
PHF TB3525X70MM	3,161	PHF TB4040X50MM	***	PHF TB5040X80MM	***
PHF TB3525X75MM	***	PHF TB4040X55MM	***	PHF TB5040X85MM	***
PHF TB3525X80MM	***	PHF TB4040X60MM	5,588	PHF TB5040X90MM	***
PHF TB3525X85MM	***	PHF TB4040X65MM	5,588	PHF TB5040X95MM	***
PHF TB3525X90MM	***	PHF TB4040X70MM	5,588	PHF TB5050X100MM	10,239
PHF TB3525X95MM	***	PHF TB4040X75MM	5,588	PHF TB5050X105MM	***
PHF TB3535X35MM	3,970	PHF TB4040X80MM	5,588	PHF TB5050X110MM	10,239
PHF TB3535X38MM	3,970	PHF TB4040X85MM	5,588	PHF TB5050X115MM	***
PHF TB3535X40MM	3,970	PHF TB4040X90MM	5,588	PHF TB5050X120MM	10,239
PHF TB3535X42MM	3,970	PHF TB4040X95MM	5,588	PHF TB5050X125MM	10,239
PHF TB3535X45MM	3,970	PHF TB4535X100MM	***	PHF TB5050X70MM	10,239
PHF TB3535X48MM	3,970	PHF TB4535X105MM	***	PHF TB5050X75MM	10,239
PHF TB3535X50MM	3,970	PHF TB4535X110MM	***	PHF TB5050X80MM	10,239
PHF TB3535X55MM	3,970	PHF TB4535X115MM	***	PHF TB5050X85MM	10,239
PHF TB3535X60MM	3,970	PHF TB4535X120MM	***	PHF TB5050X90MM	10,239
PHF TB3535X65MM	3,970	PHF TB4535X55MM	***	PHF TB5050X95MM	10,239
PHF TB3535X70MM	3,970	PHF TB4535X60MM	***		

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

British standard – Roller Chains

Chains as per BS 228/DIN 8187/ISO 606 specifications

Standard length: 10 feet

Designation	Pitch (mm)	Chain RSP/10 ft (₹)	Connecting link (C/L)	RSP/PC (₹)	Offset link (O/L)	RSP/PC (₹)
SINGLE STRAND						
PHC 04B-1X10FT	6.00	3,809	PHC 04B-1C/L	47	PHC 04B-1O/L	87
PHC 05B-1X10FT	8.00	3,110	PHC 05B-1C/L	47	PHC 05B-1O/L	87
PHC 06B-1X10FT	9.525	***	PHC 06B-1C/L	38	PHC 06B-1O/L	68
PHC 08B-1X10FT	12.70	1,834	PHC 08B-1C/L	47	PHC 08B-1O/L	87
PHC 10B-1X10FT	15.875	***	PHC 10B-1C/L	58	PHC 10B-1O/L	125
PHC 12B-1X10FT	19.05	3,243	PHC 12B-1C/L	68	PHC 12B-1O/L	135
PHC 16B-1X10FT	25.40	6,520	PHC 16B-1C/L	145	PHC 16B-1O/L	297
PHC 20B-1X10FT	31.75	***	PHC 20B-1C/L	307	PHC 20B-1O/L	630
PHC 24B-1X10FT	38.10	***	PHC 24B-1C/L	578	PHC 24B-1O/L	1,174
PHC 28B-1X10FT	44.45	21,127	PHC 28B-1C/L	852	PHC 28B-1O/L	1,692
PHC 32B-1X10FT	50.80	26,860	PHC 32B-1C/L	1,283	PHC 32B-1O/L	2,543
PHC 40B-1X10FT	63.50	45,068	PHC 40B-1C/L	2,639	PHC 40B-1O/L	5,274
PHC 48B-1X10FT	76.20	73,245	PHC 48B-1C/L	4,011	PHC 48B-1O/L	***
PHC 56B-1X10FT	88.90	***	PHC 56B-1C/L	9,195	PHC 56B-1O/L	***
PHC 64B-1X10FT	101.60	***				
DOUBLE STRAND						
PHC 05B-2X10FT	8.00	6,156	PHC 05B-2C/L	95	PHC 05B-2O/L	174
PHC 06B-2X10FT	9.525	3,278	PHC 06B-2C/L	70	PHC 06B-2O/L	135
PHC 08B-2X10FT	12.70	***	PHC 08B-2C/L	95	PHC 08B-2O/L	174
PHC 10B-2X10FT	15.875	***	PHC 10B-2C/L	115	PHC 10B-2O/L	251
PHC 12B-2X10FT	19.05	6,480	PHC 12B-2C/L	135	PHC 12B-2O/L	272
PHC 16B-2X10FT	25.40	13,031	PHC 16B-2C/L	292	PHC 16B-2O/L	601
PHC 20B-2X10FT	31.75	19,252	PHC 20B-2C/L	616	PHC 20B-2O/L	1,254
PHC 24B-2X10FT	38.10	35,314	PHC 24B-2C/L	1,162	PHC 24B-2O/L	2,341
PHC 28B-2X10FT	44.45	42,266	PHC 28B-2C/L	1,698	PHC 28B-2O/L	3,387
PHC 32B-2X10FT	50.80	53,722	PHC 32B-2C/L	2,555	PHC 32B-2O/L	5,094
PHC 40B-2X10FT	63.50	90,140	PHC 40B-2C/L	5,274	PHC 40B-2O/L	10,558
PHC 48B-2X10FT	76.20	146,496	PHC 48B-2C/L	***	PHC 48B-2O/L	***
PHC 56B-2X10FT	88.90	***				

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

British standard – Roller Chains

Chains as per BS 228/DIN 8187/ISO 606 specifications

Standard length: 10 feet

Designation	Pitch (mm)	Chain RSP/10 ft (₹)	Connecting link (C/L)	RSP/PC (₹)	Offset link (O/L)	RSP/PC (₹)
TRIPLE STRAND						
PHC 05B-3O/L	8mm	***				
PHC 06B-3X10FT	9.525	6,126	PHC 06B-3C/L	125	PHC 06B-3O/L	219
PHC 08B-3X10FT	12.70	6,389	PHC 08B-3C/L	152	PHC 08B-3O/L	279
PHC 10B-3X10FT	15.875	8,525	PHC 10B-3C/L	180	PHC 10B-3O/L	402
PHC 12B-3X10FT	19.05	10,671	PHC 12B-3C/L	219	PHC 12B-3O/L	436
PHC 16B-3X10FT	25.40	20,853	PHC 16B-3C/L	461	PHC 16B-3O/L	962
PHC 20B-3X10FT	31.75	31,682	PHC 20B-3C/L	995	PHC 20B-3O/L	2,012
PHC 24B-3X10FT	38.10	56,484	PHC 24B-3C/L	1,857	PHC 24B-3O/L	3,746
PHC 28B-3X10FT	44.45	67,622	PHC 28B-3C/L	***	PHC 28B-3O/L	***
PHC 32B-3X10FT	50.80	85,965	PHC 32B-3C/L	4,086	PHC 32B-3O/L	8,143
PHC 40B-3X10FT	63.50	144,218	PHC 40B-3C/L	8,440	PHC 40B-3O/L	16,885
PHC 48B-3X10FT	76.20	***	PHC 48B-3C/L	***	PHC 48B-3O/L	***
PHC 06B-1X10FTI	9.525	1,438				
PHC 08B-1X10FTI	12.7	1,568				
PHC 10B-1X10FTI	15.875	2,109				
PHC 12B-1X10FTI	19.05	2,589				
PHC 16B-1X10FTI	25.4	5,030				
PHC 20B-1X10FTI	31.75	7,702				
PHC 24B-1X10FTI	38.1	13,980				
PHC 08B-2X10FTI	12.7	3,108				
PHC 10B-2X10FTI	15.875	4,509				
PHC 12B-2X10FTI	19.05	5,476				
PHC 16B-2X10FTI	25.4	10,508				
PHC 20B-2X10FTI	31.75	16,313				

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

American standard– Roller Chains

Chains as per ANSI B29.1/DIN 8188/ISO 606 specifications

Standard length: 10 feet

Designation	Pitch (mm)	Chain RSP/10 ft (₹)	Connecting link (C/L)	RSP/PC (₹)	Offset link (O/L)	RSP/PC (₹)
SINGLE STRAND						
PHC 25-1X10FT*		2,517	PHC 25-1C/L	62	PHC 25-1O/L	145
PHC 35-1X10FT*		2,094	PHC 35-1C/L	47	PHC 35-1O/L	89
PHC 40-1X10FT		1,859	PHC 40-1C/L	47	PHC 40-1O/L	87
PHC 41-1X10FT		1,698	PHC 41-1C/L	38	PHC 41-1O/L	70
PHC 50-1X10FT		2,720	PHC 50-1C/L	58	PHC 50-1O/L	125
PHC 60-1X10FT		3,612	PHC 60-1C/L	68	PHC 60-1O/L	135
PHC 80-1X10FT		6,333	PHC 80-1C/L	145	PHC 80-1O/L	297
PHC 100-1X10FT		9,623	PHC 100-1C/L	292	PHC 100-1O/L	578
PHC 120-1X10FT		14,422	PHC 120-1C/L	578	PHC 120-1O/L	1,174
PHC 140-1X10FT		18,587	PHC 140-1C/L	852	PHC 140-1O/L	***
PHC 160-1X10FT		26,374	PHC 160-1C/L	1,283	PHC 160-1O/L	2,543
PHC 180-1X10FT		48,418	PHC 180-1C/L	***	PHC 180-1O/L	***
PHC 200-1X10FT		47,089	PHC 200-1C/L	2,639	PHC 200-1O/L	***
PHC 240-1X10FT		69,345	PHC 240-1C/L	***	PHC 240-1O/L	***
DOUBLE STRAND						
PHC 25-2C/L		122				
PHC 35-2X10FT		4,168	PHC 35-2C/L	97	PHC 35-2O/L	***
PHC 40-2X10FT		3,661	PHC 40-2C/L	95	PHC 40-2O/L	174
PHC 41-2X10FT		3,732	PHC 41-2C/L	104	PHC 41-2O/L	195
PHC 50-2X10FT		5,778	PHC 50-2C/L	115	PHC 50-2O/L	251
PHC 60-2X10FT		7,228	PHC 60-2C/L	135	PHC 60-2O/L	272
PHC 80-2X10FT		12,657	PHC 80-2C/L	292	PHC 80-2O/L	601
PHC 100-2X10FT		19,252	PHC 100-2C/L	578	PHC 100-2O/L	1,162
PHC 120-2X10FT		28,804	PHC 120-2C/L	1,162	PHC 120-2O/L	2,341
PHC 140-2X10FT		38,527	PHC 140-2C/L	***	PHC 140-2O/L	***
PHC 160-2X10FT		52,749	PHC 160-2C/L	2,555	PHC 160-2O/L	***
PHC 180-2X10FT		***	PHC 180-2C/L	***	PHC 180-2O/L	***
PHC 200-2X10FT		95,496	PHC 200-2C/L	5,274	PHC 200-2O/L	***
PHC 240-2X10FT		***	PHC 240-2C/L	***	PHC 240-2O/L	***
TRIPLE STRAND						
PHC 35-3X10FT		***				
PHC 40-3X10FT		6,354	PHC 40-3C/L	***	PHC 40-3O/L	***
PHC 50-3X10FT		9,541	PHC 50-3C/L	180	PHC 50-3O/L	***
PHC 60-3X10FT		11,850	PHC 60-3C/L	***	PHC 60-3O/L	***
PHC 80-3X10FT		21,571	PHC 80-3C/L	***	PHC 80-3O/L	962
PHC 100-3X10FT		32,485	PHC 100-3C/L	929	PHC 100-3O/L	1,857
PHC 120-3X10FT		***	PHC 120-3C/L	***	PHC 120-3O/L	***
PHC 140-3X10FT		60,666	PHC 140-3C/L	2,727	PHC 140-3O/L	***
PHC 160-3X10FT		84,395	PHC 160-3C/L	4,086	PHC 160-3O/L	***
PHC 180-3X10FT		***	PHC 180-3C/L	***	PHC 180-3O/L	***
PHC 200-3X10FT		***	PHC 200-3C/L	***	PHC 200-3O/L	***
PHC 240-3X10FT		***	PHC 240-3C/L	***	PHC 240-3O/L	***

* Bushing Chain

Available on Request

Note: *** Price and availability on request.

*Bushing Chain

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Metric sprockets, ISO 06B

Pitch: 3/8", 9.525mm, pilot bore, type "B"

(For sprockets not listed, please contact SKF)

Note: Standard sprockets with teeth upto 25 will be hardened, designation has been changed accordingly.

Simplex		Duplex		Triplex	
Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHS 06B-1BH9	***	PHS 06B-2BH12	326	PHS 06B-3BH12	***
PHS 06B-1BH10	157	PHS 06B-2BH13	339	PHS 06B-3BH13	***
PHS 06B-1BH11	189	PHS 06B-2BH14	377	PHS 06B-3BH14	595
PHS 06B-1BH12	225	PHS 06B-2BH15	426	PHS 06B-3BH15	***
PHS 06B-1BH13	256	PHS 06B-2BH16	446	PHS 06B-3BH16	***
PHS 06B-1BH14	276	PHS 06B-2BH17	473	PHS 06B-3BH17	***
PHS 06B-1BH15	297	PHS 06B-2BH18	473	PHS 06B-3BH18	***
PHS 06B-1BH16	341	PHS 06B-2BH19	506	PHS 06B-3BH19	***
PHS 06B-1BH17	406	PHS 06B-2BH20	533	PHS 06B-3BH20	***
PHS 06B-1BH18	424	PHS 06B-2BH21	***	PHS 06B-3BH21	857
PHS 06B-1BH19	431	PHS 06B-2BH22	701	PHS 06B-3BH22	***
PHS 06B-1BH20	453	PHS 06B-2BH23	721	PHS 06B-3BH23	***
PHS 06B-1BH21	519	PHS 06B-2BH24	731	PHS 06B-3BH24	***
PHS 06B-1BH22	544	PHS 06B-2BH25	775	PHS 06B-3BH25	***
PHS 06B-1BH23	583	PHS 06B-2B26	***	PHS 06B-3B26	***
PHS 06B-1BH24	563	PHS 06B-2B27	***	PHS 06B-3B27	***
PHS 06B-1BH25	615	PHS 06B-2B28	954	PHS 06B-3B28	***
PHS 06B-1B26	691	PHS 06B-2B29	***	PHS 06B-3B29	***
PHS 06B-1B27	711	PHS 06B-2B30	1,067	PHS 06B-3B30	***
PHS 06B-1B28	740	PHS 06B-2B32	***	PHS 06B-3B32	***
PHS 06B-1B29	767	PHS 06B-2B35	***	PHS 06B-3B35	***
PHS 06B-1B30	815	PHS 06B-2B36	1,316	PHS 06B-3B36	***
PHS 06B-1B31	865	PHS 06B-2B38	***	PHS 06B-3B38	***
PHS 06B-1B32	865	PHS 06B-2B40	***	PHS 06B-3B40	2,473
PHS 06B-1B33	927	PHS 06B-2B42	1,772	PHS 06B-3B42	***
PHS 06B-1B34	984	PHS 06B-2B45	***	PHS 06B-3B45	***
PHS 06B-1B35	1,020	PHS 06B-2B48	2,381	PHS 06B-3B48	***
PHS 06B-1B36	1,052	PHS 06B-2B52	***	PHS 06B-3B52	***
PHS 06B-1B37	1,092	PHS 06B-2B57	***	PHS 06B-3B57	***
PHS 06B-1B38	1,142	PHS 06B-2B60	***	PHS 06B-3B60	***
PHS 06B-1B39	1,134	PHS 06B-2B68	***	PHS 06B-3B68	***
PHS 06B-1B40	1,201	PHS 06B-2B70	***	PHS 06B-3B70	***
PHS 06B-1B42	1,358	PHS 06B-2B72	***	PHS 06B-3B72	***
PHS 06B-1B45	1,602	PHS 06B-2B76	***	PHS 06B-3B76	***
PHS 06B-1B46	***	PHS 06B-2B84	6,059	PHS 06B-3B84	***
PHS 06B-1B48	1,712	PHS 06B-2B95	***	PHS 06B-3B95	***
PHS 06B-1B50	1,737	PHS 06B-2B96	***	PHS 06B-3B96	***
PHS 06B-1B57	1,775	PHS 06B-2B114	***	PHS 06B-3B114	***
PHS 06B-1B60	2,129				
PHS 06B-1B76	***				
PHS 06B-1B95	***				
PHS 06B-1B96	***				
PHS 06B-1B114	7,146				

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Metric sprockets, ISO 08B

Pitch: 1/2", 12.7mm, pilot bore, type "B"

(For sprockets not listed, please contact SKF)

Note: Standard sprockets with teeth upto 25 will be hardened, designation has been changed accordingly.

Simplex		Duplex		Triplex	
Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHS 08B-1BH8	165	PHS 08B-2BH10	***	PHS 08B-3BH11	***
PHS 08B-1BH9	205	PHS 08B-2BH11	468	PHS 08B-3BH12	***
PHS 08B-1BH10	291	PHS 08B-2BH12	541	PHS 08B-3BH13	***
PHS 08B-1BH11	354	PHS 08B-2BH13	578	PHS 08B-3BH14	***
PHS 08B-1BH12	407	PHS 08B-2BH14	653	PHS 08B-3BH15	1,146
PHS 08B-1BH13	451	PHS 08B-2BH15	773	PHS 08B-3BH16	***
PHS 08B-1BH14	474	PHS 08B-2BH16	813	PHS 08B-3BH17	***
PHS 08B-1BH15	511	PHS 08B-2BH17	910	PHS 08B-3BH18	***
PHS 08B-1BH16	518	PHS 08B-2BH18	1,020	PHS 08B-3BH19	***
PHS 08B-1BH17	549	PHS 08B-2BH19	1,087	PHS 08B-3BH20	***
PHS 08B-1BH18	600	PHS 08B-2BH20	1,164	PHS 08B-3BH21	***
PHS 08B-1BH19	628	PHS 08B-2BH21	1,346	PHS 08B-3BH22	***
PHS 08B-1BH20	653	PHS 08B-2BH22	1,323	PHS 08B-3BH23	***
PHS 08B-1BH21	676	PHS 08B-2BH23	1,523	PHS 08B-3BH24	***
PHS 08B-1BH22	762	PHS 08B-2BH24	1,618	PHS 08B-3BH25	***
PHS 08B-1BH23	792	PHS 08B-2BH25	1,570	PHS 08B-3B26	***
PHS 08B-1BH24	842	PHS 08B-2B26	1,703	PHS 08B-3B27	***
PHS 08B-1BH25	892	PHS 08B-2B27	***	PHS 08B-3B28	***
PHS 08B-1B26	855	PHS 08B-2B28	1,982	PHS 08B-3B29	***
PHS 08B-1B27	893	PHS 08B-2B29	2,129	PHS 08B-3B30	***
PHS 08B-1B28	942	PHS 08B-2B30	2,261	PHS 08B-3B35	***
PHS 08B-1B29	999	PHS 08B-2B32	2,498	PHS 08B-3B36	5,072
PHS 08B-1B30	1,079	PHS 08B-2B34	3,579	PHS 08B-3B38	***
PHS 08B-1B31	1,207	PHS 08B-2B35	***	PHS 08B-3B42	***
PHS 08B-1B32	1,254	PHS 08B-2B36	2,971	PHS 08B-3B45	***
PHS 08B-1B33	1,289	PHS 08B-2B38	3,188	PHS 08B-3B48	10,596
PHS 08B-1B34	1,336	PHS 08B-2B40	3,300	PHS 08B-3B52	***
PHS 08B-1B35	1,391	PHS 08B-2B42	3,878	PHS 08B-3B54	***
PHS 08B-1B36	1,535	PHS 08B-2B45	4,591	PHS 08B-3B57	11,797
PHS 08B-1B37	1,588	PHS 08B-2B48	4,957	PHS 08B-3B60	***
PHS 08B-1B38	1,638	PHS 08B-2B54	***	PHS 08B-3B68	***
PHS 08B-1B39	1,673	PHS 08B-2B57	***	PHS 08B-3B72	***
PHS 08B-1B40	1,767	PHS 08B-2B60	7,032	PHS 08B-3B76	***
PHS 08B-1B41	2,405	PHS 08B-2B68	***	PHS 08B-3B84	***
PHS 08B-1B42	2,186	PHS 08B-2B72	***	PHS 08B-3B95	***
PHS 08B-1B43	2,772	PHS 08B-2B76	***	PHS 08B-3B114	***
PHS 08B-1B44	2,979	PHS 08B-2B84	***		
PHS 08B-1B45	2,325	PHS 08B-2B95	***		
PHS 08B-1B46	2,445	PHS 08B-2B96	***		
PHS 08B-1B47	***	PHS 08B-2B114	***		

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Metric sprockets, ISO 08B

Pitch: 1/2", 12.7mm, pilot bore, type "B"

(For sprockets not listed, please contact SKF)

Note: Standard sprockets with teeth upto 25 will be hardened, designation has been changed accordingly.

Simplex		Duplex		Triplex	
Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHS 08B-1B48	2,993				
PHS 08B-1B50	3,211				
PHS 08B-1B54	***				
PHS 08B-1B57	3,707				
PHS 08B-1B60	4,143				
PHS 08B-1B64	***				
PHS 08B-1B70	***				
PHS 08B-1B72	***				
PHS 08B-1B76	***				
PHS 08B-1B80	9,549				
PHS 08B-1B84	***				
PHS 08B-1B95	***				
PHS 08B-1B96	***				
PHS 08B-1B114	***				

Do not copy

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Metric sprockets, ISO 10B

Pitch: 5/8", 15.88mm, pilot bore "B"

(For sprockets not listed, please contact SKF)

Note: Standard sprockets with teeth upto 25 will be hardened, designation has been changed accordingly.

Simplex		Duplex		Triplex	
Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHS 10B-1BH8	256	PHS 10B-2BH11	855	PHS 10B-3BH13	***
PHS 10B-1BH9	***	PHS 10B-2BH12	965	PHS 10B-3BH15	***
PHS 10B-1BH10	419	PHS 10B-2BH13	1,086	PHS 10B-3BH17	***
PHS 10B-1BH11	469	PHS 10B-2BH14	***	PHS 10B-3BH19	***
PHS 10B-1BH12	578	PHS 10B-2BH15	1,268	PHS 10B-3BH21	***
PHS 10B-1BH13	611	PHS 10B-2BH16	1,480	PHS 10B-3BH22	4,312
PHS 10B-1BH14	641	PHS 10B-2BH17	1,508	PHS 10B-3BH23	***
PHS 10B-1BH15	608	PHS 10B-2BH18	1,723	PHS 10B-3BH25	4,870
PHS 10B-1BH16	690	PHS 10B-2BH19	1,895	PHS 10B-3B26	***
PHS 10B-1BH17	813	PHS 10B-2BH20	2,074	PHS 10B-3B27	***
PHS 10B-1BH18	832	PHS 10B-2BH21	2,233	PHS 10B-3B28	***
PHS 10B-1BH19	863	PHS 10B-2BH22	2,540	PHS 10B-3B29	***
PHS 10B-1BH20	954	PHS 10B-2BH23	2,714	PHS 10B-3B30	***
PHS 10B-1BH21	1,009	PHS 10B-2BH24	2,986	PHS 10B-3B32	***
PHS 10B-1BH22	1,099	PHS 10B-2BH25	3,185	PHS 10B-3B35	***
PHS 10B-1BH23	1,162	PHS 10B-2B26	***	PHS 10B-3B36	***
PHS 10B-1BH24	1,216	PHS 10B-2B27	3,365	PHS 10B-3B38	***
PHS 10B-1BH25	1,271	PHS 10B-2B28	3,447	PHS 10B-3B45	***
PHS 10B-1B26	1,388	PHS 10B-2B29	***	PHS 10B-3B48	***
PHS 10B-1B27	1,440	PHS 10B-2B30	3,829	PHS 10B-3B57	***
PHS 10B-1B28	1,571	PHS 10B-2B32	4,698	PHS 10B-3B60	***
PHS 10B-1B29	1,638	PHS 10B-2B35	5,317		
PHS 10B-1B30	1,730	PHS 10B-2B36	5,561		
PHS 10B-1B31	1,859	PHS 10B-2B38	6,035		
PHS 10B-1B32	1,974	PHS 10B-2B40	***		
PHS 10B-1B33	2,098	PHS 10B-2B45	***		
PHS 10B-1B35	2,575	PHS 10B-2B48	10,008		
PHS 10B-1B36	2,695	PHS 10B-2B57	13,924		
PHS 10B-1B37	2,836	PHS 10B-2B60	14,776		
PHS 10B-1B38	2,974	PHS 10B-2B70	***		
PHS 10B-1B39	3,083	PHS 10B-2B76	***		
PHS 10B-1B40	3,210	PHS 10B-2B80	***		
PHS 10B-1B41	3,963	PHS 10B-2B95	***		
PHS 10B-1B42	3,425	PHS 10B-2B114	***		
PHS 10B-1B43	4,365				
PHS 10B-1B44	4,741				
PHS 10B-1B45	4,036				
PHS 10B-1B46	***				
PHS 10B-1B47	5,214				
PHS 10B-1B48	***				
PHS 10B-1B49	***				
PHS 10B-1B50	4,890				
PHS 10B-1B51	***				
PHS 10B-1B52	***				

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Metric sprockets, ISO 10B

Pitch: 5/8", 15.88mm, pilot bore, type "B"

(For sprockets not listed, please contact SKF)

Note: Standard sprockets with teeth upto 25 will be hardened, designation has been changed accordingly.

Simplex		Duplex		Triplex	
Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHS 10B-1B53	6,849				
PHS 10B-1B54	***				
PHS 10B-1B55	***				
PHS 10B-1B56	***				
PHS 10B-1B57	***				
PHS 10B-1B58	***				
PHS 10B-1B59	***				
PHS 10B-1B60	8,120				
PHS 10B-1B70	***				
PHS 10B-1B72	***				
PHS 10B-1B76	***				
PHS 10B-1B80	***				
PHS 10B-1B84	***				
PHS 10B-1B95	***				
PHS 10B-1B96	***				
PHS 10B-1B112	***				
PHS 10B-1B114	***				
PHS 10B-1B120	***				

Do not copy

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Metric sprockets, ISO 12B

Pitch: 3/4", 19.05mm, pilot bore, type "B"

(For sprockets not listed, please contact SKF)

Note: Standard sprockets with teeth upto 25 will be hardened, designation has been changed accordingly.

Simplex		Duplex		Triplex	
Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHS 12B-1BH8	453	PHS 12B-2BH10	1,164	PHS 12B-3BH17	***
PHS 12B-1BH9	549	PHS 12B-2BH11	1,383	PHS 12B-3BH19	***
PHS 12B-1BH10	663	PHS 12B-2BH12	1,508	PHS 12B-3BH21	***
PHS 12B-1BH11	711	PHS 12B-2BH13	1,653	PHS 12B-3BH23	6,655
PHS 12B-1BH12	852	PHS 12B-2BH14	1,769	PHS 12B-3BH25	7,804
PHS 12B-1BH13	917	PHS 12B-2BH15	2,006	PHS 12B-3B27	***
PHS 12B-1BH14	1,027	PHS 12B-2BH16	2,386	PHS 12B-3B30	***
PHS 12B-1BH15	1,065	PHS 12B-2BH17	2,530	PHS 12B-3B38	***
PHS 12B-1BH16	1,106	PHS 12B-2BH18	2,597	PHS 12B-3B45	***
PHS 12B-1BH17	1,156	PHS 12B-2BH19	3,076	PHS 12B-3B57	***
PHS 12B-1BH18	1,227	PHS 12B-2BH20	3,372		
PHS 12B-1BH19	1,279	PHS 12B-2BH21	3,716		
PHS 12B-1BH20	1,358	PHS 12B-2BH22	3,843		
PHS 12B-1BH21	1,642	PHS 12B-2BH23	3,931		
PHS 12B-1BH22	1,750	PHS 12B-2BH24	4,267		
PHS 12B-1BH23	1,834	PHS 12B-2BH25	4,921		
PHS 12B-1BH24	1,949	PHS 12B-2B26	5,217		
PHS 12B-1BH25	2,129	PHS 12B-2B27	5,494		
PHS 12B-1B26	2,024	PHS 12B-2B28	5,549		
PHS 12B-1B27	2,123	PHS 12B-2B30	6,044		
PHS 12B-1B28	2,251	PHS 12B-2B32	6,971		
PHS 12B-1B29	2,422	PHS 12B-2B35	8,006		
PHS 12B-1B30	2,600	PHS 12B-2B36	8,382		
PHS 12B-1B31	3,014	PHS 12B-2B38	9,263		
PHS 12B-1B32	3,090	PHS 12B-2B40	10,281		
PHS 12B-1B33	3,140	PHS 12B-2B45	12,791		
PHS 12B-1B34	3,622	PHS 12B-2B48	14,736		
PHS 12B-1B35	3,806	PHS 12B-2B57	***		
PHS 12B-1B36	3,996	PHS 12B-2B60	***		
PHS 12B-1B37	4,148	PHS 12B-2B95	***		
PHS 12B-1B38	4,404				
PHS 12B-1B39	4,531				
PHS 12B-1B40	4,726				
PHS 12B-1B41	5,974				
PHS 12B-1B42	5,342				
PHS 12B-1B43	6,992				
PHS 12B-1B44	7,507				
PHS 12B-1B45	6,575				
PHS 12B-1B46	***				
PHS 12B-1B47	***				
PHS 12B-1B48	7,345				
PHS 12B-1B49	***				
PHS 12B-1B50	8,742				
PHS 12B-1B54	***				

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Metric sprockets, ISO 12B

Pitch: 3/4", 19.05mm, pilot bore, type "B"

(For sprockets not listed, please contact SKF)

Note: Standard sprockets with teeth upto 25 will be hardened, designation has been changed accordingly.

Simplex		Duplex		Triplex	
Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHS 12B-1B57	8,995				
PHS 12B-1B60	11,085				
PHS 12B-1B65	***				
PHS 12B-1B70	19,571				
PHS 12B-1B72	***				
PHS 12B-1B76	18,980				
PHS 12B-1B80	***				
PHS 12B-1B84	***				
PHS 12B-1B95	***				
PHS 12B-1B96	***				
PHS 12B-1B114	***				

Do not copy

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Metric sprockets, ISO 16B

Pitch: 1", 25.4mm, pilot bore, type "B"

(For sprockets not listed, please contact SKF)

Note: Standard sprockets with teeth upto 25 will be hardened, designation has been changed accordingly.

Simplex		Duplex		Triplex	
Designation	RSP (₹)	Designation	RSP (₹)	Designation	RSP (₹)
PHS 16B-1BH8	939	PHS 16B-2BH11	2,938	PHS 16B-3BH12	***
PHS 16B-1BH9	975	PHS 16B-2BH12	3,158	PHS 16B-3BH13	***
PHS 16B-1BH10	990	PHS 16B-2BH13	3,930	PHS 16B-3BH14	***
PHS 16B-1BH11	1,197	PHS 16B-2BH14	4,289	PHS 16B-3BH15	***
PHS 16B-1BH12	1,401	PHS 16B-2BH15	4,683	PHS 16B-3BH16	***
PHS 16B-1BH13	1,518	PHS 16B-2BH16	5,574	PHS 16B-3BH17	***
PHS 16B-1BH14	1,650	PHS 16B-2BH17	6,182	PHS 16B-3BH19	11,269
PHS 16B-1BH15	2,011	PHS 16B-2BH18	7,081	PHS 16B-3BH21	13,393
PHS 16B-1BH16	2,453	PHS 16B-2BH19	7,620	PHS 16B-3BH22	***
PHS 16B-1BH17	2,637	PHS 16B-2BH20	8,333	PHS 16B-3BH23	***
PHS 16B-1BH18	2,809	PHS 16B-2BH21	8,998	PHS 16B-3BH24	***
PHS 16B-1BH19	2,844	PHS 16B-2BH22	9,668	PHS 16B-3BH25	***
PHS 16B-1BH20	3,185	PHS 16B-2BH23	10,351	PHS 16B-3B26	***
PHS 16B-1BH21	3,611	PHS 16B-2BH24	11,678	PHS 16B-3B27	***
PHS 16B-1BH22	3,809	PHS 16B-2BH25	12,360	PHS 16B-3B28	***
PHS 16B-1BH23	4,225	PHS 16B-2B26	12,091	PHS 16B-3B29	***
PHS 16B-1BH24	4,238	PHS 16B-2B27	13,592	PHS 16B-3B30	***
PHS 16B-1BH25	4,459	PHS 16B-2B28	14,511	PHS 16B-3B35	***
PHS 16B-1B26	5,179	PHS 16B-2B29	***	PHS 16B-3B36	***
PHS 16B-1B27	5,426	PHS 16B-2B30	16,329		
PHS 16B-1B28	5,666	PHS 16B-2B32	18,348		
PHS 16B-1B29	6,087	PHS 16B-2B35	21,411		
PHS 16B-1B30	6,147	PHS 16B-2B36	22,508		
PHS 16B-1B31	6,456	PHS 16B-2B38	24,951		
PHS 16B-1B32	6,912	PHS 16B-2B42	28,883		
PHS 16B-1B33	***				
PHS 16B-1B34	7,705				
PHS 16B-1B35	8,074				
PHS 16B-1B36	8,283				
PHS 16B-1B37	***				
PHS 16B-1B38	9,858				
PHS 16B-1B39	10,174				
PHS 16B-1B40	10,700				
PHS 16B-1B41	***				
PHS 16B-1B42	***				
PHS 16B-1B43	***				
PHS 16B-1B44	***				
PHS 16B-1B45	14,148				
PHS 16B-1B46	***				
PHS 16B-1B47	19,957				
PHS 16B-1B48	16,500				
PHS 16B-1B50	***				
PHS 16B-1B54	***				
PHS 16B-1B57	***				
PHS 16B-1B60	28,046				
PHS 16B-1B65	***				

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Flex (tyre) couplings

Flange – Pilot bore		Flange – “F” type taper bushed		Flange – “H” type taper bushed		Tyre – NR	
Designation	RSP/no. (₹)	Designation	RSP/no. (₹)	Designation	RSP/no. (₹)	Designation	RSP/no. (₹)
PHE F40RSBFLG	2,495	PHE F40FTBFLG	***	PHE F40HTBFLG	***	PHE F40NRTYRE	***
PHE F50RSBFLG	3,814	PHE F50FTBFLG	***	PHE F50HTBFLG	***	PHE F50NRTYRE	***
PHE F60RSBFLG	4,334	PHE F60FTBFLG	4,334	PHE F60HTBFLG	***	PHE F60NRTYRE	***
PHE F70RSBFLG	6,430	PHE F70FTBFLG	***	PHE F70HTBFLG	***	PHE F70NRTYRE	***
PHE F80RSBFLG	7,951	PHE F80FTBFLG	***	PHE F80HTBFLG	***	PHE F80NRTYRE	***
PHE F90RSBFLG	9,800	PHE F90FTBFLG	9,800	PHE F90HTBFLG	***	PHE F90NRTYRE	***
PHE F100RSBFLG	***	PHE F100FTBFLG	***	PHE F100HTBFLG	12,577	PHE F100NRTYRE	***
PHE F110RSBFLG	15,504	PHE F110FTBFLG	***	PHE F110HTBFLG	***	PHE F110NRTYRE	***
PHE F120RSBFLG	20,493	PHE F120FTBFLG	***	PHE F120HTBFLG	***	PHE F120NRTYRE	***
PHE F140RSBFLG	***	PHE F140FTBFLG	***	PHE F140HTBFLG	***	PHE F140NRTYRE	***
PHE F160RSBFLG	***	PHE F160FTBFLG	***	PHE F160HTBFLG	***	PHE F160NRTYRE	***
PHE F180RSBFLG	***	PHE F180FTBFLG	***	PHE F180HTBFLG	***	PHE F180NRTYRE	***
PHE F200RSBFLG	***	PHE F200FTBFLG	***	PHE F200HTBFLG	***	PHE F200NRTYRE	***
PHE F220RSBFLG	***	PHE F220FTBFLG	***	PHE F220HTBFLG	***	PHE F220NRTYRE	***
						PHE F250NRTYRE	***

Note: A complete flex coupling consists of:

- Two flanges in taper bushed (FTB, HTB) or pilot bore (RSB)
- One tyre
- Two taper bushings (if flanges selected are taper bushed)

FRC couplings

HUB – Pilot bore		HUB – “F” type taper bushed		HUB – “H” type taper bushed		Element – NR	
Designation	RSP/no. (₹)	Designation	RSP/no. (₹)	Designation	RSP/no. (₹)	Designation	RSP/no. (₹)
PHE FRC70RSB	645	PHE FRC70FTB	***	PHE FRC70HTB	645	PHE FRC70NR	***
PHE FRC90RSB	929	PHE FRC90FTB	883	PHE FRC90HTB	***	PHE FRC90NR	***
PHE FRC110RSB	1,772	PHE FRC110FTB	1,406	PHE FRC110HTB	1,406	PHE FRC110NR	***
PHE FRC130RSB	2,510	PHE FRC130FTB	***	PHE FRC130HTB	***	PHE FRC130NR	***
PHE FRC150RSB	3,465	PHE FRC150FTB	***	PHE FRC150HTB	***	PHE FRC150NR	658
PHE FRC180RSB	5,808	PHE FRC180FTB	3,916	PHE FRC180HTB	3,916	PHE FRC180NR	1,306
PHE FRC230RSB	***	PHE FRC230FTB	***	PHE FRC230HTB	6,951	PHE FRC230NR	***
PHE FRC280RSB	***	PHE FRC280FTB	***	PHE FRC280HTB	***	PHE FRC280NR	***

Note: A complete FRC coupling consists of:

- Two hubs in taper bushed (FTB, HTB) or pilot bore (RSB)
- One element
- Two taper bushings (if hubs selected are taper bushed)

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Jaw couplings

HUB-Pilot Bore		Element - NITRILE (Standard)	
Designation	RSP/no. (₹)	Designation	RSP/no. (₹)
PHE L035HUB	***	PHE L035NR	***
PHE L050HUB	***	PHE L050NR	***
PHE L070HUB	431	PHE L070NR	***
PHE L075HUB	591	PHE L075NR	***
PHE L090HUB	658	PHE L090/095NR	***
PHE L095HUB	760	PHE L090/095NR	***
PHE L100HUB	1,169	PHE L100NR	***
PHE L110HUB	2,036	PHE L110NR	***
PHE L150HUB	2,750	PHE L150NR	***
PHE L190HUB	3,796	PHE L190NR	***
PHE L225HUB	5,092	PHE L225NR	***

Note: A complete jaw coupling consists of:

- Two hubs and one element

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Gear couplings

HUB		Cover		Kit	
Designation	RSP/no. (₹)	Designation	RSP/no. (₹)	Designation	RSP/no. (₹)
PHE 10GCRSB	4,424	PHE 10GCCOVER	7,161	PHE 10GCKIT	3,793
PHE 15GCRSB	5,476	PHE 15GCCOVER	10,100	PHE 15GCKIT	5,898
PHE 20GCRSB	7,792	PHE 20GCCOVER	12,209	PHE 20GCKIT	5,898
PHE 25GCRSB	12,634	PHE 25GCCOVER	16,844	PHE 25GCKIT	8,844
PHE 30GCRSB	17,680	PHE 30GCCOVER	25,265	PHE 30GCKIT	10,100
PHE 35GCRSB	25,265	PHE 35GCCOVER	35,786	PHE 35GCKIT	11,790
PHE 40GCRSB	***	PHE 40GCCOVER	***	PHE 40GCKIT	***
PHE 45GCRSB	57,792	PHE 45GCCOVER	83,042	PHE 45GCKIT	16,844
PHE 50GCRSB	***	PHE 50GCCOVER	***	PHE 50GCKIT	***
PHE 55GCRSB	***	PHE 55GCCOVER	***	PHE 55GCKIT	***
PHE 60GCRSB	***	PHE 60GCCOVER	***	PHE 60GCKIT	***
PHE 70GCRSB	***	PHE 70GCCOVER	***	PHE 70GCKIT	***
PHE 80GCRSB	***	PHE 80GCFCOVER	***	PHE 90GCKIT	***
PHE 90GCRSB	***	PHE 90GCFCOVER	***	PHE 100GCKIT	***
PHE 100GCRSB	***	PHE 90GCMCOVER	***	PHE 110GCKIT	***
PHE 110GCRSB	***	PHE 100GCFCOVER	***	PHE 120GCKIT	***
PHE 120GCRSB	***	PHE 100GCMCOVER	***		
		PHE 110GCFCOVER	***		
		PHE 110GCMCOVER	***		
		PHE 120GCFCOVER	***		
		PHE 120GCMCOVER	***		

Note:

- Coupling size upto 70 consists of: 2 hubs, 2 covers and 1 assembly kit.
- Coupling size 80 and above consists of: 2 hubs, 1 male cover, 1 female cover and 1 assembly kit.

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

• Approved by: GH • Issued by: SS

• RSP 2022 Edition No 1, Effective from 6th May 2022

Grid couplings

HUB		GRID		Horizontal split cover		Horizontal split - Kit	
Designation	RSP/no. (₹)	Designation	RSP/no. (₹)	Designation	RSP/no. (₹)	Designation	RSP/no. (₹)
PHE 1020TGRSB	***	PHE 1020TGGRID	***	PHE 1020TGHCOVER	***	PHE 1020TGHKIT	***
PHE 1030TGRSB	***	PHE 1030TGGRID	***	PHE 1030TGHCOVER	***	PHE 1030TGHKIT	***
PHE 1040TGRSB	2,772	PHE 1040TGGRID	2,749	PHE 1040TGHCOVER	2,540	PHE 1040TGHKIT	693
PHE 1050TGRSB	4,788	PHE 1050TGGRID	3,220	PHE 1050TGHCOVER	3,509	PHE 1050TGHKIT	770
PHE 1060TGRSB	5,276	PHE 1060TGGRID	3,437	PHE 1060TGHCOVER	4,451	PHE 1060TGHKIT	***
PHE 1070TGRSB	7,288	PHE 1070TGGRID	4,556	PHE 1070TGHCOVER	5,641	PHE 1070TGHKIT	***
PHE 1080TGRSB	11,388	PHE 1080TGGRID	7,234	PHE 1080TGHCOVER	7,590	PHE 1080TGHKIT	***
PHE 1090TGRSB	15,833	PHE 1090TGGRID	13,270	PHE 1090TGHCOVER	8,211	PHE 1090TGHKIT	1,336
PHE 1100TGRSB	26,349	PHE 1100TGGRID	15,073	PHE 1100TGHCOVER	12,333	PHE 1100TGHKIT	***
PHE 1110TGRSB	32,647	PHE 1110TGGRID	18,804	PHE 1110TGHCOVER	16,819	PHE 1110TGHKIT	1,802
PHE 1120TGRSB	46,690	PHE 1120TGGRID	25,671	PHE 1120TGHCOVER	***	PHE 1120TGHKIT	***
PHE 1130TGRSB	***	PHE 1130TGGRID	***	PHE 1130TGHCOVER	***	PHE 1130TGHKIT	***
PHE 1140TGRSB	***	PHE 1140TGGRID	63,988	PHE 1140TGHCOVER	***	PHE 1140TGHKIT	***
PHE 1150TGRSB	***	PHE 1150TGGRID	***	PHE 1150TGHCOVER	***	PHE 1150TGHKIT	***
PHE 1160TGRSB	***	PHE 1160TGGRID	***	PHE 1160TGHCOVER	***	PHE 1160TGHKIT	***
PHE 1170TGRSB	***	PHE 1170TGGRID	***	PHE 1170TGHCOVER	***	PHE 1170TGHKIT	***
PHE 1180TGRSB	456,540	PHE 1180TGGRID	367,839	PHE 1180TGHCOVER	333,168	PHE 1180TGHKIT	14,270
PHE 1190TGRSB	***	PHE 1190TGGRID	***	PHE 1190TGHCOVER	***	PHE 1190TGHKIT	***
PHE 1200TGRSB	***	PHE 1200TGGRID	628,613	PHE 1200TGHCOVER	***	PHE 1200TGHKIT	***

Note: A complete grid coupling consists of:

- 2 hubs, 1 grid and 1 cover (covers available in vertical split and horizontal split options).

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Vertical split cover		Vertical split - Kit	
Designation	RSP/no. (₹)	Designation	RSP/no. (₹)
PHE 1020TGVCOVER	***	PHE 1020TGVKIT	***
PHE 1030TGVCOVER	***	PHE 1030TGVKIT	***
PHE 1040TGVCOVER	***	PHE 1040TGVKIT	***
PHE 1050TGVCOVER	4,860	PHE 1050TGVKIT	***
PHE 1060TGVCOVER	5,762	PHE 1060TGVKIT	***
PHE 1070TGVCOVER	7,368	PHE 1070TGVKIT	***
PHE 1080TGVCOVER	8,906	PHE 1080TGVKIT	***
PHE 1090TGVCOVER	10,947	PHE 1090TGVKIT	***
PHE 1100TGVCOVER	15,908	PHE 1100TGVKIT	***
PHE 1110TGVCOVER	***	PHE 1110TGVKIT	***
PHE 1120TGVCOVER	30,392	PHE 1120TGVKIT	***
PHE 1130TGVCOVER	***	PHE 1130TGVKIT	***
PHE 1140TGVCOVER	60,524	PHE 1140TGVKIT	***
PHE 1150TGVCOVER	***	PHE 1150TGVKIT	***
PHE 1160TGVCOVER	***	PHE 1160TGVKIT	***
PHE 1170TGVCOVER	***	PHE 1170TGVKIT	***
PHE 1180TGVCOVER	***	PHE 1180TGVKIT	***
		PHE 1190TGVKIT	***
PHE 1200TGVCOVER	***	PHE 1200TGVKIT	***

Note: *** Price and availability on request.

SKF India Limited – Industrial Market

Recommended Selling Price list for imported SKF industrial products

(Not to be photocopied and/or given to others without permission of the issuing authority)

- Approved by: GH • Issued by: SS
- RSP 2022 Edition No 1, Effective from 6th May 2022

Power transmission tools

Description	Designation	RSP (₹)
Belt Tension Pen Gauge	PHG PT/C1 007	4,158
Pulley Gauge (Stainless Steel)	PHP PT/C1 006	4,830
Belt frequency Meter	PHL FM10/400	196,532
Belt Measuring Tool	PHG PT/C1 005	***
Belt Gauge	PHG PT/C1 004	282

Do not copy

Note: *** Price and availability on request.

Price list serial no.:
RSP22/IM/Ed No 1:

SKF Authorized Industrial Distributor



Notes

1. The Recommended Selling Price list (RSP) list is effective from 6th May, 2022 and supersedes all the previous price lists issued by us.
2. These prices are subject to change without prior notice.

SKF in India

North: 611-617, 6th Floor, Bestech Chambers,
B Block, Sushant Lok, Phase-1,
Gurgaon 122 002, Haryana
Tel: +91-124-4705 000, Fax: +91-124-4705 001

East: Ecostation, Flat No: 1203, 12th Floor, Plot No 7, Block BP, Sector V,
Bidhan Nagar (Salt Lake), Kolkata 700 091, West Bengal
Tel: +91-33-3986 1800

West: Mahatma Gandhi Memorial Building,
Netaji Subash Road, Charni Road,
Mumbai 400 002, Maharashtra
Tel: +91-22-6633 7777, Fax: +91-22-2281 9074

South: 1st Floor, SKCL Design Square, S-11 and S-12,
Thiru-Vi-Ka Industrial Estate, Guindy, Chennai 600 032, Tamil Nadu
Tel: +91-44-6661 4000, Fax: +91-44-2250 1103

Central: Milestone - Kandla 333, Village-Kerala,
Taluka-Bavla, Ahmedabad-Rajkot Highway,
District Ahmedabad 382 220, Gujarat
Tel: +91-271-4619 100, Fax: +91-271-4619 202

Toll Free: 1800 222 007

Email us at: indiacustomer@skf.com

CIN No: L29130MH1961PLC011980

skf.com | skfindia.com

* SKF is a registered trademark of the SKF Group.

© SKF Group 2021

The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless prior written permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.

December 2021

Certain image(s) used under license from Shutterstock.com.